

# **Proud Sponsor**

User's manual
CL80109
DECT 6.0 expansion handset
for use with AT&T models
CL81109/CL81209/CL81309/
CL82109/CL82209/CL82309/
CL82359/CL82409/CL82509/
CL82609/CL82659/CL82859/
CL84109/CL84209/CL84309



# **Congratulations**

on your purchase of this AT&T product. Before using this AT&T product, please read the **Important safety information** on pages 22-24 of this manual. For complete instructions, please refer to the manual provided with your CL81109/CL81209/CL81309/CL82109/CL82209/CL82309/CL82359/CL82409/CL82509/CL82609/CL82659/CL82859/CL84109/CL84209/CL84309 telephone. If you are unable to find your manual, go to

www.telephones.att.com to read and/or download the manual

C--:-1 44

Type: DECT 6.0 expansion handset

Serial #:	
Purchase date:	

Place of purchase: \_

Both the model and serial number of your AT&T product can be found on the bottom of the charger.

Save your sales receipt and original packaging in case it is necessary to return your telephone for warranty service.



Telephones identified with this logo have reduced noise and interference when used with most T-coil equipped hearing aids and cochlear implants. The TIA-1083 Compliant Logo is a trademark of the Telecommunications Industry Association. Used under license.



The ENERGY STAR program® (www.energystar.gov) recognizes and encourages the use of products that save energy and help protect our environment. We are proud to mark this product with the ENERGY STAR® label indicating it meets the latest energy efficiency guidelines.

© 2009 Advanced American Telephones. All Rights Reserved. AT&T and the AT&T logo are trademarks of AT&T Intellectual Property licensed to Advanced American Telephones, San Antonio, TX 78219. Printed in China.

# Parts checklist

Your telephone package contains the following items. Save your sales receipt and original packaging in the event warranty service is necessary.



User's manual



Cordless handset



Charger for cordless handset with power adapter installed



Battery for cordless handset



Battery compartment cover

# User's manual CL80109

DECT 6.0 expansion handset for use with AT&T models CL81109/CL81209/CL81309/ CL82109/CL82209/CL82309/ CL82359/CL82409/CL82509/ CL82609/CL82659/CL82859/ CL84109/CL84209/CL84309



# Table of contents

Getting started Quick reference guide - handset1 Installation3
Charger installation
charging5  Adding the handset to your
telephone base
Adding and registering
handsets7
To register a handset to your
telephone base9
To deregister all handsets 10
Appendix A
Troubleshooting11
Appendix B
Maintenance21
Appendix C
Important safety

information...... 22

FCC part 68 and ACTA	25
Appendix E FCC part 15	27
Appendix F Limited warranty	28
Appendix G Technical specifications DECT 6.0 digital technology Telephone operating range Redefining long range coverage and clarity	31 31

Annendiy D

# Quick reference guide - handset

#### **CHARGE** indicator

On when the handset is charging in the telephone base or charger.

#### **▼CID/-VOLUME**

Press **▼CID** to display caller ID history. Press to scroll down while in menus

While entering names or numbers, press to move the cursor to the left Press to decrease the listening volume when on a call

#### → PHONE/FLASH

Press to make or answer a call During a call, press to answer an incoming call when you receive a call waiting alert.

While reviewing a call log entry, press repeatedly to add or remove 1 in front of the telephone number before dialing or saving it in the directory.

#### MUTE/DELETE

During a call, press to mute the microphone. While reviewing the caller ID history, or the directory or the redial memory, press to delete an individual entry. While predialing, press to delete digits.



# ■)) SPEAKER

Press to switch between speakerphone and handset

#### MENU/SELECT

Press to show the menu. While in the menu, press to select an item or save an entry or setting.

#### DIR▲/+VOLUME

Press **DIR**▲ to show directory entries.

Press to scroll up while in menus.

While entering names or numbers, press to move the cursor to the right. Press to increase the

listening volume when on a call

### OFF/CLEAR

During a call, press to hang

While in a menu, press to cancel an operation, back up to the previous menu, or exit the menu display. Press and hold while the telephone is not in use to erase the missed calls indicator

Press repeatedly to display other dialing options when reviewing a call log entry.

#### INT

Press to begin an intercom conversation or to transfer a call.

#### **REDIAL/PAUSE**

Press repeatedly to view the last five numbers dialed While entering numbers, press and hold to insert a dialing pause.

# Quick reference guide - handset

### Main menu

> Highlights a menu item.





#### ➤ Main menu

ANS. SYSTEM (only available for models with answering system)

DIRECTORY

CALL LOG

RINGER VOLUME

RINGER TONE

**KEY TONE** 

LCD LANGUAGE

SET DATE/TIME

CLR VOICEMAIL

HOME AREA CODE

# **Using menus**

Press **MENU/select** to show the main menu.

Press **▼CID** or **DIR** to scroll through menu items.

Press **MENU/SELECT** to select or save changes to a highlighted menu item.

Press **OFF/clear** to cancel an operation, back up to the previous menu, or exit the menu display.

For complete instructions, please refer to the manual provided with your CL81109/CL81209/CL81309/CL82109/CL82209/CL82309/CL82359/CL82409/CL82509/CL82609/CL82659/CL82859/CL84109/CL84209/CL84309 telephone. If you are unable to find your manual, go to **www.telephones.att.com** to read and/or download the manual.

# Getting started Installation

You must install and charge the battery before using the telephone.




See pages 5-6 for easy instructions.

Your product may be shipped with a protective sticker covering the handset or telephone base display - remove it before use.

For customer service or product information, visit our website at **www.telephones.att.com** or call **1 (800) 222-3111**. In Canada, dial **1 (866) 288-4268**.

#### Avoid placing the telephone base too close to:

- Communication devices such as: television sets, VCRs, or other cordless telephones.
- · Excessive heat sources.
- Noise sources such as a window with traffic outside, motors, microwave ovens, refrigerators, or fluorescent lighting.
- Excessive dust sources such as a workshop or garage.
- · Excessive moisture.
- Extremely low temperature.
- Mechanical vibration or shock such as on top of the washing machine or workbench.



Plug the power adapter into an electrical outlet not controlled by a wall switch

#### IMPORTANT INFORMATION

- Use only the power adapter supplied with this product. To order a replacement power adapter, visit our website at www.telephones.att.com, or call 1 (800) 222-3111. In Canada, dial 1 (866) 288-4268.
- The power adapter is intended to be correctly oriented in a vertical or floor mount position. The prongs are not designed to hold the plug in place if it is plugged into a ceiling, under-the-table or cabinet outlet.

#### Getting started

# Battery installation & charging

Install the battery as shown on the next page. Once you have installed the battery, the screen indicates the battery status (see table below). If necessary, place the handset in the telephone base or charger to charge the battery. For best performance, keep the handset in the charger when not in use. The battery is fully charged after 16 hours of continuous charging. See the table on page 31 for battery operating times.

If the screen is blank, you need to charge the handset without interruption for at least 10 minutes to give the handset enough charge to use the telephone for a short time. The screen shows **LOW BATTERY** and the backlight is off until you have charged the battery without interruption for at least one hour. The following table summarizes the battery charge indicators and actions to take.

Battery indicators	Battery status	Action
The screen is blank.	Battery has no charge and the handset cannot be used.	Charge without interruption until the screen shows LOW BATTERY (at least 10 minutes).
The screen shows  PLACE IN CHARGER  and  flashes.	Battery has very little charge and the handset cannot be used.	Charge without interruption until the screen shows LOW BATTERY (at least four minutes).
The screen shows <b>LOW BATTERY</b> and flashes.	Battery has enough charge to be used for a short time.	Charge until the screen shows <b>HANDSET X</b> (about one hour).
The screen shows HANDSET X.	Battery is charged.	To keep the battery charged, place it in the telephone base or charger when not in use.



**NOTE:** If you are on a phone call in low battery mode, you hear four short beeps every minute.

# Battery installation & charging



Step 1

Plug the battery securely into the connector inside the handset battery compartment, matching the color-coded label. Insert the supplied battery with the label **THIS SIDE UP** facing up as indicated.



Step 2

Align the cover flat against the battery compartment, then slide it upwards until it clicks into place.

### Step 3

Charge the handset by placing it face up in the charger. The **CHARGE** light on top of the handset is on during charging.



#### IMPORTANT INFORMATION

- Use only the supplied rechargeable battery or replacement battery (model BT8001). To order, visit our website at www.telephones.att.com or call 1 (800) 222-3111. In Canada, dial 1 (866) 288-4268.
- 2. If you do not use the handset for a long time, disconnect and remove the battery to prevent possible leakage.

Adding the handset to your telephone base
Adding and registering handsets

Before using a new CL80109 handset, you must register it with the AT&T CL81109/CL81209/CL81309/CL82109/CL82209/CL82309/CL82359/CL82409/CL82509/CL82659/CL82659/CL84109/CL84209/CL84309 telephone system (purchased separately), the telephone system can accommodate up to 12 handsets.

The handset with the CL81109/CL82109/CL84109 comes as **HANDSET 1**. You can register up to 11 additional handsets to the telephone base, and the handset numbers are in numerical order (**HANDSET 2**, **HANDSET 3**, **HANDSET 4** and so on).

The handsets that come with the CL81209/CL82209/CL84209 are **HANDSET 1**, **HANDSET 2**. You can register up to 10 additional handsets to the telephone base, and they are assigned numbers in sequential order (**HANDSET 3**, **HANDSET 4**, **HANDSET 5** and so on).

The handsets that come with the CL81309/CL82309/CL82359/CL84309 are **HANDSET 1**, **HANDSET 2** and **HANDSET 3**. You can register up to nine additional handsets to the telephone base, and they are in sequential order (**HANDSET 4**, **HANDSET 5**, **HANDSET 6** and so on).

The handsets that come with the CL82409 are **HANDSET 1**, **HANDSET 2**, **HANDSET 3** and **HANDSET 4**. You can register up to eight additional handsets to the telephone base, and they are in sequential order (**HANDSET 5**, **HANDSET 6**, **HANDSET 7** and so on).

The handsets that come with the CL82509 are **HANDSET 1**, **HANDSET 2**, **HANDSET 3**, **HANDSET 4** and **HANDSET 5**. You can register up to seven additional handsets to the telephone base, and they are in sequential order (**HANDSET 6**, **HANDSET 7**, **HANDSET 8** and so on).

Adding the handset to your telephone base
Adding and registering handsets

The handsets that come with the CL82609/CL82659 are **HANDSET** 1, **HANDSET** 2, **HANDSET** 3, **HANDSET** 4, **HANDSET** 5 and **HANDSET** 6. You can register up to six additional handsets to the telephone base, and they are in sequential order (**HANDSET** 7, **HANDSET** 8, **HANDSET** 9 and so on).

The handsets that come with the CL82859 are **HANDSET 1**, **HANDSET 2**, **HANDSET 3**, **HANDSET 4**, **HANDSET 5**, **HANDSET 6**, **HANDSET 7** and **HANDSET 8**. You can register up to four additional handsets to the telephone base, and they are in sequential order (**HANDSET 9**, **HANDSET 10**, **HANDSET 11** and **HANDSET 12**).

# Adding the handset to your telephone base Adding and registering handsets

The AT&T CL80109 needs to synchronize with the telephone base

before use. When first purchased, all expansion handsets show **NOT REGISTERED** on the screen. New handset may need to be charged without interruption for at least 10 minutes before registering to the telephone base.



#### To register a handset to your telephone base

- Make sure the handset is out of the telephone base or charger and shows **NOT REGISTERED** before you begin registration.
- Press and hold HANDSET LOCATOR on the telephone base for about four seconds (until the red IN USE light on the telephone base is on) and then release the button.
- 3. Place the unregistered handset into the telephone base or charger, PRESS HNDST LOC 4 SEC ON BASE shows on the handset screen. The handset is now registering with the telephone base. The handset then shows PLEASE WAIT... and it takes up to 60 seconds to complete the registration. There is a beep sound when the registration is successful. The handset shows HANDSET X REGISTERED, with X being the handset number (1-12).











#### NOTES:

- If the registration is not successful, the screen shows NOT REGISTERED. To reset the handset, remove the handset from the telephone base or charger, then start again from step 2 above.
- 2. You cannot register a handset if any other system handset is in use.

Adding the handset to your telephone base

# Deregistering a handset

You can deregister handsets. You may need to deregister your handsets if:

You have twelve registered handsets and need to replace a handset.

#### -OR-

You wish to change the designated handset number of your registered handsets.

You must first deregister ALL the handsets, and then re-register each handset you wish to use.

Please read carefully through all the instructions on this page before beginning the deregistration process.

### To deregister all handsets

- Press and hold HANDSET LOCATOR on the telephone base for about 10 seconds (until the IN USE light starts to flash), then release the HANDSET LOCATOR button.
- 2. Immediately press and release **HANDSET LOCATOR** again. You must press **HANDSET LOCATOR** while the **IN USE** light is still flashing. (The light flashes for about seven seconds. If the light stops flashing, pick up the handset and place it back into the telephone base, then start again with step one above.)
- The handset(s) shows CONNECTING... and it takes about 10 seconds to complete the deregistration process. ALL handsets shows NOT REGISTERED when deregistration is successful.
- 4. To re-register the handset(s) to the telephone base, follow the registration instructions on page 9.

# **U**NOTES:

- If the deregistration process is not successful, you might need to reset the system and try again. To reset: pick up the handset and press the PHONE/FLASH button, then press the PHONE/FLASH button and place the handset back into the telephone base. You may also reset by unplugging the power from the telephone base and plugging it back in.
- 2. You cannot deregister the handset(s) if any other system handset is in use.
- Even if the battery is depleted, you can still deregister the handset by following the steps above. After the handset is charged for at least 10 minutes, the screen shows NOT REGISTERED.

If you have difficulty with your phone, please try the suggestions below. For Customer Service, visit our website at **www.telephones.att.com** or call **1 (800) 222-3111**. In Canada, dial **1 (866) 288-4268**.

# The handset registration is unsuccessful.

Follow the steps below to re-register the handset.

- Make sure the handset is out of the telephone base or charger and shows NOT REGISTERED before you begin registration.
- Press and hold HANDSET LOCATOR for about four seconds (until the red IN USE light on the telephone base is on) and then release the button.
- 3. Place the unregistered handset into telephone base or charger.

Refer to the handset registration section on page 9 for details.

The handset screen shows PRESS HNDST LOC 4 SEC ON BASE and the handset is out of the telephone base or charger.

Unplug the battery from the handset and plug it back in (page 6). The screen should now show **NOT REGISTERED** and you can follow the registration instructions on page 9.

#### My phone doesn't work at all.

- Make sure the power cord is securely plugged in.
- Make sure you plug the battery connector securely into the cordless handset.
- Make sure you plug the telephone line cord securely and firmly into the telephone base and the telephone wall jack.
- · Charge the battery in the cordless handset for at least 16 hours. For optimum daily performance, return the cordless handset to the telephone base or charger when not in use.
- If the battery is depleted, it might take approximately 10 minutes to charge the handset before it shows LOW BATTERY. refer to the table on page 5 for details.
- Reset the telephone base. Unplug the electrical power. Wait for approximately 15 seconds, then plug it back in. Allow up to one minute for the cordless handset and telephone base to reset.
- You may need to purchase a new battery. Please refer to Battery installation & charging in this user's manual on pages 5-6.

# tone.

- I cannot get a dial First try all the suggestions above.
  - Move the cordless handset closer to the telephone base. You might have moved out of range.

- If the previous suggestions do not work, disconnect the telephone base from the telephone jack and connect to a different phone. If there is no dial tone on that phone either, the problem is in your wiring or local service. Contact your local telephone company.
- Your line cord might be malfunctioning. Try installing a new line cord.

#### I cannot dial out.

- First try all the suggestions above.
- Make sure you have a dial tone before dialing. The cordless handset might take a second or two to find the telephone base and produce a dial tone. This is normal. Wait an extra second before dialing.
- Eliminate any background noise. Noise from a television, radio or other appliances might cause the phone to not dial out properly. If you cannot eliminate the background noise, first try muting the cordless handset before dialing, or dialing from another room with less background noise.
- If the other phones in your home are having the same problem, contact your local telephone company (charges might apply).

# My cordless handset isn't performing normally.

 Make sure you plug the power cord securely into the telephone base. Plug the power adapter into a different, working electrical outlet without a wall switch.

- Move the cordless handset closer to the telephone base. You might have moved out of range.
- Reset the telephone base. Unplug the electrical power. Wait for 15 seconds then plug it back in. Allow up to one minute for the cordless handset and telephone base to reset
- Other electronic products can cause interference to your cordless phone. Try installing your phone as far away from these types of electronic devices as possible: television sets, VCRs, or other cordless telephones.

# connecting... appears on my cordless handset.

- Ensure you plug the telephone base in properly and the power is on.
- Place the cordless handset in the telephone base for one minute to allow the cordless handset and base to synchronize.
- Move the cordless handset closer to the telephone base. You might have moved out of range.
- Reset the telephone base. Unplug the electrical power. Wait for 15 seconds then plug it back in. Allow up to one minute for the cordless handset and telephone base to reset.
- Other electronic products can cause interference with your cordless phone. Try installing your phone as far away from these types of electronic devices as possible: television sets, VCRs, or other cordless telephones.

The batteries do not hold a charge.

- If the cordless handset is in the telephone base or charger and the charge light is not on, refer to The charge light is off in this Troubleshooting quide.
- Charge the battery in the cordless handset for at least 16 hours. For optimum daily performance, return the cordless handset to the telephone base or charger when not in use.
- If the battery is depleted, it might take approximately four minutes to charge the handset before it can resume display on the screen.
- You might need to purchase a new battery.
   Please refer to Battery installation & charging in this user's manual on pages 5-6.

I get noise, static, or weak signals even when I'm near the telephone base.

- If you subscribe to high-speed Internet service (digital subscriber line - DSL) through your telephone lines, you must install a DSL filter between the telephone base and the telephone wall jack. The filter prevents noise and caller ID problems as a result of DSL interference. Please contact your DSL service provider for more information about DSL filters.
- You may be able to improve the performance of your cordless phone by installing your new telephone base as far as possible from any other existing cordless telephone system that may already be installed

- Other electronic products can cause interference to your cordless phone. Try installing your phone as far away from the following electronic devices as possible: television sets, VCRs, or other cordless telephones.
- Do not install this phone near a microwave oven or on the same electrical outlet. You might experience decreased performance while the microwave oven is operating.
- If you plug your phone in with a modem or a surge protector, plug the phone (or modem/ surge protector) into a different location.
   If this does not solve the problem, relocate your phone or modem farther apart from one another, or use a different surge protector.
- Relocate your phone to a higher location.
   The phone might have better reception in a high area.
- If the other phones in your home are having the same problem, contact your local telephone company (charges may apply).

I experience poor sound quality when using the speakerphone.  For increased sound quality while using the speakerphone, place the handset on a flat surface with the dial pad facing up.

I hear other calls while using my phone.

 Disconnect the telephone base from the telephone jack, and plug in a different telephone. If you still hear other calls, call your local telephone company.

My cordless handset does not ring when I receive a call.

- Make sure that the ringer is not off. Refer to Ringer volume in the user's manual provided with your CL81109/CL81209/CL81309/ CL82109/CL82209/CL82309/CL82359/ CL82409/CL82509/CL82609/CL82659/ CL82859/CL84109/CL84209/CL84309 telephone.
- Make sure you plug in the telephone line cord securely into the telephone base and the telephone jack. Make sure you plug in the power cord securely.
- The cordless handset may be too far from the telephone base.
- Charge the battery in the cordless handset for at least 16 hours. For optimum daily performance, return the cordless handset to the telephone base or charger when not in use.
- You may have too many extension phones on your telephone line to allow all of them to ring simultaneously. Try unplugging some of the other phones.
- The layout of your home or office might be limiting the operating range. Try moving the telephone base to another location, preferably on an upper floor.
- If the other phones in your home are having the same problem, contact your local telephone company (charges might apply).
- Test a working phone at the phone jack.
  If another phone has the same problem,
  contact your local telephone company
  (charges might apply).

- Other electronic products can cause interference with your cordless phone. Try installing your phone as far away as possible from electronic devices such as television sets, VCRs, or other cordless telephones.
- Re-install the battery, and place the cordless handset in the telephone base. Wait for the cordless handset to re-establish its connection with the telephone base. Allow up to one minute for this to take place.
- Your line cord might be malfunctioning. Try installing a new line cord.

My calls cut in and out while I'm using my cordless handset.

- Other electronic products can cause interference with your cordless phone. Try installing your phone as far away from the following electronic devices as possible: television sets, VCRs, or other cordless telephones.
- Do not install this phone near a microwave oven or on the same electrical outlet. You might experience decreased performance while the microwave oven is operating.
- If you plug your phone in with a modem or surge protector, plug the phone (or modem/ surge protector) into a different location.
   If this does not solve the problem, relocate your phone or modem farther apart from one another, or use a different surge protector.
- Relocate your telephone base to a higher location. The phone might have better reception when installed in a high area.

 If the other phones in your home are having the same problem, contact your local telephone company (charges may apply).

# The charge light is off.

- Make sure you plug the power and line cords in correctly and securely.
- Unplug the electrical power. Wait for 15 seconds, then plug it back in. Allow up to one minute for the cordless handset and telephone base to reset.
- Clean the cordless handset and telephone base charging contacts each month with a pencil eraser or cloth.

# My caller ID isn't working.

- Caller ID is a subscription service. You must subscribe to this service from your local telephone company for this feature to work on your phone.
- The caller must be calling from an area that supports caller ID.
- Both you and your caller's telephone companies must use caller ID compatible equipment.
- If you subscribe to high-speed Internet service (digital subscriber line - DSL) through your telephone lines, you must install a DSL filter between the telephone base and the telephone wall jack. The filter prevents noise and caller ID problems resulting from DSL interference. Please contact your DSL service provider for more information about DSL filters.

# System does not receive caller ID when on a call.

Make sure you subscribe to caller ID
with call waiting features from your local
telephone company. Caller ID features
works only if both you and the caller are
in areas offering caller ID service, and if
both telephone companies use compatible
equipment.

# Common cure for electronic equipment.

If the telephone does not seem to be responding normally, try putting the cordless handset in the telephone base or charger. If it does not seem to respond, do the following (in the order listed):

- Disconnect the power to the telephone base.
- Disconnect the cordless handset battery, and spare battery, if applicable.
- · Wait a few minutes.
- Connect power to the telephone base.
- Re-install the battery, and place the cordless handset into the telephone base.
- Wait for the cordless handset to re-establish its connection with the telephone base.
   Allow up to one minute for this to take place.

#### Appendix B

### Maintenance

#### Taking care of your telephone

- Your cordless telephone contains sophisticated electronic parts, so you must treat it with care.
- · Avoid rough treatment.
- · Place the handset down gently.
- Save the original packing materials to protect your telephone if you ever need to ship it.

#### Avoid water

 You can damage your telephone if it gets wet. Do not use the handset in the rain, or handle it with wet hands. Do not install the telephone base near a sink, bathtub or shower.

#### **Electrical storms**

 Electrical storms can sometimes cause power surges harmful to electronic equipment. For your own safety, take caution when using electric appliances during storms.

#### Cleaning your telephone

- Your telephone has a durable plastic casing that should retain its luster for many years. Clean it only with a soft cloth slightly dampened with water or a mild soap.
- · Do not use excess water or cleaning solvents of any kind.

Remember that electrical appliances can cause serious injury if used when you are wet or standing in water. If the telephone base should fall into water, DO NOT RETRIEVE IT UNTIL YOU UNPLUG THE POWER CORD AND TELEPHONE LINE CORDS FROM THE WALL. Then pull the unit out by the unplugged cords.

#### Appendix C

# Important safety information



This symbol is to alert you to important operating or servicing instructions that may appear in this user's manual. Always follow basic safety precautions when using this product to reduce the risk of injury, fire, or electric shock.

#### Safety information

- Read and understand all instructions in the user's manual. Observe all markings on the product.
- Avoid using a telephone during a thunderstorm. There may be a slight chance of electric shock from lightning.
- Do not use a telephone in the vicinity of a gas leak. If you suspect a gas leak, report it immediately, but use a telephone away from the area where the gas is leaking. If this product is a cordless model, make sure the telephone base is also away from the area.
- Do not use this product near water, or when you are wet. For example, do
  not use it in a wet basement or shower, or next to a swimming pool, bathtub,
  kitchen sink, or laundry tub. Do not use liquids or aerosol sprays for cleaning.
  If the product comes in contact with any liquid, unplug any line or power cord
  immediately. Do not plug the product back in until it has dried thoroughly.
- Install this product in a protected location where no one can trip over any line or power cords. Protect cords from damage or abrasion.
- If this product does not operate normally, see the Troubleshooting section on
  pages 11-20 of this user's manual. If you cannot solve the problem, or if the
  product is damaged, refer to the Limited warranty section on pages 28-30. Do
  not open this product except as directed in your user's manual. Opening the
  product or reassembling it incorrectly may expose you to hazardous voltages or
  other risks.
- Replace batteries only as described in your user's manual on pages 5-6. Do not burn or puncture batteries — they contain caustic chemicals.
- This power adapter is intended to be correctly oriented in a vertical or floor mount position. The prongs are not designed to hold the plug in place if it is plugged into a ceiling or an under-the-table/cabinet outlet.



Caution: Use only the power adapter provided with this product. To obtain a replacement, visit our website at

www.telephones.att.com or call 1 (800) 222-3111. In Canada, dial 1 (866) 288-4268.

#### Appendix C

# Important safety information

#### Especially about cordless telephones

- Privacy: The same features that make a cordless telephone convenient create some limitations. Telephone calls are transmitted between the telephone base and the handset by radio waves, so there is a possibility that your cordless telephone conversations could be intercepted by radio receiving equipment within range of the cordless handset. For this reason, you should not think of cordless telephone conversations as being as private as those on corded telephones.
- Electrical power: The telephone base of this cordless telephone must be
  connected to a working electrical outlet which is not controlled by a wall switch.
  Calls cannot be made from the handset if the telephone base is unplugged,
  switched off or if the electrical power is interrupted.
- Potential TV interference: Some cordless telephones operate at frequencies
  that may cause interference to TVs and VCRs. To minimize or prevent such
  interference, do not place the telephone base of the cordless telephone near
  or on top of a TV or VCR. If interference is experienced, moving the cordless
  telephone farther away from the TV or VCR will often reduce or eliminate the
  interference.
- Rechargeable batteries: This product contains nickel-metal hydride rechargeable batteries. Exercise care in handling batteries in order not to create a short circuit with conductive material such as rings, bracelets, and keys. The battery or conductor may overheat and cause harm. Observe proper polarity between the battery and the battery charger.
- Nickel-metal hydride rechargeable batteries: Dispose of these batteries in a safe manner. Do not burn or puncture. Like other batteries of this type, if burned or punctured, they could release caustic material which could cause injury.



The RBRC™ Seal means that the manufacturer is voluntarily participating in an industry program to collect and recycle nickel-metal hydride rechargeable batteries when taken out of service within the United States. These batteries may be taken to a participating local retailer of replacement batteries or recycling center. Or you may call 1 (800) 8-BATTERY for locations accepting spent Ni-MH batteries.

#### Precautions for users of implanted cardiac pacemakers

Cardiac pacemakers (applies only to digital cordless telephones):

Wireless Technology Research, LLC (WTR), an independent research entity, led a multidisciplinary evaluation of the interference between portable wireless telephones and implanted cardiac pacemakers. Supported by the U.S. Food and Drug Administration, WTR recommends to physicians that:

# Appendix C Important safety information

#### Pacemaker patients

Should keep wireless telephones at least six inches from the pacemaker.

Should NOT place wireless telephones directly over the pacemaker, such as in a breast pocket, when it is turned ON.

Should use the wireless telephone at the ear opposite the pacemaker.

WTR's evaluation did not identify any risk to bystanders with pacemakers from other persons using wireless telephones.

# SAVE THESE INSTRUCTIONS

#### Appendix D

# FCC part 68 and ACTA

This equipment complies with Part 68 of the FCC rules and with technical requirements adopted by the Administrative Council for Terminal Attachments (ACTA). The label on the back or bottom of this equipment contains, among other things, a product identifier in the format US:AAAEQ##TXXXX. This identifier must be provided to your local telephone company upon request.

The plug and jack used to connect this equipment to premises wiring and the telephone network must comply with the applicable Part 68 rules and technical requirements adopted by ACTA. A compliant telephone cord and modular plug is provided with this product. It is designed to be connected to a compatible modular jack that is also compliant. An RJ11 jack should normally be used for connecting to a single line and an RJ14 jack for two lines. See Installation Instructions in the user's manual.

The Ringer Equivalence Number (REN) is used to determine how many devices you may connect to your telephone line and still have them ring when you are called. The REN for this product is encoded as the 6th and 7th characters following the US: in the product identifier (e.g., if ## is 03, the REN is 0.3). In most, but not all areas, the sum of all RENs should be five (5.0) or less. For more information, please contact your local telephone company.

This equipment may not be used with Party Lines. If you have specially wired alarm dialing equipment connected to your telephone line, ensure the connection of this equipment does not disable your alarm equipment. If you have questions about what will disable the alarm equipment, consult your telephone company or a qualified installer.

If this equipment is malfunctioning, it must be unplugged from the modular jack until the problem has been corrected. Repairs to this telephone equipment can only be made by the manufacturer or its authorized agents. For repair procedures, follow the instructions outlined under the Limited Warranty.

If this equipment is causing harm to the telephone network, the telephone company may temporarily discontinue your telephone service. The telephone company is required to notify you before interrupting service. If advance notice is not practical, you will be notified as soon as possible. You will be given the opportunity to correct the problem and the telephone company is required to inform you of your right to file a complaint with the FCC. Your telephone company may make changes in its facilities, equipment, operation, or procedures that could affect the proper functioning of this product. The telephone company is required to notify you if such changes are planned.

If this product is equipped with a corded or cordless handset, it is hearing aid compatible.

If this product has memory dialing locations, you may choose to store emergency telephone numbers (e.g., police, fire, medical) in these locations. If you do store or test emergency numbers, please:

#### Appendix D

# FCC part 68 and ACTA

Remain on the line and briefly explain the reason for the call before hanging up. Perform such activities in off-peak hours, such as early morning or late evening.

#### **Industry Canada**

Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference, including interference that may cause undesired operation.

The term "IC:" before the certification/registration number only signifies that the Industry Canada technical specifications were met.

The Ringer Equivalence Number (REN) for this terminal equipment is 0.1. The REN is an indication of the maximum number of devices allowed to be connected to a telephone interface. The termination on an interface may consist of any combination of devices subject only to the requirement that the sum of the RENs of all the devices does not exceed five.

This product meets the applicable Industry Canada technical specifications.

#### Appendix E

# FCC part 15

This equipment has been tested and found to comply with the requirements for a Class B digital device under Part 15 of the Federal Communications Commission (FCC) rules. These requirements are intended to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- · Reorient or relocate the receiving antenna.
- · Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

Changes or modifications to this equipment not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation. Privacy of communications may not be ensured when using this telephone.

To ensure safety of users, the FCC has established criteria for the amount of radio frequency energy that can be safely absorbed by a user or bystander according to the intended usage of the product. This product has been tested and found to comply with the FCC criteria. The handset may be safely held against the ear of the user. The telephone base shall be installed and used such that parts of the user's body other than the hands are maintained at a distance of approximately 20 cm (8 inches) or more.

This Class B digital apparatus complies with Canadian ICES-003.

## Appendix F Limited warranty

The AT&T brand is used under license - any repair, replacement or warranty service, and all questions about this product should be directed to: In the United States of America, visit www.telephones.att.com or call 1 (800) 222-3111 In Canada call 1 (866) 288-4268

#### 1. What does this limited warranty cover?

The manufacturer of this AT&T-branded product warrants to the holder of a valid proof of purchase ("CONSUMER" or "you") that the product and all accessories provided in the sales package ("PRODUCT") are free from defects in material and workmanship, pursuant to the following terms and conditions, when installed and used normally and in accordance with the PRODUCT operating instructions. This limited warranty extends only to the CONSUMER for products purchased and used in the United States of America and Canada

What will be done if the PRODUCT is not free from defects in materials and workmanship during the limited warranty period ("materially defective PRODUCT")?

During the limited warranty period, the manufacturer's authorized service representative will repair or replace at the manufacturer's option, without charge, a materially defective PRODUCT. If the manufacturer repairs the PRODUCT, they may use new or refurbished replacement parts. If the manufacturer chooses to replace the PRODUCT, they may replace it with a new or refurbished PRODUCT of the same or similar design. The manufacturer will retain defective parts, modules, or equipment. Repair or replacement of the PRODUCT, at the manufacturer's option, is your exclusive remedy. The manufacturer will return repaired or replacement products to you in working condition. You should expect the repair or replacement to take approximately 30 days.

3. How long is the limited warranty period?

The limited warranty period for the PRODUCT extends for ONE (1) YEAR from the date of purchase. If the manufacturer repairs or replaces a materially defective PRODUCT under the terms of this limited warranty, this limited warranty also applies to repaired or replacement PRODUCT for a period of either (a) 90 days from the date the repaired or replacement PRODUCT is shipped to you or (b) the time remaining on the original one-year limited warranty; whichever is longer.

4. What is not covered by this limited warranty?

This limited warranty does not cover:

- PRODUCT that has been subjected to misuse, accident, shipping or other
  physical damage, improper installation, abnormal operation or handling, neglect,
  inundation, fire, water, or other liquid intrusion; or
- PRODUCT that has been damaged due to repair, alteration, or modification by anyone other than an authorized service representative of the manufacturer; or

#### Appendix F

# Limited warranty

- PRODUCT to the extent that the problem experienced is caused by signal conditions, network reliability or cable or antenna systems; or
- PRODUCT to the extent that the problem is caused by use with non-AT&T accessories; or
- PRODUCT whose warranty/quality stickers, PRODUCT serial number plates or electronic serial numbers have been removed, altered or rendered illegible; or
- PRODUCT purchased, used, serviced, or shipped for repair from outside the United States of America or Canada, or used for commercial or institutional purposes (including but not limited to products used for rental purposes); or
- PRODUCT returned without valid proof of purchase (see item 6 below); or
- Charges for installation or setup, adjustment of customer controls, and installation or repair of systems outside the unit.
- 5. How do you get warranty service?

To obtain warranty service in the United States of America, visit

www.telephones.att.com or call 1 (800) 222-3111. In Canada, call 1 (866) 288-4268. NOTE: Before calling for service, please review the user's manual; a check of the PRODUCT controls and features may save you a service call.

Except as provided by applicable law, you assume the risk of loss or damage during transit and transportation and are responsible for delivery or handling charges incurred in the transport of the PRODUCT(s) to the service location. The manufacturer will return repaired or replaced PRODUCT under this limited warranty to you. Transportation, delivery or handling charges are prepaid. The manufacturer assumes no risk for damage or loss of the PRODUCT in transit. If the PRODUCT failure is not covered by this limited warranty, or proof of purchase does not meet the terms of this limited warranty, the manufacturer will notify you and will request that you authorize the cost of repair prior to any further repair activity. You must pay for the cost of repair and return shipping costs for the repair of products that are not covered by this limited warranty.

- 6. What must you return with the PRODUCT to get warranty service? You must:
- Return the entire original package and contents including the PRODUCT to the service location along with a description of the malfunction or difficulty; and
- Include "valid proof of purchase" (sales receipt) identifying the PRODUCT purchased (PRODUCT model) and the date of purchase or receipt; and
- Provide your name, complete and correct mailing address, and telephone number.

# Appendix F Limited warranty

#### 7. Other limitations

This warranty is the complete and exclusive agreement between you and the manufacturer of this AT&T branded PRODUCT. It supersedes all other written or oral communications related to this PRODUCT. The manufacturer provides no other warranties for this PRODUCT. The warranty exclusively describes all of the manufacturer's responsibilities regarding the PRODUCT. There are no other express warranties. No one is authorized to make modifications to this limited warranty and you should not rely on any such modification.

State/Provincial Law rights: This warranty gives you specific legal rights, and you may also have other rights which vary from state to state or province to province.

Limitations: Implied warranties, including those of fitness for a particular purpose and merchantability (an unwritten warranty that the PRODUCT is fit for ordinary use) are limited to one year from date of purchase. Some states/provinces do not allow limitations on how long an implied warranty lasts, so the above limitation may not apply to you. In no event shall the manufacturer be liable for any indirect, special, incidental, consequential, or similar damages (including, but not limited to lost profits or revenue, inability to use the PRODUCT or other associated equipment, the cost of substitute equipment, and claims by third parties) resulting from the use of this PRODUCT. Some states/provinces do not allow the exclusion or limitation of incidental or consequential damages, so the above limitation or exclusion may not apply to you.

Please retain your original sales receipt as proof of purchase.

# Technical specifications

RF frequency band	1921.536 MHz — 1928.448 MHz
Channels	5
Operating temperature	32°F — 122°F 0°C — 50°C
Handset voltage	2.4 — 3.2 VDC
Charger voltage (AC adapter output)	6VAC @300mA

Operation	Operating time*	
Talk time (handset)	Up to eight hours	
Talk time (speakerphone)	Up to five hours	
Standby	Up to six days	

<sup>\*</sup> Operating times varies depending on your actual use and the age of the battery.

#### DECT 6.0 digital technology

The AT&T DECT 6.0 products offer unsurpassed range performance and sound clarity. This is achieved through a unique antenna design and advances in noise-filtering technology. An independent laboratory has confirmed that AT&T DECT 6.0 products perform up to 45% better in range competitions. Now calls can be taken in the basement, backyard and garage with exceptional sound quality.

#### Telephone operating range

This cordless telephone operates within the maximum power allowed by the Federal Communications Commission (FCC). Even so, this handset and telephone base can communicate over only a certain distance — which can vary with the locations of the telephone base and handset, the weather, and the construction of your home or office.

#### Redefining long range coverage and clarity

This telephone base comes with an antenna which gives much better clarity and covers a longer range than before.



# **Proud Sponsor**

www.telephones.att.com