


Complete user's manual

CL83107/CL83207/CL83307/ CL83407 DECT 6.0 cordless telephone/ answering system with caller ID/call waiting



Congratulations

on your purchase of this AT&T product. Before using this AT&T product, please read the **Important safety information** section on pages 159-161 of this manual. Please thoroughly read this user's manual for all the feature operations and troubleshooting information necessary to install and operate your new AT&T product. You can also visit our website at **www.telephones.att.com** or call **1 (800) 222-3111**. In Canada, dial **1 (866) 288-4268**.

This telephone meets the California Energy Commission regulations for energy consumption. Your telephone is set up to comply with the energy-conserving standards right out of the box. No further action is necessary.

This telephone system is compatible with certain AT&T DECT 6.0 cordless headsets and speakerphones. Visit **www.telephones.att.com/accessories** for a list of compatible cordless headsets and speakerphones.

Model number: CL83107 (one handset)

CL83207 (two handsets) CL83307 (three handsets) CL83407 (four handsets)

Type: DECT 6.0 cordless telephone/answering system with

caller ID/call waiting

Serial number: _	
Purchase date: _	
Place of purchase:	

Both the model and serial numbers of your AT&T product can be found on the bottom of the telephone base.

Save your sales receipt and original packaging in case it is necessary to return your telephone for warranty service.



Telephones identified with this logo have reduced noise and interference when used with most T-coil equipped hearing aids and cochlear implants. The TIA-1083 Compliant Logo is a trademark of the Telecommunications Industry Association. Used under license.



The ENERGY STAR® program (www.energystar.gov) recognizes and encourages the use of products that save energy and help protect our environment. We are proud to mark this product with the ENERGY STAR® label indicating it meets the latest energy efficiency guidelines.

© 2017-2019 Advanced American Telephones. All Rights Reserved. AT&T and the AT&T logo are trademarks of AT&T Intellectual Property licensed to Advanced American Telephones, San Antonio, TX 78219. Printed in China.

Parts checklist

Your telephone package contains the following items. Save your sales receipt and original packaging in the event warranty service is necessary.



Abridged User's manual



Quick start quide



Cordless handset (1 for CL83107) (2 for CL83207) (3 for CL83307) (4 for CL83407)



Telephone base




Charger for cordless handset with power adapter installed

(1 for CL83207) (2 for CL83307) (3 for CL83407)



Battery for cordless handset

(1 for CL83107) (2 for CL83207) (3 for CL83307) (4 for CL83407)



Wall-mount bracket



Battery compartment cover

(1 for CL83107) (2 for CL83207) (3 for CL83307) (4 for CL83407)



Telephone line cord



Power adapter for telephone base

Complete user's manual

CL83107/CL83207/CL83307/CL83407
DECT 6.0 cordless telephone/
answering system with
caller ID/call waiting



Table of contents

Getting started	
Quick reference guide - handset	1
Quick reference guide - telephone	
base	
Installation	9
Telephone base and charger	
installation	10
Telephone base installation	10
Charger installation	10
Battery installation and charging	11
Battery backup mode	
To activate the mode	14
Operation	
Installation options	15
Tabletop to wall-mount	
installation	15
Wall-mount to tabletop	
installation	16
Tolonhono cottings	
Telephone settings	17
Handset settings	۱/ 10
Ringer volume	
Ringer tone	
Set date/time	
LCD language	Uک 21
Caller ID announce	∠ I
Set speed dial voicemail number	22
Hullibel	८८


Voicemail (visual message waiting) indicator Clear voicemail indication Rename handset Key tone	23 24
Use caller ID to automatically set date and time Home area code Dial mode	25 25
Web addressQUIET mode	27
elephone base settings Ringer volume Ringer tone	29
Set date/time LCD language Caller ID announce	30 31
Set speed dial voicemail number	
Voicemail (visual message waiting) indicator Clear voicemail indication Rename base	34
Key tone Use caller ID to automatically	
set date and time Home area code Dial mode Web address	36 37

Telephone operation		Create directory entries	
Telephone operation	38	Create a new directory entry	.63
Making a call		Add a predialed telephone	
On hook dialing (predialing)	38	number to the directory	
Answering a call		Review the directory	.65
Ending a call		Review directory entries	
Auto off		Search the directory	
Temporary ringer silencing	39	Search by name	.66
Handset speakerphone	40	Dial, delete or edit directory	
Last number redial	40	entries	
Equalizer	42	Display dial	
Options while on calls	43	Delete a directory entry	
Volume control	43	Edit a directory entry	
Call waiting	43	Speed dial	
Mute		Assign a speed dial number	.69
Chain dialing		Assign your voicemail speed	
Temporary tone dialing	47	dial number	
Blind transfer	47	Reassign a speed dial number	
Multiple bendest use		Delete a speed dial number	
Multiple handset use	10	Make a call using speed dial	71
Multiple handset use		Check your voicemail using	
Handset locator	49	speed dial	71
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		3peea alai	
Join a call in progress	49	•	
Intercom	49	Caller ID	
Answer an incoming call during	49 50	Caller ID About caller ID	.72
Answer an incoming call during an intercom call	49 50 52	Caller ID About caller IDInformation about caller ID with	.72
Answer an incoming call during an intercom call	49 50 52 53	Caller ID About caller IDInformation about caller ID with call waiting	.72 .72
IntercomAnswer an incoming call during an intercom call	49 50 52 53 54	Caller ID About caller ID Information about caller ID with call waiting Caller ID log	.72 .72 .73
Intercom	49 50 52 53 54 54	Caller ID About caller ID	.72 .72 .73 .73
Intercom	49 50 52 53 54 54 55	Caller ID About caller ID	.72 .72 .73 .73
Intercom	49 50 52 53 54 54 55 57	Caller ID About caller ID	.72 .73 .73 .73 .73
Intercom	49 50 52 53 54 54 55 57	Caller ID About caller ID	.72 .73 .73 .73 .74
Intercom	49 50 52 53 54 54 55 57 59	Caller ID About caller ID	.72 .73 .73 .73 .74 .74
Intercom	49 50 52 53 54 54 55 57 59	Caller ID About caller ID	.72 .73 .73 .73 .74 .74 .75
Intercom	49 50 52 53 54 54 55 57 59	Caller ID About caller ID	.72 .73 .73 .73 .74 .74 .75 .76
Intercom	49 50 52 53 54 54 55 57 59	Caller ID About caller ID	.72 .73 .73 .73 .74 .74 .75 .76
Intercom	49 50 52 53 54 54 55 57 59 60	Caller ID About caller ID	.72 .73 .73 .74 .75 .76 .76
Intercom	49 50 52 53 54 54 55 57 59 60 60	Caller ID About caller ID	.72 .73 .73 .74 .75 .76 .76
Intercom	49 50 52 53 54 54 55 57 59 60 60	Caller ID About caller ID	.72 .73 .73 .74 .74 .75 .76 .76
Intercom	49 50 52 53 54 54 55 57 59 60 60	Caller ID About caller ID	.72 .73 .73 .74 .74 .75 .76 .76
Intercom	49 50 52 53 54 55 57 59 60 61 61	Caller ID About caller ID	.72 .73 .73 .74 .74 .75 .76 .76 .77
Intercom	49 50 52 53 54 55 57 59 60 61 61 62	Caller ID About caller ID	.72 .73 .73 .74 .74 .75 .76 .76
Intercom	49 50 52 53 54 54 55 57 59 60 61 61 62 62	Caller ID About caller ID	.72 .73 .73 .74 .75 .76 .76 .77 .78

Reasons for missing caller ID	About the answering system127
information80	Answering system and
Consult call blacker	voicemail indicators127
Smart call blocker	Using the answering machine
About Smart call blocker*81	and voicemail together128
Call categories82	Message capacity128
Call controls83	Voice prompts129
Call block settings85	Call screening129
Set Smart call blocker on/off85	Call intercept130
Control calls without numbers85	Base ringer130
Control uncategorized calls86	Temporarily turning off the
Block list 88	message alert tone130
Allow list93	Message playback131
Star name list98	Options during playback132
Screening announcements101	Delete all old messages134
Voice guide to set Smart call	Recording and playing memos135
blocker104	Record a memo135
Allowed calls105	Play back a memo135
Allow calls without numbers105	Base message counter displays136
Allow uncategorized calls106	Message counter displays136
Blocked calls107	Remote access137
Block calls without numbers107	A
Block uncategorized calls108	Appendix
Screen calls without numbers 109	Adding and registering handsets/
Answer call once110	headsets/speakerphones139
Send call to answering system111	Register a handset to the
End call111	telephone base139
Screen uncategorized calls 112	Deregistering handsets141
Allow call once114	Deregister all handsets from
Always allow114	the telephone base141
Block call	Alert tones and lights142
Send call to answering system 115	Handset screen icons142
Option while on a call116	Telephone base screen icons142
Answering system	Handset alert tones143
Answering system settings117	Telephone base alert tones143
Announcement117	Lights144
Answer on/off120	Screen display messages145
Voice guide to set Answering	Screen messages145
system121	Troubleshooting148
Call screening122	Maintenance
Number of rings123	Important safety information159
Remote access code124	Safety information159
Message alert tone125	Especially about cordless
Message recording time	telephones160

Precautions for users of implanted cardiac pacemakers
coverage and clarity167 HD audio167 Simulated full-duplex handset and base speakerphones167
Index Index168

Quick reference quide - handset



1 CHARGE light

 On when the handset is charging in the telephone base or charger.

PUSH TO TALK

- Press to initiate a one-to-one (page 55) or one-to-group broadcast (page 57).
- Press and hold to broadcast to a group of system devices (page 57).

(3) REDIAL/PAUSE

- Press repeatedly to view the last ten numbers dialed (page 40).
- While entering numbers, <u>press and</u> <u>hold</u> to insert a dialing pause (page 63).

MENU/SELECT

- When the handset is not in use, press to show the menu.
- While in the menu, press to select an item or save an entry or setting.


\PHONE/FLASH

- Press to make or answer a call (page 38).
- During a call, press to answer an incoming call when you receive a call waiting alert (page 43).
- During message playback, press to call back the caller if the caller's number is available (page 132).

JOFF/CANCEL

- During a call, press to hang up (page 39).
- While in a menu, press to cancel an operation, back up to the previous menu, or exit the menu display; or <u>press</u> and hold this button to exit to idle mode.
- When the handset is ringing, press to mute the ringer temporarily (page 39).
- Press and hold while the telephone is not in use to erase the missed call indicator.

Quick reference guide - handset



(3) DIR/▲VOLUME

- Press to display the directory entries when the phone is not in use (page 65).
- Press to scroll up while in menus and lists.
- While entering names or numbers, press to move the cursor to the right.
- Press to increase the listening volume when on a call (page 43), or to increase the message playback volume (page 132).

CID/▼VOLUME

- Press to show caller ID log when the handset is not in use (page 75).
- Press to scroll down while in menus and lists.
- While entering names or numbers, press to move the cursor to the left.
- Press to decrease the listening volume when on a call (page 43), or to decrease the message playback volume (page 132).

(4) **M1**

- While reviewing a caller ID log entry, press repeatedly to add or remove 1 in front of the telephone number before dialing or saving it in the directory.
- When the handset is not in use, <u>press</u> and hold to set (page 22) or to dial your voicemail number (page 71).


TONE**X**∕a>A

- Press to switch to tone dialing temporarily during a call if you have pulse service (page 47).
- While entering names, press to change the next letter to upper or lower case.

QUIET# (pound key)

- Press repeatedly to display other dialing options when reviewing a caller ID log entry (page 76).
- Press and hold to enter the QUIET mode setting screen, or to deactivate QUIET mode (page 27).

Quick reference guide - handset



(4) ¶)/SPEAKER

- Press to make or answer a call using the speakerphone (page 38).
- Press to switch between the speakerphone and the handset (page 40).

MUTE/DELETE


- During a call, press to mute the microphone (page 44).
- When the handset is ringing, press to mute the ringer temporarily (page 39).
- While reviewing the caller ID log, directory, redial memory, allow list, block list, or star name list, press to delete an individual entry.
- While predialing, press to delete digits.
- During message or announcement playback, press to delete the playing message or the recorded announcement.

CALL BLOCK

- ► Press to block the incoming call when the telephone is ringing (page 115).
- ▶ When on a call, press to block the call (page 116).
- When the handset is not in use, press to show the call block menu (page 85).


Quick reference guide - handset

Main menu



Using menus:

- Press MENU/SELECT to show the menu.
- Press ▼CID or ▲DIR to scroll through menu items.
- Press MENU/SELECT to confirm or save changes to a highlighted menu item.
- Press Joff/CANCEL to cancel an operation, back up to the previous menu, or exit the menu display.





MIC

Microphone.

▼/VOL/▲

- During message playback or call screening, press to adjust the listening volume (page 43).
- While in idle mode, press to adjust the base ringer volume.
- When on a call, press to adjust the listening volume.

(2) IN USE light

- On when the telephone is in use, or when the answering system is answering an incoming call.
- On when a handset is being registered.
- Flashes when there is an incoming call or when all handsets are being deregistered.
- Flashes when another telephone is in use on the same line.

CANCEL

 While in a menu, press to cancel an operation, back up to the previous menu or exit the menu display; or <u>press</u> and hold to go back to idle mode.

- When the telephone base is ringing, press to mute the ringer temporarily.
- When the telephone base is not in use, press and hold to erase the missed call indicator.

FLASH/PTT

- Press to initiate a one-to-one (page 55) or one-to-group broadcast (page 57).
- Press and hold to broadcast to a group of system devices (page 57).
- During a call, press to answer an incoming call when you receive a call waiting alert (page 43).


€/FIND HS

While the phone is idle, press to page all handsets (page 49).

(3) ▲DIR

- Press to display the directory when the phone is not in use (page 65).
- Press to scroll up while in menus and lists.
- While entering names or numbers, press to move the cursor to the right.

5



(3) ▼CID

- Press to display the caller ID log when the phone is not in use (page 75).
- Press to scroll down while in menus and lists.
- While entering names or numbers, press to move the cursor to the left.

MENU/SELECT

- When the telephone base is not in use, press to show the menu.
- While in the menu, press to confirm or save an entry or setting.

4 **7**/CALL BLOCK

- Press to block the incoming call when the telephone is ringing (page 115).
- When on a call, press to block the call (page 116).
- When the telephone base is not in use, press to show the call block menu (page 85).

REDIAL/PAUSE

- Press repeatedly to view the last 10 numbers dialed (page 40).
- ► While entering numbers, press and hold to insert a dialing pause (page 63).

৩/ANS ON/OFF

Press to turn the built-in answering system on or off (page 120).

≪/REPEAT


- During playback, press to repeat the playing message (page 132).
- During playback, press twice to play the previous message (page 132).

>>/SKIP

Press to skip a message (page 132).

►/■/PLAY/STOP

Press to start or stop message playback (page 131).



(4) MUTE/DELETE

- While reviewing the caller ID log, directory, redial memory, allow list, block list, and star name list, press to delete an individual entry.
- While predialing, press to delete digits.
- During message or announcement playback, press to delete the playing message or announcement.
- Press twice to delete all old messages when the phone is not in use.
- During a call, press to mute the microphone (page 44).
- When the phone is ringing, press to mute the ringer temporarily.

●)/SPEAKER

Press to make or answer a call using the speakerphone.

(5) **M1**

 When the telephone is not in use, <u>press</u> <u>and hold</u> to set (page 33) or to dial your voicemail number (page 71).


TONE\//a>A

- Press to switch to tone dialing temporarily during a call if you have pulse service (page 47).
- While entering names, press to change the next letter to upper or lower case.

QUIET# (pound key)

- Press repeatedly to display other dialing options when reviewing a caller ID log entry (page 76).
- Press and hold to enter the QUIET mode setting screen, or to deactivate QUIET mode (page 27).

Main menu



Using menus:

- Press MENU/SELECT to show the menu.
- ▶ Press **▼CID** or **△DIR** to scroll through menu items.
- Press MENU/SELECT to confirm or save changes to a highlighted menu item.
- Press CANCEL to cancel an operation, back up to the previous menu, or exit the menu display.

You must install and charge the battery before using the telephone.



See pages 11-12 for easy instructions.

Install the telephone base close to a telephone jack and a power outlet not controlled by a wall switch. The telephone base can be placed on a flat surface or vertically mounted on the wall (page 15). For optimum range and better reception, place the telephone base in a central and open location.

If you subscribe to high-speed Internet service (DSL - digital subscriber line) through your telephone line, you must install a DSL filter between the telephone line cord and the telephone wall jack (see the following page). The filter prevents noise and caller ID problems caused by DSL interference. Please contact your DSL service provider for more information about DSL filters.

Your product may be shipped with protective stickers covering the handset and telephone base displays - remove them before use.

For customer service or product information, visit our website at **www.telephones.att.com** or call **1 (800) 222-3111**. In Canada, dial **1 (866) 288-4268**.

Avoid placing the telephone base and charger too close to:


- Communication devices such as television sets, VCRs, or other cordless telephones.
- Excessive heat sources.
- Noise sources such as a window with traffic outside, motors, microwave ovens, refrigerators, or fluorescent lighting.
- Excessive dust sources such as a workshop or garage.
- Excessive moisture.
- Extremely low temperature.
- Mechanical vibration or shock such as on top of a washing machine or workbench.

Telephone base and charger installation


Install the telephone base and charger, as shown below.

The telephone base is ready for tabletop use. If you want to change to wall-mounting, see **Installation options** on page 15 for details.

Telephone base installation



Charger installation



IMPORTANT INFORMATION

- Use only the power adapter(s) supplied with this product. To order a replacement power adapter, visit our website at www.telephones.att.com or call 1 (800) 222-3111. In Canada, dial 1 (866) 288-4268.
- The power adapters are intended to be correctly oriented in a vertical or floor mount position. The prongs are not designed to hold the plug in place if it is plugged into a ceiling, under-the-table or cabinet outlet.

Battery installation and charging

Install the battery, as shown below. Once you have installed the battery, the screen indicates the battery status (see the following table). If necessary, place the handset in the telephone base or charger to charge the battery. For best performance, keep the handset in the telephone base or charger when not in use. The battery is fully charged after ten hours of continuous charging. See the table on page 167 for battery operating times.

If the screen shows Place in charger and \hat{u} flashes, you need to charge the handset without interruption for at least 30 minutes to give the handset enough charge to use the telephone for a short time. The following table summarizes the battery charge indicators and actions to take.


Battery indicators	Battery status	Action	
The screen is blank, or shows Place in charger and (i) (flashing).	Battery has no or very little charge. The handset cannot be used.	Charge without interruption (at least 30 minutes).	
The screen shows Low battery and (flashing).	Battery has enough charge to be used for a short time.	Charge without interruption (at least 30 minutes).	
The screen shows HANDSET X.	Battery is charged.	To keep the battery charged, place it in the telephone base or charger when not in use.	



Note: If you are on a phone call in low battery mode, you hear four short beeps every minute.

Step 1


Plug the battery connector securely into the socket inside the handset battery compartment. Insert the supplied battery with the label **THIS SIDE UP** facing up, as indicated.



Battery installation and charging

Step 2

Align the cover flat against the battery compartment, then slide it upwards until it clicks into place.





Step 3

Charge the handset by placing it face forward in the telephone base or charger. The **CHARGE** light on the handset is on during charging.

Battery installation and charging

After you install your telephone or power returns following a power outage, the handset and telephone base will prompt you to set the date and time. For instructions, see **Set date/time** on page 19 or page 30. To skip setting the date and time, press **JOFF/CANCEL** on the handset or **CANCEL** on the telephone base.





After the date and time setting is done or skipped, the telephone base then prompts if you want to set Smart call blocker. Press MENU/SELECT to start the Smart call blocker setup via voice guide. For more details, see Voice guide to set Smart call blocker on page 104. To skip the setup, press CANCEL on the telephone base.

Voice Guide set Smart Call Blk?

After the Smart call blocker setting is done or skipped, the telephone base will then prompt if you want to set up the answering system. Press MENU/SELECT to start the answering system setup via voice guide. For more details, see Voice guide to set Answering system on page 121. To skip the setup, press CANCEL on the telephone base.

Voice 9uide to set up Ans sys?

IMPORTANT INFORMATION

- Use only the supplied rechargeable battery or replacement battery (model BT183342/BT283342). To order, visit our website at www.telephones.att.com or call 1 (800) 222-3111. In Canada, dial 1 (866) 288-4268.
- If you do not use the handset for a long time, disconnect and remove the battery to prevent possible leakage.

Battery backup mode

Battery backup mode allows your telephone to function in the event of power outage. The telephone system uses stored power from the handset's battery to operate.

To activate the mode

After the power goes out, if there is already a handset with enough charge placed in the telephone base, the telephone system enters battery backup mode automatically. That handset screen shows **Powering base... Don't pick up**. All other handset screens show **Pwr outage mode**.

Out of range OR No ewr at base

-OR-

If there is no handset placed in the telephone base after the power goes out, all handsets show **Out of range OR No pwr** at base and **Put HS on base to power base**, alternatively. Place any handset with enough charge in the telephone base. Its screen shows **Powering base... Don't pick up**. All other handset screens show **Pwr outage mode**.





Note: A handset which does not have enough charge to power up the base, its screen shows **Out of range OR No pwr at base** and **Not enough batt to power base**, alternatively, after the power goes out. Find another system handset that has enough charge to activate the mode.



Operation

During battery backup mode, the telephone base and answering system will be disabled. The operating time is subject to the battery level of the handset placed in the telephone base and the actual usage. For optimal performance, you are not recommended to use the handset placed in the telephone base when this mode is on.

Using other system handsets (Recommended):

Operate the handsets the same way as usual, except the answering system which will be disabled.

Using the handset placed in the telephone base:


To maximize the operating time, you are not advised to use this handset. If you do have to use it, make sure you do not lift it from the telephone base. All operations should be done with the handset placed in the telephone base. In this case, calls can only be made and received using the speakerphone.

Installation options

Your telephone base is ready for tabletop use. If you want to mount your telephone on a wall, follow the steps on this page to connect the telephone base with a standard dual-stud telephone wall-mounting plate. You may need a professional to install the mounting plate.

Tabletop to wall-mount installation


- 1. Plug the telephone line into the telephone base. If you are using a DSL filter, plug the other end of the telephone line into the filter. Route the telephone line cord (or DSL filter) through the wall-mount bracket hole.
- 2. Align the holes on the wall-mount bracket with the standard wall plate and slide the wall-mount bracket down until it locks securely.
- 3. Position the telephone base, as shown below. Insert the extended tabs (marked B) of the wall-mount bracket into the slots on the back of the telephone base. Push the telephone base down until it is securely in place.
- 4. Plug the power adapter into a power outlet not controlled by a wall switch. Plug the other end of the power adapter into the telephone base. Bundle the telephone line cord and power adapter cord neatly with twist ties.




Installation options

Wall-mount to tabletop installation

- 1. Unplug the large end of the power adapter from the electrical outlet.
- 2. If the telephone line cord and power adapter cord are bundled, untie them first. Slide the wall-mount bracket up and remove it from the wall-mounting plate.



3. Unplug the telephone line cord or the DSL filter from the telephone wall jack. Push the telephone base up and away from the wall-mount bracket to detach it from the wall-mount bracket.



4. See **Telephone base and charger installation** on page 10.

Use the menu to change the telephone settings.

- 1. Press **MENU/SELECT** on the handset when it is not in use to enter the main menu.
- 2. Press ▼CID or ▲DIR to scroll to the feature to be changed. When scrolling through the menu, the > symbol indicates the selected menu item.
- 3. Press **MENU/SELECT** to select the highlighted item.





Note: Press **J** off/CANCEL to cancel an operation, back up to the previous menu or exit the menu display. Press and hold **J** off/CANCEL to return to idle mode.

Ringer volume

You can set the ringer volume level to one of six levels or turn the ringer off. When the ringer is off, \mathcal{A} appears on the screen.

- 1. Press **MENU/SELECT** in idle mode to enter the main menu.
- 2. Use **▼CID** or **▲DIR** to scroll to **Ringers**, then press **MENU/SELECT**.
- 3. Press MENU/SELECT again to select Ringer volume.
- 4. Press **▼CID** or **△DIR** to sample each volume level.
- 5. Press **MENU/SELECT** to save your preference. There is a confirmation tone and the screen returns to the previous menu.



>Ringer volume Ringer tone

RINGER UILLNE



Â



Notes

- The handset ringer volume also determines the ringer volume for intercom calls.
- ▶ If the ringer volume is set to off, that handset is silenced for all incoming calls.
- If the ringer volume is set to off, the caller ID will not be announced and the screen will briefly display Caller ID won't be announced

Ringer tone

You can choose one of ten ringer tones.

- 1. Press **MENU/SELECT** in idle mode to enter the main menu.
- Use ▼CID or ▲DIR to scroll to Ringers, then press MENU/SELECT.
- Press ▼CID or ▲DIR to scroll to Ringer tone, then press MENU/SELECT.
- 4. Press **▼CID** or **△DIR** to sample each ringer tone.
- 5. Press **MENU/SELECT** to save your preference. There is a confirmation tone and the screen returns to the previous menu.



RINGER TONE >Tone 1

Â



Note: If you turn off the ringer volume, you will not hear ringer tone samples.

Set date/time

The answering system announces the day and time of each message prior to playing it. Before using the answering system, set the date and time as follows. If you subscribe to caller ID service, the day, month and time are set automatically with each incoming call. The year must be set so that the day of the week can be calculated from the caller ID information. You can turn off the date and time settings of the caller ID service and set the date and time manually (see **Use caller ID to automatically set date and time** on page 25).

After a power failure or handset registration, the system prompts you to set the date and time.

To set the date and time manually:

- When the handset is in idle mode, press MENU/SELECT to enter the main menu.
- 2. Press ▼CID or ▲DIR to scroll to Set date/time and then press MENU/SELECT.
- Press ▼CID or ▲DIR to select the month, then press MENU/SELECT, or enter the number using the dialing keys.
- Press ▼CID or ▲DIR to select the day, then press MENU/SELECT, or enter the number using the dialing keys.
- 5. Press ▼CID or ▲DIR to select the year, or enter the number using the dialing keys, then press MENU/SELECT to move on to set the time.
- Press ▼CID or ▲DIR to select the hour, then press MENU/SELECT, or enter the number using the dialing keys.
- Press ▼CID or ▲DIR to select the minute, then press MENU/SELECT, or enter the number using the dialing keys.
- Press ▼CID or ▲DIR to highlight AM or PM, or press 2 for AM or 7 for PM. Press MENU/SELECT to confirm. There is a confirmation tone and the screen returns to the previous menu.



Note: If the clock is not set when a message is recorded, the system announces, "Time and day not set," before it plays the message.







LCD language

You can select the language used for all screen displays.

- 1. Press **MENU/SELECT** in idle mode to enter the main menu.
- 2. Use **▼CID** or **▲DIR** to scroll to **Settings**, then press **MENU/SELECT**.
- 3. Press MENU/SELECT to choose LCD language.
- 4. Press ▼CID or ▲DIR to highlight English, Français or Español, then press MENU/SELECT. The screen prompts Set English/Français/Español as LCD language?.
- 5. Press **MENU/SELECT** to save your preference. There is a confirmation tone and the screen returns to the previous menu.



Malieh.



Note: If you accidentally change the LCD language to French or Spanish, you can reset it back to English without going through the French or Spanish menus. Press **MENU/SELECT** on the handset in idle mode, then enter **364#**. There is a confirmation tone.

Caller ID announce

The caller ID announce feature lets you know who's calling without having to look at the display. When you have an incoming call, the handset and/or base speaks "Call from..." and the name of the caller based on the directory or caller ID information. If the caller's name is private or unknown, the phone number up to the last 11 digits will be announced. If the caller's phone number is also private or unknown, no information will be announced. The default setting is On.

LCD language XCaller ID anno 🖺





To turn on or off the caller ID announce feature:

- 1. Press **MENU/SELECT** in idle mode to enter the main menu.
- 2. Use **▼CID** or **▲DIR** to scroll to **Settings**, then press **MENU/SELECT**.
- Use ▼CID or ▲DIR to scroll to Caller ID annc, then press MENU/SELECT.
- 4. Use **▼CID** or **△DIR** to highlight the desired option, then press **MENU/SELECT**.
 - Set all On/Off Change the setting for the base and all handsets.
 - Local handset Change the setting for that handset only.
 - **Base** Change the setting for the telephone base only.
- 5. Use ▼CID or ▲DIR to highlight On or Off, then press MENU/SELECT. There is a confirmation tone and the screen returns to the previous menu. If you change the setting to Set all On/Off, the screen shows CID Annc ON/OFF on all HS & BS. The caller ID announce feature has been turned on or off on all handsets and on the telephone base.



- To use the caller ID announce feature, you must subscribe to caller ID service from your telephone service provider.
- If you have paired an AT&T TL80133 DECT 6.0 cordless speakerphone to the telephone base, the caller ID announce setting for all devices also applies to the cordless speakerphone. When the setting is On, the cordless speakerphone speaks "Call from..." and the name of the caller based on the directory or caller ID information during an incoming call. If the caller's name is unavailable, the phone number up to the last 11 digits will be announced.
- When there are up to five handsets registered, the telephone system supports caller ID announce for all handsets. If six or more handsets are registered, the system supports caller ID announce for the first four registered handsets only.
- ▶ This feature does not announce information for call waiting calls.
- It takes at least two rings for the phone to receive caller ID information and announce it. If the phone is answered before the end of the second ring, the phone won't have time to announce the caller's information.
- Pronunciation of names may vary with this feature. Not all names may be pronounced correctly.
- ▶ Caller ID announce is available in English only.

Set speed dial voicemail number

This feature lets you save your voicemail number for easy access when you press and hold the \mathbb{Z} 1 key.

To save your voicemail number:

- 1. Press **MENU/SELECT** in idle mode to enter the main menu.
- Use ▼CID or ▲DIR to scroll to Settings, then press MENU/SELECT.
- 3. Use **▼CID** or **△DIR** to scroll to **Voicemail** #, then press **MENU/SELECT**.
- Use the dialing keys to enter the voicemail access number provided by your telephone service provider (up to 30 digits) when prompted.
 - Press ▼CID or ▲DIR to move the cursor to the left or right.
 - Press MUTE/DELETE on the handset to erase a digit.
 - Press and hold MUTE/DELETE on the handset to erase all digits.
 - Press REDIAL/PAUSE to enter a three-second dialing pause (a p appears).
- 5. Press **MENU/SELECT** to save. There is a confirmation tone and the screen displays **Voicemail # saved**, then returns to the previous menu.

Voicemail (visual message waiting) indicator

If you subscribe to a voicemail service offered by your telephone service provider, this feature provides a visual indication when you have new voicemail messages.

New voicemail and the \mathbf{M} icon appear on the handset screen.



Caller ID armo









- This feature does not indicate new messages recorded on your phone's built-in answering system.
- For more information about the difference between your answering system and voicemail, see "Answering system and voicemail indicators" on page 127.

Clear voicemail indication

Use this feature when the telephone indicates there is new voicemail but there is none. For example, when you have accessed your voicemail while away from home. This feature only turns off the displayed **New voicemail** and the **⋈** icon; it does not delete your voicemail messages. As long as you have new voicemail messages, your telephone service provider continues to send the signal to turn on the indicators.

To manually turn off the new voicemail indicators:

- Press MENU/SELECT when in idle mode to enter the main menu.
- Use ▼CID or ▲DIR to scroll to Settings, then press MENU/SELECT.
- Use ▼CID or ▲DIR to scroll to Clr voicemail, then press MENU/SELECT. The screen shows Reset Voicemail Indicator?.
- 4. Press **MENU/SELECT** again to turn the voicemail indication off. There is a confirmation tone and the screen returns to the previous menu.







Notes:

- Your telephone service provider voicemail may alert you to new messages with a stutter (broken) dial tone. Contact your telephone service provider for more details.
- For information about using your voicemail service, contact your telephone service provider.

Rename handset

You can edit the handset name for each system handset.

- 1. When the handset is idle, press **MENU/SELECT**.
- Use ▼CID or ▲DIR to scroll to Settings, then press MENU/SELECT.
- 3. Use **▼CID** or **▲DIR** to scroll to **Rename handset**, then press **MENU/SELECT**.
- 4. Change the handset name when prompted.
 - Press ▼CID or ▲DIR to move the cursor to the left or right.
 - Use the dialing keys to enter a name (up to 11 characters). Each time you press a key, a character on that key appears. Additional key presses produce other characters on that key. See the chart on page 64.
 - Press MUTE/DELETE to backspace and delete a character.
 - Press and hold MUTE/DELETE to delete all characters.
- 5. Press **MENU/SELECT** to save the setting and return to the previous menu. There is a confirmation tone.

Key tone

The handset is set to beep with each key press. You can adjust the key tone volume or turn it off. If you turn off the key tone, there are no beeps when you press the keys.

- 1. Press **MENU/SELECT** in idle mode to enter the main menu.
- 2. Use **▼CID** or **▲DIR** to scroll to **Settings**, then press **MENU/SELECT**.
- Use ▼CID or ▲DIR to scroll to Key tone, then press MENU/SELECT.
- 4. Use **▼CID** or **△DIR** to select the desired volume or **Off**.
- Press MENU/SELECT to save your preference. There is a confirmation tone and the screen returns to the previous menu.









Use caller ID to automatically set date and time

If you subscribe to caller ID service, the day, month and time are set automatically with each incoming call. Follow the steps to turn the **CID time sync** feature on or off. The default setting is **On**.

- When the handset is in idle mode, press MENU/SELECT to enter the main menu.
- 2. Press ▼CID or ▲DIR to scroll to **Settings**, then press MENU/SELECT.
- Press ▼CID or ▲DIR to scroll to CID time sync, then press MENU/SELECT.
- 4. Press ▼CID or ▲DIR to highlight On or Off, then press MENU/SELECT to save. There is a confirmation tone and the screen returns to the previous menu.





Home area code

If you dial seven digits to make a local call (no area code required), enter your area code into the telephone as the home area code. When you receive a call from within your home area code, the caller ID log only displays the seven digits of the telephone number.

This feature makes it easy for you to place a call from the caller ID log. If you dial ten digits to make a local phone call, do not use this home area code feature. If you do, you cannot place local calls from your caller ID log, as they will have only seven digits.

To set the home area code:

- 1. Press **MENU/SELECT** in idle mode to enter the main menu.
- 2. Use **▼CID** or **△DIR** to scroll to **Settings**, then press **MENU/SELECT**.
- Use ▼CID or ▲DIR to scroll to Home area code, then press MENU/SELECT. The screen briefly shows Only for 7digit dial from CID.
- 4. Use the dialing keys to enter a three-digit home area code.
 - Press MUTE/DELETE to delete a digit.
 - Press and hold MUTE/DELETE to delete all digits.
- 5. Press MENU/SELECT to save. There is a confirmation tone and the screen shows **Area code will not show in CID** briefly before returning to the previous menu.







Note: If in the future, your telephone service provider requires you to dial ten digits to make a local call (area code plus telephone number), you need to delete your home area code and dial out locally from the call ID log. With the home area code displayed, press and hold MUTE/DELETE until the digits are deleted, and then press MENU/SELECT. The home area code is now restored to its default setting of ___ (empty).

Dial mode

The dial mode is preset to tone dialing. If you have pulse (rotary) service, you must change the dial mode to pulse dialing before using the telephone.

To set the dial mode:

- 1. Press **MENU/SELECT** in idle mode to enter the main menu.
- 2. Use **▼CID** or **▲DIR** to scroll to **Settings**, then press **MENU/SELECT**.
- Use ▼CID or ▲DIR to scroll to Dial mode, then press MENU/SELECT.
- 4. Use ▼CID or ▲DIR to highlight Touch-tone or Pulse, then press MENU/SELECT. The screen shows DIAL MODE is touch-tone or DIAL MODE is pulse. There is a confirmation tone and the screen returns to the previous menu.





Web address

Use this feature to view the AT&T website address.

- 1. Press **MENU/SELECT** in idle mode to enter the main menu.
- 2. Use **▼CID** or **▲DIR** to scroll to **Web address**, then press **MENU/SELECT**.

Settings X**Jeb address** (1)

www.telerhones. att.com (A

QUIET mode

When **QUIET** mode is turned on, the telephone silences all sounds during the set period of time (1-12 hours). However, the handset locator paging tone and any sound-generating operations initiated by users, such as making calls using the speakerphone or setting ringer volume, will sound as normal. After you turn on **QUIET** mode, this feature activates immediately and the answering system turns on automatically. When **QUIET** mode is on, the answering system takes calls and records messages without broadcasting them.

To turn QUIET mode on:

- Press and hold QUIET # in idle mode to enter the QUIET mode setting screen. The screen shows Quiet: __hours (1-12 hours).
- 2. Use the dialing keys to enter the desired number of hours (1-12) you would like to turn on **QUIET** mode, then press **MENU/SELECT**. Your screen briefly shows **Answering sys is ON** and then **Quiet mode on**.

To turn QUIET mode off:

While QUIET mode is on, <u>press and hold</u> QUIET #. The screen shows
 Quiet mode is off and you hear a confirmation tone.



Notes

- If you change the base ringer, handset ringer, ringer volume, key tone, or caller ID announce features when QUIET mode is on, the sample plays but the feature is still muted after saving the setting.
- After QUIET mode is turned off or the set period of time has expired, all muted features will be activated again.
- ▶ The PTT function is not available when **QUIET** mode is on.
- Intercom is available during QUIET mode, but the handset will not ring.
- When QUIET mode is on, and Smart call blocker is on and in screening mode, all screened calls will be sent to the
 answering system after screening. For more information on Smart call blocker, see page 81.

Telephone base settings

Use the menu to change the telephone settings.

- Press MENU/SELECT on the telephone base when it is not in use to enter the main menu.
- 2. Press ▼CID or ▲DIR to scroll to the feature to be changed. When scrolling through the menu, the > symbol indicates the selected menu item.

3. Press MENU/SELECT to select the highlighted item.

>Play messages Answering sys



Note: Press **CANCEL** to cancel an operation, back up to the previous menu or exit the menu display. <u>Press</u> and hold **CANCEL** to return to idle mode.

Telephone base settings

Ringer volume

You can set the ringer volume level to one of six levels or turn the ringer off. When the ringer is off, \mathcal{A} appears on the screen.

- Press MENU/SELECT in idle mode to enter the main menu.
- 2. Use **▼CID** or **△DIR** to scroll to **Ringers**, then press **MENU/SELECT**.
- 3. Press MENU/SELECT again to select Ringer volume.
- 4. Press **▼CID** or **△DIR** to sample each volume level.
- 5. Press **MENU/SELECT** to save your preference. There is a confirmation tone and the screen returns to the previous menu.







Notes

- The telephone base ringer volume also determines the ringer volume for intercom calls.
- ▶ If the ringer volume is set to off, the telephone base is silenced for all incoming calls.
- If the ringer volume is set to off, the caller ID will not be announced and the screen will briefly display Caller ID won't be
 announced.

Ringer tone

You can choose one of ten ringer tones.

- Press MENU/select in idle mode to enter the main menu.
- 2. Use **▼CID** or **△DIR** to scroll to **Ringers**, then press **MENU/SELECT**.
- Press ▼CID or ▲DIR to scroll to Ringer tone, then press MENU/SELECT.
- 4. Press **▼CID** or **△DIR** to sample each ringer tone.
- 5. Press **MENU/SELECT** to save your preference. There is a confirmation tone and the screen returns to the previous menu.



Note: If you turn off the ringer volume, you will not hear ringer tone samples.

Ringer volume Жinger tone

RINEER TONE >Tage i

Set date/time

The answering system announces the day and time of each message prior to playing it. Before using the answering system, set the date and time as follows. If you subscribe to caller ID service, the day, month and time are set automatically with each incoming call. The year must be set so that the day of the week can be calculated from the caller ID information. You can turn off the date and time settings of the caller ID service and set the date and time manually (see **Use caller ID to automatically set date and time** on page 36).

After a power failure, the system prompts you to set the date and time.

To set the date and time manually:

- 1. When the telephone base is in idle mode, press **MENU/SELECT** to enter the main menu.
- 2. Press ▼CID or ▲DIR to scroll to **Set date/time** and then press MENU/SELECT.
- Press ▼CID or ▲DIR to select the month, then press MENU/SELECT, or enter the number using the dialing keys.
- Press ▼CID or ▲DIR to select the day, then press MENU/SELECT, or enter the number using the dialing keys.
- Press ▼ciD or ▲DiR to select the year, or enter the number using the dialing keys, then press MENU/SELECT to move on to set the time.
- 6. Press ▼CID or ▲DIR to select the hour, then press
 MENU/SELECT, or enter the number using the dialing keys.
- 7. Press ▼CID or ▲DIR to select the minute, then press MENU/SELECT, or enter the number using the dialing keys.
- 8. Press ▼ciD or ▲DIR to highlight AM or PM, or press 2 for AM or 7 for PM. Press MENU/SELECT to confirm. There is a confirmation tone and the screen returns to the previous menu.



Notes: If the clock is not set when a message is recorded, the system announces, "Time and day not set," before it plays the message.







LCD language

You can select the language used for all screen displays.

- 1. Press **MENU/SELECT** in idle mode to enter the main menu.
- 2. Use **▼CID** or **▲DIR** to scroll to **Settings**, then press **MENU/SELECT**.
- 3. Press MENU/SELECT to choose LCD language.
- 4. Press ▼CID or ▲DIR to highlight English, Français or Español, then press MENU/SELECT. The screen prompts Set English/Français/Español as LCD language?.

LCO LAMBURSE >English

Set Francais as LCD language?

5. Press **MENU/SELECT** to confirm and save your preference. There is a confirmation tone and the screen returns to the previous menu.



Note: If you accidentally change the LCD language to French or Spanish, you can reset it back to English without going through the French or Spanish menus. Press **MENU/SELECT** on the base in idle mode, then enter **364#**. There is a confirmation tone.

Caller ID announce

The caller ID announce feature lets you know who's calling without having to look at the display. When you have an incoming call, the handset and/or base speaks "Call from..." and the name of the caller based on the directory or caller ID information. If the caller's name is private or unknown, the phone number up to the last 11 digits will be announced. If the caller's phone number is also private or unknown, no information will be announced. The default setting is **On**.

To turn on or off the caller ID announce feature:

- 1. Press **MENU/SELECT** in idle mode to enter the main menu.
- Use ▼CID or ▲DIR to scroll to Settings, then press MENU/SELECT.
- Use ▼CID or ▲DIR to scroll to Caller ID annc, then press MENU/SELECT.
- Use ▼CID or ▲DIR to highlight the desired option, then press MENU/SELECT.
 - Set all On/Off Change the setting for the base and all handsets.
 - Base Change the setting for the telephone base only.
- 5. Use ▼CID or ▲DIR to highlight On or Off, then press MENU/SELECT. There is a confirmation tone and the screen returns to the previous menu. If you change the setting to Set all On/Off, the screen shows CID Annc ON/OFF on all HS & BS. The caller ID announce feature has been turned on or off on all handsets and on the telephone base.



Notes:

- To use the caller ID announce feature, you must subscribe to caller ID service from your telephone service provider.
- ▶ If you have paired an AT&T **TL80133** DECT 6.0 cordless speakerphone to the telephone base, the caller ID announce setting for all devices also applies to the cordless speakerphone. When the setting is **On**, the cordless speakerphone speaks "*Call from…*" and the name of the caller based on the directory or caller ID information during an incoming call. If the caller's name is unavailable, the phone number up to the last 11 digits will be announced.
- ▶ This feature does not announce information for call waiting calls.
- It takes at least 2 rings for the phone to receive caller ID information and announce it. If the phone is answered before the end of the second ring, the phone won't have time to announce the caller's information.
- Pronunciation of names may vary with this feature. Not all names may be pronounced correctly.
- Caller ID announce is available in English only.





Set speed dial voicemail number

This feature lets you save your voicemail number for easy access when you press and hold the $mathbb{M}$ 1 key.

To save your voicemail number:

- Press MENU/SELECT in idle mode to enter the main menu.
- 2. Use **▼CID** or **▲DIR** to scroll to **Settings**, then press **MENU/SELECT**.
- 3. Use **▼CID** or **△DIR** to scroll to **Voicemail** #, then press **MENU/SELECT**.
- 4. Use the dialing keys to enter the voicemail access number provided by your telephone service provider (up to 30 digits) when prompted.
 - Press ▼CID or ▲DIR to move the cursor to the left or right.
 - Press MUTE/DELETE on the telephone base to erase a digit.
 - ▶ Press and hold MUTE/DELETE on the telephone base to erase all digits.
 - Press REDIAL/PAUSE to enter a three-second dialing pause (a p appears).
- 5. Press **MENU/SELECT** to save. There is a confirmation tone and the screen displays **Voicemail # saved**, then returns to the previous menu.

Voicemail (visual message waiting) indicator

If you subscribe to a voicemail service offered by your telephone service provider, this feature provides a visual indication when you have new voicemail messages.

New voicemail and the **⋈** icon appear on the telephone base screen.



VOICEMAIL # 890-233-3111_

Voicemail # eaved





Notas

- ▶ This feature does not indicate new messages recorded on your phone's built-in answering system.
- For more information about the difference between your answering system and voicemail, see page 127.

Clear voicemail indication

Use this feature when the telephone indicates there is new voicemail but there is none. For example, when you have accessed your voicemail while away from home. This feature only turns off the displayed **New voicemail** and the icon; it does not delete your voicemail messages. As long as you have new voicemail messages, your telephone service provider continues to send the signal to turn on the indicators.



Reset Voicemail Indicator?

To manually turn off the new voicemail indicators:

- 1. Press **MENU/SELECT** when in idle mode to enter the main menu.
- 2. Use **▼CID** or **△DIR** to scroll to **Settings**, then press **MENU/SELECT**.
- 3. Use **▼CID** or **△DIR** to scroll to **CIr voicemail**, then press **MENU/SELECT**. The screen shows **Reset Voicemail Indicator?**.
- 4. Press **MENU/SELECT** again to turn the voicemail indication off. There is a confirmation tone and the screen returns to the previous menu.



- Your telephone service provider voicemail may alert you to new messages with a stutter (broken) dial tone. Contact your telephone service provider for more details.
- For information about using your voicemail service, contact your telephone service provider.

Rename base

You can edit the name for the telephone base.

- 1. When the telephone is idle, press **MENU/SELECT**.
- Use ▼CID or ▲DIR to scroll to Settings, then press MENU/SELECT.
- Use ▼CID or ▲DIR to scroll to Rename base, then press MENU/SELECT.
- 4. Change the telephone base name when prompted.
 - Press ▼CID or ▲DIR to move the cursor to the left or right.
 - Use the dialing keys to enter a name (up to 11 characters). Each time you press a key, a character on that key appears. Additional key presses produce other characters on that key. See the chart on page 64.
 - Press MUTE/DELETE to backspace and delete a character.
 - Press and hold MUTE/DELETE to delete all characters.
- 5. Press **MENU/SELECT** to save the setting and return to the previous menu. There is a confirmation tone.

Key tone

The telephone base is set to beep with each key press. You can adjust the key tone volume or turn it off. If you turn off the key tone, there are no beeps when you press keys.

- 1. Press **MENU/SELECT** in idle mode to enter the main menu.
- 2. Use **▼CID** or **▲DIR** to scroll to **Settings**, then press **MENU/SELECT**.
- 3. Use **▼CID** or **△DIR** to scroll to **Key tone**, then press **MENU/SELECT**.
- Use ▼CID or ▲DIR to select the desired volume or Off.
- 5. Press **MENU/SELECT** to save your preference. There is a confirmation tone and the screen returns to the previous menu.









Use caller ID to automatically set date and time

If you subscribe to caller ID service, the day, month and time are set automatically with each incoming call. Follow the steps, as mentioned below, to turn the **CID time sync** feature on or off. The default setting is **On**.

- 1. When the telephone base is in idle mode, press **MENU/SELECT** to enter the main menu.
- 2. Press ▼CID or ▲DIR to scroll to **Settings**, then press MENU/SELECT.
- 3. Press ▼CID or ▲DIR to scroll to CID time sync, then press MENU/SELECT.
- 4. Press ▼CID or ▲DIR to highlight On or Off, then press MENU/SELECT to save. There is a confirmation tone and the screen returns to the previous menu.





Home area code

If you dial seven digits to make a local call (no area code required), enter your area code into the telephone as the home area code. When you receive a call from within your home area code, the caller ID log only displays the seven digits of the telephone number.

This feature makes it easy for you to place a call from the caller ID log. If you dial ten digits to make a local phone call, do not use this home area code feature. If you do, you cannot place local calls from your caller ID log, as they will have only seven digits.

To set the home area code:

- 1. Press **MENU/SELECT** in idle mode to enter the main menu.
- 2. Use **▼CID** or **▲DIR** to scroll to **Settings**, then press **MENU/SELECT**.
- 3. Use ▼CID or ▲DIR to scroll to Home area code, then press MENU/SELECT. The screen briefly shows Only for 7digit dial from CID.
- 4. Use the dialing keys to enter a three-digit home area code.
 - Press MUTE/DELETE to delete a digit.
 - Press and hold MUTE/DELETE to delete all digits.
- Press MENU/SELECT to save. There is a confirmation tone and the screen shows Area code will not show in CID briefly before returning to the previous menu.







Note: If in the future, your telephone service provider requires you to dial ten digits to make a local call (area code plus telephone number), you need to delete your home area code and dial out locally from the caller ID log. With the home area code displayed, <u>press and hold</u> **MUTE/DELETE** until the digits are deleted, and then press **MENU/SELECT**. The home area code is now restored to its default setting of ____ (empty).

Dial mode

The dial mode is preset to tone dialing. If you have pulse (rotary) service, you must change the dial mode to pulse dialing before using the telephone.

To set the dial mode:

- Press MENU/SELECT in idle mode to enter the main menu.
- Use ▼CID or ▲DIR to scroll to Settings, then press MENU/SELECT.
- Use ▼CID or ▲DIR to scroll to Dial mode, then press MENU/SELECT.
- Use ▼CID or ▲DIR to highlight Touch-tone or Pulse, then press MENU/SELECT. The screen shows DIAL MODE is touch-tone or DIAL MODE is pulse.

There is a confirmation tone and the screen returns to the previous menu.

Web address

Use this feature to view the AT&T website address.

- 1. Press **MENU/SELECT** in idle mode to enter the main menu.
- Use ▼CID or ▲DIR to scroll to Web address, then press MENU/SELECT.

Home area code >Dial mode

DIAL MODE >Touch-tone

Settings Web address

www.telephones. att.com

Making a call

Using a cordless handset:

Press \ PHONE/FLASH or \ SPEAKER, then enter the telephone number.

The screen displays the elapsed time as you talk (in hours, minutes and seconds).

Using the telephone base:

▶ Press **⑤/SPEAKER**, then enter the telephone number.

The screen displays the elapsed time as you talk (in hours, minutes and seconds).



Note: Pressing \ PHONE/FLASH or \ D/SPEAKER to access services from your telephone service provider does not affect the elapsed time.

Phone 0:00:30 6:30 8/06



On hook dialing (predialing)

Using a cordless handset:

- 1. Enter the telephone number. Press **MUTE/DELETE** to make corrections when entering the phone number.
- 2. Press \ PHONE/FLASH or ♠ SPEAKER to dial.

Using the telephone base:

- 1. Enter the telephone number. Press **MUTE/DELETE** to make corrections when entering the phone number.
- 2. Press **⑤/SPEAKER** to dial.

Answering a call

Using a cordless handset:

- ▶ Press \ PHONE/FLASH or \ SPEAKER.
 - -OR-
- Press any dialing key (0-9, TONE *x or *#).

Using the telephone base:

- ▶ Press **⑤/SPEAKER**.
 - -OR-
- Press any dialing key (0-9, TONE * or #).

Ending a call

Using a cordless handset:

 Press */ OFF/CANCEL or return the handset to the telephone base or charger.

Using the telephone base:

▶ Press **⑤/SPEAKER**.

Auto off

A call ends automatically when you put the handset in the telephone base or charger.

Temporary ringer silencing

Using a cordless handset:

Press *OFF/CANCEL or MUTE/DELETE while the telephone is ringing to silence the ringer temporarily on that handset only. This turns off the ringer without disconnecting the call. The next incoming call rings normally at the preset volume.

Ringer muted

Using the telephone base:

Press **CANCEL** or **MUTE/DELETE** while the telephone is ringing to silence the ringer temporarily on the telephone base only. This turns off the ringer without disconnecting the call. The next incoming call rings normally at the preset volume.





Note: The telephone base and all handsets ring when there is an incoming call unless the ringer volume is turned off on that device.

Handset speakerphone

During a call, press **JOFF/cancel** to switch between handsfree speakerphone and normal handset use. Press **JOFF/cancel** to hang up.

The speakerphone on the telephone activates as long as you make or answer calls by pressing the **I)/SPEAKER**. Press **I)/SPEAKER** to hang up.



Notes.

- When you use the speakerphone on the handset, the key pad and the ¶೨/SPEAKER button on the handset are lit. When you use the speakerphone on the telephone base is lit.
- The speakerphone uses more power than the normal handset. If the handset battery becomes very low while you are using the speakerphone, the call remains in speakerphone mode until you hang up or the battery becomes depleted.
- After installing a battery into the handset, the screen may show Low battery. If you use the speakerphone at this time, the battery may become depleted. Follow the instructions in the Battery installation and charging section on pages 11-12.

Last number redial

Each handset and the telephone base stores the last ten telephone numbers dialed (up to 30 digits each).

To view the ten most recently dialed numbers:

Using a cordless handset:

- To display the most recently called number, press **REDIAL/PAUSE**.
- To view up to ten recently called numbers, press **REDIAL/PAUSE**, then **▼CID**, **▲DIR** or **REDIAL/PAUSE** repeatedly.

The handset beeps twice at the end of the list. Press JOFF/CANCEL to exit.



Using the telephone base:

- To display the most recently called number, press REDIAL/PAUSE.
- To view up to ten recently called numbers, press REDIAL/PAUSE, then ▼CID, ▲DIR or REDIAL/PAUSE, repeatedly.



The telephone base beeps twice at the end of the list. Press **CANCEL** to exit.

To redial a number:

Using a cordless handset:

- To dial the displayed number, press \ PHONE/FLASH or ♠/SPEAKER.
 - -OR-
- Press \ PHONE/FLASH or \ D\/SPEAKER, then press REDIAL/PAUSE repeatedly to view the redial memory. Press MENU/SELECT to dial the displayed number.

Using the telephone base:

- ► To dial the displayed number, press **⑤/SPEAKER**.
 - -OR-
- Press ♠ /SPEAKER, then press REDIAL/PAUSE repeatedly to view the redial memory. Press MENU/SELECT to dial the displayed number.

To delete a redial entry:

Using a cordless handset:

▶ While the screen displays the desired number, press **MUTE/DELETE** to delete the number from the redial memory.

Using the telephone base:

 While the screen displays the desired number, press MUTE/DELETE to delete the number from the redial memory.

Equalizer

The equalizer feature enables you to change the quality of the audio to best suit your hearing.

Using a cordless handset or the telephone base:

- 1. While on a call or intercom call, press **MENU/SELECT**.
- 2. Press MENU/SELECT to select Equalizer.
- 3. Press ▼CID or ▲DIR to select **Treble 1**, **Treble 2**, **Bass** or **Natural** (the default setting). The current setting is shown on the screen for two seconds.



Notes

- If you switch the call between the handset and the speakerphone by pressing **D/SPEAKER**, the audio setting remains unchanged.
- ▶ The current equalizer setting remains unchanged until a new setting is selected.

XEqualizer Transfer ∄

EQUALIZER >Treble 1

XEqualizer Transfer

EQUALIZER >Treble 1

Volume control

Using a cordless handset:

You can set the listening volume to one of six levels. While on a call, press ▼cID/VOLUME to decrease or press ▲DIR/VOLUME to increase the listening volume.

Using the telephone base:

You can set the listening volume to one of eight levels.

While on a call, press **▼/VOL** to decrease or **▲/VOL** to increase the listening volume.



Notes:

- Handset and speakerphone volume settings are independent.
- ▶ When the volume reaches the minimum or maximum setting, you hear two beeps.

Call waiting


If you subscribe to call waiting service from your telephone service provider, and someone calls while you are already on a call, you hear two beeps.

- Press \PHONE/FLASH on the handset or FLASH/PTT on the telephone base to put your current call on hold and take the new call.
- Press \ PHONE/FLASH on your handset or FLASH/PTT on your telephone base at any time to switch back and forth between calls.



Note:

- ▶ If the Smart call blocker is on and in screening mode, and you receive a call waiting call:
 - If you have already picked up a screened call, the telephone checks whether the call waiting number can be found in the directory, block list or allow list. It also checks whether the caller name is in the star name list. After that, the telephone displays the caller ID information or **Blocked call** accordingly. You can press **\PHONE/FLASH** or **\PAINSPEAKER** to take the new call, or press **CALL BLOCK** on the handset or telephone base to block it.
 - If the telephone is screening a call, the call waiting call will be ignored and logged as missed call in the caller ID log.



DIR

VOLUMF

Mute

Use the mute function to turn off the microphone. You can hear the caller, but the caller cannot hear you.

Using a cordless handset:

To mute a call:

 While on a call, press MUTE/DELETE. When mute is on, the handset shows Muted for a few seconds and MUTE icon displays until you turn off mute.

To end mute a call:

Press MUTE/DELETE again. When mute is off, Microphone
 ON appears temporarily on the handset.

Using the telephone base:

To mute a call:

While on a call, press MUTE/DELETE. When mute is on, the telephone base shows Muted for a few seconds.


To end mute a call:


 Press MUTE/DELETE again. When mute is off, Microphone ON appears temporarily on the telephone base.











Microphone ON 8/06 6:3099

Chain dialing

Use this feature to initiate a dialing sequence from the numbers in the directory, caller ID log or redial memory while you are on a call.

Chain dialing is useful when you wish to access other numbers (such as bank account numbers or access codes) from the directory, caller ID log or redial list.

Using a cordless handset:

To access the directory while on a call:

- 1. Press **MENU/SELECT**.
- Press ▼CID or ▲DIR to scroll to Directory and then press MENU/SELECT.
- 3. Press **▼CID** or **△DIR** to scroll to the desired number.
- 4. Press MENU/SELECT to dial the number shown.

To access the caller ID log while on a call:

- 1. Press **MENU/SELECT**.
- 2. Press ▼CID or ▲DIR to scroll to Caller ID log, then press MENU/SELECT.
- 3. Press **▼CID** or **△DIR** to scroll to the desired number.
- 4. Press MENU/SELECT to dial the number shown.

To access the redial list while on a call:

- Press REDIAL/PAUSE to show the most recently dialed number.
- Press ▼CID or ▲DIR to scroll to the desired number, or press REDIAL/PAUSE repeatedly to find the desired number. Press MENU/SELECT to dial the number shown.









Using the telephone base:

To access the directory while on a call:

- 1. Press **MENU/SELECT**.
- Press ▼CID or ▲DIR to scroll to Directory and then press MENU/SELECT.
- 3. Press **▼CID** or **△DIR** to scroll to the desired number.
- 4. Press MENU/SELECT to dial the number shown.

To access the caller ID log while on a call:

- 1. Press **MENU/SELECT**.
- Press ▼CID or ▲DIR to scroll to Caller ID log, then press MENU/SELECT.
- 3. Press **▼CID** or **△DIR** to scroll to the desired number.
- 4. Press MENU/SELECT to dial the number shown.

To access the redial list while on a call:

- Press REDIAL/PAUSE to show the most recently dialed number.
- Press ▼CID or ▲DIR to scroll to the desired number, or press REDIAL/PAUSE repeatedly to find the desired number. Press MENU/SELECT to dial the number shown.

Intercom XDirectory

Charlie Johnson 888–883–2445

Speaker 0:01:20 Charlie Johnson 8/06 6:30**





- You cannot edit a directory entry while on a call. For more details about the directory, see pages 62-71.
- You cannot copy a caller ID entry into the directory while on a call. For more details about the caller ID log, see page 73.
- If you press REDIAL/PAUSE while on a call, you can only view the ten most recently dialed numbers but you cannot erase the entries. For more details about the redial memory, see page 40.
- Press Joff/CANCEL on the handset or CANCEL on the telephone base to exit redial, directory or caller ID log
 when on a call

Temporary tone dialing

If you have pulse (rotary) service only, you can switch from pulse to touch-tone dialing temporarily during a call. This is useful if you need to send touch-tone signals to access your telephone banking or long distance services.

- 1. During a call, press **TONE***.
- 2. Use the dialing keys to enter the desired number. The telephone sends touch-tone signals.
- 3. The telephone automatically returns to pulse dialing after you end the call.

Blind transfer

While on an outside call, you can transfer the call to a specific device or any device without notifying them.

To transfer an outside call from a handset:

- 1. During the call, press **MENU/SELECT**.
- 2. Press **▼CID** or **△DIR** to scroll **Transfer**, then press MENU/SELECT.

name. X represents the handset number).

- If you have one handset and no other registered devices. the outside call is put on hold and your handset shows **Transferring call...**. The telephone base rings and shows Transfer from HANDSET X
- If you have other registered device(s) or more than one handset, your screen shows TRANSFER TO:. Use the dialing keys to enter a specific device number (0 for the telephone base, 1-9 for handsets 1-9, TONEX followed by **0-2** for handsets 10-12, or **TONEX** followed by # for all devices), or press **▼CID** or **△DIR** to scroll to the desired device and press **MENU/SELECT**. The outside call is put on hold and your handset screen shows **Transferring call...** or Transferring call to all.... The other device rings and shows Transfer from HANDSET X (HANDSET represents the handset
 - Handet
- 3. To answer the call on the destination handset, press \ PHONE/FLASH or **◆**)/**SPEAKER**. To answer the call on the telephone base, press **♦)/SPEAKER**. The initiating handset shows **Call transferred** and goes to idle mode.

To transfer an outside call from the telephone base:

1. During the call, press **MENU/SELECT**.

represents the base name).

- 2. Press **▼CID** or **△DIR** to scroll **Transfer**, then press MENU/SELECT.
 - If your have one handset and no other registered devices, the outside call is put on hold and the telephone base shows **Transferring call...**. The handset rings and shows Transfer from BASE 0 (BASE represents the base name).
 - If you have other registered device(s) or more than one handset, the telephone base shows TRANSFER **TO:** Use the dialing keys to enter a specific handset number (1-9 for handsets 1-9. TONEX followed by 0-2 for handsets 10-12, or TONEX followed by # for all handsets), or press **▼CID** or **△DIR** to scroll to the desired handset and press MENU/SELECT. The outside call is put on hold and the telephone base shows **Transferring call...** or **Transferring call to all...**
- 3. To answer the call on the destination handset, press \ PHONE/FLASH or **♦)/SPEAKER**. The telephone base shows **Call transferred** and goes to idle mode

The other handset(s) rings and shows Transfer from BASE 0 (BASE



- To cancel the transfer and return to the external call before the blind transfer call is answered, press # OFF/CANCEL. PHONE/FLASH or ♥ /SPEAKER on your handset, or CANCEL or ♥ /SPEAKER on your telephone base.
- If the other device does not answer the transfer within 30 seconds, the transfer ends and the initiating device rings while showing No response to transfer. If it does not pick up within 30 seconds, the device returns to idle mode and the outside call ends.





Multiple handset use

Handset locator

The handset locator feature is useful if you misplace any handsets.

To start the paging tone:

 Press F/FIND HS on the telephone base to start the paging tone on all handsets for 60 seconds.



Note: If you press **JOFF/CANCEL** or **MUTE/DELETE** on a handset, the ringer of that handset stops, but the paging to the rest of the handsets continues.

To stop the paging tone:

Press \ PHONE/FLASH, \●)/SPEAKER, or any dialing key (0-9, TONE \(\) on the handset(s).

-OR-

▶ Press F/FIND HS or CANCEL on the telephone base.



Join a call in progress

When a handset or the telephone base is already on a call and you would like to join the call, press \PHONE/FLASH or \PSPEAKER on your handset or \PSPEAKER on your telephone base.

To end the call using a handset, press **JOFF/CANCEL** or place the handset in the telephone base or charger. To end the call using the telephone base, press **JOFFAKER**. The call does not end until all handsets and the telephone base hang up.



Note: You can use up to four system handsets and the telephone base at the same time on an outside call.

Intercom

Use the intercom feature for conversations between two handsets, a handset and the telephone base, or a handset/telephone base and a cordless headset/speakerphone (sold separately). You can buy additional expansion handsets (model AT&T CL80107), cordless headsets and speakerphones for this telephone base to expand your telephone system (up to 12 handsets or 10 cordless handsets and two cordless headsets/speakerphones).

Using a cordless handset:

- Press MENU/SELECT in idle mode to enter the main menu.
 Press ▼ciD or ▲Dir to scroll to Intercom, then press MENU/SELECT.
 - If you have one handset and no other registered devices, the handset shows Calling base.
 - If you have cordless headset(s)/speakerphone(s) or more than one handset, the handset shows INTERCOM TO:
 Use the dialing keys to enter a specific device number
 (0 for the telephone base, 1-9 for handsets 1-9, TONEX followed by 0-2 for handsets 10-12, # for a single headset/ speakerphone, # followed by 1 or 2 for headset/speakerphone 1 or 2, or TONEX followed by # for all devices), or press ▼CID or ▲DIR to scroll to the desired device and press MENU/SELECT. Your handset screen shows Calling HANDSET X, Calling BASE 0, Calling headset or Calling all devices.

Calling Base 0





The destination device(s) rings and shows **HANDSET X is calling** or **HANDSET X is calling all (HANDSET** represents the handset name, **X** represents the handset number).

- 2. To answer the intercom call, press \ PHONE/FLASH, ♠ /SPEAKER or any dialing key (0-9, TONEX, or #) on the called device. Both devices now show Intercom.
- 3. To end the intercom call, one party presses **JOFF/CANCEL**, or place the handset back in the telephone base or charger; or presses **CANCEL** on the telephone base. The other party hears four beeps. Both devices display **Intercom ended**

Intercom

Using the telephone base:

- When the telephone base is not in use, press
 MENU/SELECT to enter the main menu. Press
 ▼CID or ▲DIR to scroll to Intercom, then press
 MENU/SELECT.
 - If you have one handset and no other registered devices, the telephone base shows Calling HANDSET X.
 - If you have cordless headset(s)/speakerphone(s) or more than one handset, the telephone base shows **INTERCOM TO:** Use the dialing keys to enter a specific handset number (**1-9** for handsets 1-9, **TONEX** followed by **0-2** for handsets 10-12, **#** for a single headset/speakerphone, **#** followed by

Callin9 HANDSET X





1 or 2 for headset/speakerphone 1 or 2, or **TONE**X followed by # for all devices), or press ▼CID or ▲DIR to scroll to the desired handset and press MENU/SELECT. The telephone base shows Calling HANDSET X or Calling all handsets.

The destination device(s) rings and shows **Base 0 is calling** or **BASE 0 is calling all**.

- 2. To answer the intercom call, press \PHONE/FLASH, ♥)/SPEAKER or any dialing key (0-9, TONEX, or #) on the destination handset. Both the base and the handset now show Intercom.
- 3. To end the intercom call, one party presses JOFF/CANCEL, or places the handset back in the telephone base or charger; or presses CANCEL on the telephone base. The other party hears four beeps. Both devices display Intercom ended.



Notes:

- Before the intercom call is answered, you can cancel it by pressing of off/CANCEL on the handset or CANCEL on the telephone base.
- If the called device is not answered within 100 seconds, or if it is accessing the directory, caller ID log, on a call or out of range, the initiating device shows No answer. Try again.
- ➤ To temporarily silence the intercom ringer, press JOFF/CANCEL or MUTE/DELETE on the handset, or press CANCEL or MUTE on the telephone base.
- You can only use one pair of devices at a time to make intercom calls.
- For cordless headsets and speakerphones, refer to the corresponding user's manual on how to answer and end an intercom call.
- If a total of two cordless headset(s) and/or speakerphone(s) are registered to the telephone base, they appear as
 HEADSET 1 and HEADSET 2, respectively, in the intercom menu.

Intercom

Answer an incoming call during an intercom call

If you receive an outside call during an intercom call, there is a two-beep call waiting tone.

- To answer the call, press \ PHONE/FLASH on the handset, or press ■)/SPEAKER twice on the telephone base. The intercom call ends automatically. The party on the intercom call hears four beeps. Other system devices can also answer the incoming call by pressing \ PHONE/FLASH or ■)/SPEAKER on the handset or ■)/SPEAKER on the telephone base.



Note: For cordless headsets and speakerphones, refer to the corresponding user's manual on how to answer an incoming call during an intercom call.

Call transfer using intercom

Use the intercom feature to transfer an outside call to another system handset or the telephone base. You can also share an outside call with another system handset or the telephone base.

To transfer or share an outside call using intercom: Using a cordless handset:

- 1. During the call, press **MENU/SELECT**.
- 2. Press ▼CID or ▲DIR to scroll to Intercom and press MENU/SELECT.
- 3. Choose the device(s) you would like to transfer the call to using the options from Step 1 on page 50.
- 4. When the destination device picks up, your handset shows **Intercom** and the outside call is put on hold. You have the following options:
 - You can transfer the call. Press MENU/SELECT, then press ▼CID or ▲DIR to scroll to Transfer and press MENU/SELECT. The handset shows Call transferred. The other device automatically connects to the outside call.



- You can let the other device join you on the outside call in a three-way conversation. Press MENU/SELECT.

 Press ▼CID or ▲DIR to highlight Share call, then press MENU/SELECT.
- You can end the intercom call and continue the outside call with your handset. Press **\PHONE/FLASH** on your handset (the ended intercom call party hears four beeps).

Using the telephone base:

- During the call, press MENU/SELECT, then press ▼CID or ▲DIR to scroll to Intercom and press MENU/SELECT.
- 2. Choose the handset(s) you would like to transfer the call to using the options from Step 1 on page 51.
- 3. When the destination handset(s) picks up, the telephone base shows **Intercom** and the outside call is put on hold. You have the following options:
 - You can transfer the call. Press MENU/SELECT, then press ▼CID or ▲DIR to scroll to Transfer and press MENU/SELECT. The telephone base shows Call transferred. The other handset automatically connects to the outside call.



- You can let the other handset join you on the outside call in a three-way conversation. Press MENU/SELECT. Press ▼CID or ▲DIR to highlight Share call, then press MENU/SELECT.
- You can end the intercom call and continue the outside call with the telephone base. Press CANCEL on the telephone base (the ended intercom call party hears four beeps).

You can directly broadcast messages to the speakerphone of any device. Press and hold **PUSH TO TALK** on a handset or **FLASH/PTT** on the telephone base to begin two-way communication.

- Only one device can talk at a time. While talking to another device, <u>press and hold</u> **PUSH TO TALK** on the handset or **FLASH/PTT** on the telephone base.
- You must release PUSH TO TALK on the handset or FLASH/PTT on the telephone base, so the other person can respond.
- Only one PTT session can be active at a time.
- While PTT is in use between two devices, other devices cannot use the intercom feature but can access the answering system.
- When you attempt to place a PTT call to another device which is accessing
 the answering system or on an intercom call or outside call, your device
 screen shows Not available at this time.



Note: The PTT function is not available when **QUIET** mode is on.

Turn PTT on or off

Using a cordless handset:


- 1. Press **PUSH TO TALK** when the handset is not in use. The **PUSH TO TALK** menu displays.
- Press ▼CID or ▲DIR to highlight PTT On/Off, then press MENU/SELECT.
- 3. Press ▼CID or ▲DIR to choose On or Off, then press MENU/SELECT.


Using the telephone base:

- Press FLASH/PTT when the telephone base is not in use.
 The PUSH TO TALK menu displays.
- 2. Press **▼CID** or **△DIR** to highlight **PTT On/Off**, then press **MENU/SELECT**.
- 3. Press ▼CID or ▲DIR to choose On or Off, then press MENU/SELECT.



Note: The handset or the telephone base screen displays **No Incoming PTT** when PTT is turned off.







PUSH TO TALK

XPTT On/OFF

PTT call to a single device

Using a cordless handset:

- 1. There are a few ways to begin a PTT call to a single device. When the handset is not in use:
 - ▶ If you have one handset, <u>press and hold</u> **PUSH TO TALK**.
 - ▶ If you have more than one handset:
 - Press PUSH TO TALK on the handset, then use the dialing keys to enter the destination device number.

-OR-

Press PUSH TO TALK on the handset. Press ▼CID or ▲DIR to highlight the destination device number, then press MENU/SELECT or PUSH TO TALK.

The handset shows **Connecting to HANDSET X...** (**HANDSET** represents the handset name, **X** represents the destination handset number) or **Connecting to BASE 0...** (**BASE** represents the base name) for a few seconds. When the connection is made, both your and the destination device screens display **Press and hold [PTT] to talk**.

2. <u>Press and hold</u> **PUSH TO TALK**. A chirp indicates your microphone is on. Speak towards the device. Your voice is broadcast to the destination device.

While you are speaking, your handset shows **PTT To handset: X** or **PTT To base**.









- Release PUSH TO TALK after speaking. Both devices beep once again and the screens show Press and hold [PTT] to talk, then you can press and hold PUSH TO TALK to continue speaking or the destination device can respond (see Answer a PTT call on page 59).
- 4. To end the PTT call, press **/OFF/CANCEL** or place the handset in the telephone base or charger. The handset shows **Push to talk ended**.

Using the telephone base:

- 1. There are a few ways to begin a PTT call to a single handset. When the telephone base is not in use:
 - ▶ If you have one handset, <u>press and hold</u> **FLASH/PTT**.
 - ▶ If you have more than one handset:
 - Press FLASH/PTT, then use the dialing keys to enter the destination handset number.

-OR-

Press ▼CID or ▲DIR to highlight the destination handset number, then press MENU/SELECT or FLASH/PTT. PUSH TO TALK XHANDSET X

Connecting to HANDSET X...

Press and hold [PTT] to talk

The telephone base shows **Connecting to HANDSET**

X... (**HANDSET** represents the handset name, **X** represents the destination handset number) for a few seconds. When the connection is made, both the telephone base and destination handset display

Press and hold [PTT] to talk.

Press and hold FLASH/PTT. A chirp indicates your microphone is on. Speak towards the telephone base. Your voice is broadcast to the destination handset.
 While you are speaking, the telephone base shows PTT To handset: X

PTT To handaet: X

- 3. Release **PTT** after speaking. Both devices beep once again and the screens show **Press and hold [PTT] to talk**, then you can <u>press and hold **FLASH/PTT**</u> to continue speaking or the destination device can respond (see **Answer a PTT call** on page 59).
- 4. To end the PTT call, press **CANCEL**. The telephone base shows **Push to talk Ended** for a few seconds.

PTT call to multiple devices

When there are multiple handsets registered to the phone system, PTT supports one-to-group calls. PTT supports a maximum of one-to-five calls when one to five handsets are registered, and a maximum of one-to-four calls when six or more handsets are registered. The first four registered handsets will be able to use this feature. Other handsets can only use PTT for one-to-one calls.

To call multiple devices:

Using a cordless handset:

- 1. You have three ways to call multiple devices. When the handset is not in use:
 - Press and hold PUSH TO TALK until the handset shows Connecting to group....
 - Press PUSH TO TALK. Press ▼CID or ▲DIR to choose Group.
 Press MENU/SELECT or press PUSH TO TALK and your handset shows
 Connecting to group....
 - Press PUSH TO TALK. Press TONE¥ followed by # (pound key). The handset shows Connecting to group....

When the connection is made, both the caller and the destination parties hear a beep. The speakerphones on all other devices automatically activate.

- 2. You need to <u>press and hold</u> **PUSH TO TALK** when you want to speak. Speak towards the handset. Your voice is broadcast to all devices.
- 3. Release **PUSH TO TALK** after speaking.
- 4. Any extension can reply (see **Answer a PTT call** on page 59).

Using the telephone base:

- 1. You have three ways to call multiple handsets. When the telephone base is not in use:
 - Press and hold FLASH/PTT until the screen shows
 Connecting to group....
 - Press FLASH/PTT. Press ▼CID or ▲DIR to choose Group. Press MENU/SELECT or press FLASH/PTT and the telephone base shows Connecting to group....
 - Press FLASH/PTT. Press TONEX followed by # (pound key). The screen shows Connecting to group....

When the connection is made, both the caller and the destination parties hear a beep. The speakerphones on all other devices automatically activate.

- 2. You need to <u>press and hold FLASH/PTT</u> when you want to speak. Speak towards the telephone base. Your voice is broadcast to all devices.
- 3. Release FLASH/PTT after speaking.
- 4. Any extension can reply (see **Answer a PTT call** on page 59).



Note: After **PUSH TO TALK** on the handset or **FLASH/PTT** on the telephone base is released, the PTT call remains open for a short time. If no one presses **PUSH TO TALK** on the handset or **FLASH/PTT** on the telephone base within ten seconds, the PTT call ends automatically.

Answer a PTT call

You can respond to a PTT call, as described below.

- When your device receives a PTT call, it beeps and shows Press and hold [PTT] to talk.
- 2. When the other party is speaking, your speakerphone light is on, and your device shows:
 - PTT From HS X To HS X (the first X represents the initiating handset number, and the second X represents your handset number; a maximum of four handset numbers appear).
 - -OR-
 - PTT From HS X To Base & HS X (the first X represents the initiating handset number, and the second X represents your handset number; a maximum of four handset numbers appear).
 - -OR-
 - PTT From Base To HS X (the X represents your handset number; a maximum of five handset numbers appear).
- 3. When your speakerphone light is off (the screen shows **Press and hold [PTT] to talk**), <u>press and hold</u> **PUSH TO TALK** on your handset or **FLASH/PTT** on your telephone base. You will hear a chirp. Speak towards the device.
 - While you are speaking, your device shows PTT To Handset: X
 (X represents the handset numbers of one or more destination handsets; a maximum of five handset numbers appear) or
 PTT To Base & Handset: X (X represents the handset numbers of one or more destination handsets; a maximum of four handset numbers appear).
 - Your voice is broadcast to all destination devices.

After speaking, release **PUSH TO TALK** on your handset or **FLASH/PTT** on your telephone base. Your device will beep. After the beep, if your speakerphone light is off, you can <u>press and hold</u> **PUSH TO TALK** on your handset or **FLASH/PTT** on your telephone base to continue speaking, or the destination device can respond.

Change a one-to-one PTT call to an intercom call

You can convert a one-to-one PTT session to an intercom call.

- When your device shows <u>Press and hold</u> [PTT] to talk, press <u>MENU/SELECT</u>. The screen shows <u>Intercom</u>.
- Press MENU/SELECT. Your device displays Calling BASE 0 or Calling HANDSET X. The destination device briefly shows Push to talk Ended and then HANDSET X is calling or BASE 0 is calling. The destination device rings.
- 3. Press \ PHONE/FLASH or any dialing keys (0-9, # or TONE\(\frac{*}{2}\)) on the destination handset, or press ◆)/SPEAKER or any dialing keys (0-9, # or TONE\(\frac{*}{2}\)) on the telephone base to answer the intercom call. Both devices now show Intercom.
- 4. To end the intercom call, press JOFF/CANCEL on your handset or place the handset in the telephone base or charger, or press CANCEL on the telephone base. Both screens show Intercom ended.

Answer an incoming call during a PTT call

When you receive an outside call during PTT, there is an alert tone.

- During a one-to-one PTT, press \ PHONE/FLASH on the initiating or destination handset. The PTT call ends automatically and the outside call is answered.
- During a one-to-group PTT call, press \ PHONE/FLASH on the initiating handset or ◀୬/SPEAKER on the initiating telephone base. The PTT call ends automatically and the outside call is answered.
- During a one-to-group PTT call, press **PHONE/FLASH** on any one of the destination handsets, or press **D/SPEAKER** on the destination telephone base. That device answers the outside call. The PTT call continues for the rest of the PTT participants.
- To leave the PTT call without answering the incoming call, press /OFF/CANCEL on your handset or CANCEL on your telephone base. The telephone continues to ring.

Make an outgoing call during PTT call

- During a one-to-group PTT call, press \ PHONE/FLASH on the initiating handset or ◀୬/SPEAKER on the initiating telephone base. The PTT call ends automatically and you get a dial tone.
- During a one-to-group PTT call, press \ PHONE/FLASH on any one of the destination handsets or press ◆)/SPEAKER on the destination telephone base. That device gets a dial tone. The PTT call continues for the rest of the PTT participants.

End or leave a PTT call

For one-to-one PTT calls, both initiating and destination devices can end the PTT call. For PTT calls to multiple devices, the initiating device can end the PTT call. If any one of the destination devices leaves the PTT call, the call continues until all participants or the initiator hangs up.

Press JOFF/CANCEL on the handset, or press CANCEL on the telephone base. The screen shows Push to talk Ended.

-OR-

Place the handset in the telephone base or charger, then the handset returns to idle mode.



Note: After **PUSH TO TALK** on the handset or **FLASH/PTT** on the telephone base is released, the PTT call remains open for a short time. If no one presses **PUSH TO TALK** on the handset or **FLASH/PTT** on the telephone base within ten seconds, the PTT call ends automatically.

About the directory

Shared directory

The directory is shared by all handsets and the telephone base. Changes made to the directory from any device apply to all.





Notes:

- Only one handset or the telephone base can review the directory at a time. If another device tries to enter the
 directory, the screen shows Not available at this time.
- Directory entries can also be saved to the allow list or block list. See Allow list on page 93 and Block list on page 88
- When Smart call blocker is on, calls with numbers saved in the directory will get through and ring on your telephone. If a number saved in the directory is also saved in the block list, calls from this number will be blocked.

Capacity

The directory can store up to 50 entries, with a maximum of 15 alphanumeric characters (including spaces) for names and 30 digits for telephone numbers. A convenient search feature can help you find and dial numbers quickly (page 66).

If you try to save an entry when there are already 50 entries, the screen shows **Directory full**. You cannot store a new number until you delete one.

Create directory entries

Create a new directory entry

- 1. Press MENU/SELECT in idle mode to enter the main menu.
- 2. Press ▼CID or ▲DIR to scroll to Directory, then press MENU/SELECT.
- 3. Press ▼CID or ▲DIR to highlight Add contact.
- 4. Press MENU/SELECT.
- 5. Use the dialing keys to enter a telephone number (up to 30 digits) when prompted.
 - Press ▼CID or ▲DIR to move the cursor to the left or right.
 - Press MUTE/DELETE on the handset or the telephone base to erase a digit.
 - Press and hold MUTE/DELETE on the handset or the telephone base to erase all digits.
 - Press and hold REDIAL/PAUSE to enter a three-second dialing pause (a p appears).

-OR-

Copy a number from the redial list by pressing **REDIAL/PAUSE**, then **▼CID**, **▲DIR**, or pressing **REDIAL/PAUSE** repeatedly to locate the number. Press **MENU/SELECT** to copy the number.

- 6. Press MENU/SELECT to move on to the name.
 - The display shows Number already saved if the number already in the directory. You cannot save the same number twice.
- 7. Use the dialing keys to enter a name (up to 15 characters) when prompted. Each time you press a key, the character on that key appears. Additional key presses produce other characters on that key.

See the chart on next page.

- ▶ Press **▼CID** or **△DIR** to move the cursor to the left or right.
- Press 0 to add a space.
- Press MUTE/DELETE on the handset or the telephone base to erase a character.
- Press and hold MUTE/DELETE on the handset or the telephone base to erase all characters.
- Press TONE * to change the next letter to upper or lower case.

Answerin9 sys >Directory

Review XAdd contact 🗎

ENTER NUMBER 888-883-2445_ (i)

ENTER NAME Robert Brown_ ii

Saved (i)

Create directory entries



Note: The first letter of every word is a capital letter. The remaining letters in a word start as lower case letters, as shown in the chart below.

Dialing keys	Characters by number of key presses										
	1	2	3	4	5	6	7	8	9	10	11
1	1		-	٠	()	*	#	&	/	,
2	А	В	С	а	b	С	2				
3	D	Е	F	d	е	f	3				
4	G	Н	I	g	h	i	4				
5	J	K	L	j	k	1	5				
6	М	N	0	m	n	0	6				
7	Р	Q	R	S	р	q	r	S	7		
8	Т	U	V	t	u	V	8				
9	W	Х	Υ	Z	W	Х	У	Z	9		
0	space	0									
*											
#											

8. Press **MENU/SELECT** to store your new directory entry. There is a confirmation tone and the screen shows **Saved to directory**. To change the entry later, see page 68.

Add a predialed telephone number to the directory

You can save a predialed telephone number to the directory.

- 1. Enter the telephone number when in idle mode.
- 2. Follow the steps in **Edit a directory entry** on page 68.



Review the directory

Review directory entries

- 1. Press ▲ DIR when in idle mode. The summary screen shows briefly and then the first entry in the directory shows.
- -OR-
 - Press **MENU/SELECT** when in idle mode, then press **▼CID** or **▲DIR** to scroll to **Directory**. Press **MENU/SELECT** twice.
- 2. Press **▼CID** or **△DIR** to browse through the directory. Entries appear alphabetically by the first letter in the name.



Notes

- ► If the telephone number in the directory exceeds 15 digits, <*appears in front of the telephone number. Press **TONE** ★ to move towards the end of the telephone number or press # (pound key) to move towards the beginning of the telephone number.
- If there are no directory entries, Directory empty appears briefly on the screen, followed by Add contact?. If you would like to add a new contact, press MENU/SELECT and refer to page 63-64 for instructions on creating a new directory entry. Otherwise, press JOFF/CANCEL on the handset or CANCEL on the telephone base to cancel.

Search the directory

Search by name

- 1. Press **DIR** in idle mode to show the first listing in the directory.
- 2. When an entry appears, press the dialing keys (0-9) to start a name search. The directory shows the first name beginning with the first letter associated with the dialing key, if there is an entry in the directory beginning with that letter. Press ▼CID or ▲DIR to scroll through the directory.
- 3. To see other names starting with the letters on the same dialing key, keep pressing the key. The names appear in alphabetical order.

For example, if you have the names Jennifer, Jessie, Kevin and Linda in your directory:

- If you press 5 (JKL) once, you see Jennifer. Press ▼ciD and you see Jessie.
- ▶ If you press **5 (JKL)** twice, you see **Kevin**.
- ▶ If you press **5 (JKL)** three times, you see **Linda**.
- If you press **5 (JKL)** four times, you see **5** and then the directory entry beginning with 5 or the next closest entry after 5.
- ▶ If you press **5 (JKL)** five times, you see **Jennifer** again.



Notas.

- If there is no name matching the first letter of the key you press, the directory shows a name matching the following letters of the key.
- If you press a key (0-9) and no name starts with any of the letters on that key, the directory shows the entry matching the next letter in the directory.

Directory

Dial, delete or edit directory entries

To dial, delete or edit a directory entry (name and number), the entry must be displayed on the screen. Use **Review the directory** (page 65) or **Search by name** (page 66) to show an entry.

Display dial

To dial a displayed number from the directory, press **\PHONE/FLASH** or **\PARTICLE** / **SPEAKER** on the handset, or **\PARTICLE** / **SPEAKER** on the telephone base.

Delete a directory entry

Using a cordless handset or the telephone base:

To delete the displayed directory entry, press **MUTE/DELETE**. Press **MENU/SELECT** to confirm. You cannot retrieve a deleted entry.

Robert Brown Delete contact? 🗎

Robert Brown Delete contact?

Dial, delete or edit directory entries

Edit a directory entry

- When a directory entry displays, press MENU/SELECT. The screen shows EDIT NUMBER along with the phone number to be edited. If you only want to edit the name, skip to Step 3.
- 2. To edit the number:
 - Press the dialing keys to add digits.
 - Press ▼CID or ▲DIR to move the cursor to the left or right.
 - Press MUTE/DELETE on the handset or the telephone base to erase a digit.
 - Press and hold MUTE/DELETE on the handset or the telephone base to erase all digits.
 - Press and hold REDIAL/PAUSE to add a three-second dialing pause (a p appears).
- 3. Press **MENU/SELECT** to move on to the name. The screen shows **EDIT NAME** along with the name to be edited.
- 4. To edit the name:
 - Press the dialing keys to add characters (page 64).
 - Press ▼CID or ▲DIR to move the cursor to the left or right.
 - Press MUTE/DELETE on the handset or the telephone base to erase a character.
 - Press and hold MUTE/DELETE on your handset or the telephone base to erase all characters.
- 5. Press **MENU/SELECT** to save the entry. There is a confirmation tone and the screen shows **Saved to directory.**









Directory

Speed dial

The telephone system has nine speed dial locations (2-9, 0) and a voicemail access location ■ 1 where you can store the telephone numbers you wish to dial more quickly. You can store up to 30 digits in each location. Speed dial assignments can only be selected from the existing directory entries. The voicemail access number must be manually entered. In the directory, speed dial locations are indicated by their number on the bottom right hand corner of the entry.



Assign a speed dial number

- 1. When the telephone is idle, press **MENU/SELECT**.
- 2. Press ▼CID or ▲DIR to scroll to Directory. Press MENU/SELECT.
- 3. Press ▼CID or ▲DIR to scroll to Speed dial. Press MENU/SELECT.
- Press ▼CID or ▲DIR to choose your desired speed dial location (0 or 2-9), then press MENU/SELECT. The screen briefly shows Copy from Directory..., then displays the directory list.
- 5. Press **▼CID** or **△DIR** to scroll to the phone number you wish to assign to the selected speed dial location.
- 6. Press **MENU/SELECT** to save the setting and return to the previous menu. There is a confirmation tone and the screen returns to the speed dial list.

-OR-

- 1. When the telephone is idle, <u>press and hold</u> any dialing keys (0 or 2-9).
- Press ▼CID or ▲DIR to choose your desired speed dial location (0 or 2-9), then press MENU/SELECT. The screen briefly shows Copy from Directory..., then displays the directory list.
- 3. Press ▼CID or ▲DIR to scroll to the phone number you wish to assign to the selected speed dial location.
- 4. Press **MENU/SELECT** to save the setting and return to the previous menu. There is a confirmation tone and the screen returns to the speed dial list.



Speed dial location





Speed dial

Assign your voicemail speed dial number

To assign your voicemail speed dial number to location **1**, see page 33. The voicemail speed dial entry does not show in the bottom right corner.

Reassign a speed dial number

- 1. When the telephone is idle, press MENU/SELECT.
- 2. Press ▼CID or ▲DIR to scroll to Directory. Press MENU/SELECT.
- 3.. Press ▼CID or ▲DIR to scroll to Speed dial. Press MENU/SELECT.
- Press ▼CID or ▲DIR to choose the location you wish to reassign, then press MENU/SELECT to show the directory entry.
- 5. Press MENU/SELECT again.
- Scroll to Change SD and then press MENU/SELECT. The screen briefly shows Copy from Directory..., then displays the directory list.
- 7. Press **▼CID** or **△DIR** to scroll to the phone number you wish to reassign to the selected speed dial location.
- 8. Press **MENU/SELECT** to save the setting and return to the speed dial list. There is a confirmation tone.







Delete a speed dial number

- 1. When the telephone is idle, press **MENU/SELECT**.
- Press ▼CID or ▲DIR to scroll to Directory. Press MENU/SELECT.
- Press ▼CID or ▲DIR to scroll to Speed dial. Press MENU/SELECT.
- 4. Press **▼CID** or **△DIR** to scroll to the location you wish to delete the speed dial number from, then:
 - Press MUTE/DELETE to delete the displayed speed dial number. There is a confirmation tone and the screen shows Speed dial empty before returning to the speed dial list.

Linda Miller 888-722-7702 B 2





-OR-

- i. Press **MENU/SELECT** to show the directory entry.
- ii. Press MENU/SELECT again.
- iii. Scroll to **Clear SD** and then press **MENU/SELECT** to delete the displayed speed dial number. There is a confirmation tone and the screen shows **Speed dial empty** before returning to the speed dial list.

Make a call using speed dial

When in idle mode, <u>press and hold</u> the dialing key (**0** or **2-9**) corresponding to the assigned location you wish to call.

-OR-

- 1. Press **MENU/SELECT** when in idle mode.
- 2. Press ▼CID or ▲DIR to scroll to Directory, then press MENU/SELECT.
- 3. Press ▼CID or ▲DIR to scroll to Speed dial, then press MENU/SELECT.
- 4. Press ▼CID or ▲DIR to scroll to the desired location (0 or 2-9) and then press \ PHONE/FLASH or \③/SPEAKER on the handset, or \⑤/SPEAKER on the telephone base.

Check your voicemail using speed dial

When in idle mode, <u>press and hold</u> **1** to dial the voicemail number you have set. See page 33 to set your voicemail speed dial number.

About caller ID

This product supports caller ID services offered by most telephone service providers. Caller ID allows you to see the name, number, date and time of calls. The available caller ID information will appear after the first or second ring.

Information about caller ID with call waiting

Caller ID with call waiting lets you see the name and telephone number of the caller before answering the call, even while on another call.

It may be necessary to change your telephone service to use this feature. Contact your telephone service provider if:

- You have both caller ID and call waiting, but as separate services (you may need to combine these services).
- You have only caller ID service, or only call waiting service.
- You don't subscribe to caller ID or call waiting services.

There are fees for caller ID services. In addition, services may not be available in all areas.

This product can provide information only if both you and the caller are in areas offering caller ID service and if both

telephone service providers use compatible equipment. The time and date, along with the call information, are from the telephone service provider.

Caller ID information may not be available for every incoming call. Callers may intentionally block their names and/or telephone numbers. You can only view a maximum of 15 digits of every



10:01^{AM}

caller ID log entry. To view caller ID log entries with numbers between 16 and 24 digits, you must save the entry to the directory (see page 77).



Note: You can use this product with regular caller ID service, or you can use this product's other features without subscribing to caller ID or combined caller ID with call waiting service.

Caller ID log

How the caller ID log works

The telephone stores caller ID information about the last 50 incoming calls in the telephone base. Entries are stored in reverse chronological order. The phone deletes the oldest entry when the log is full to make room for new calls. This information is common to the telephone base and all handsets, so changes made using any handset or the telephone base are reflected in all other devices. If you answer a call before the information appears on the screen, it does not show in the caller ID log.



Note: Each entry may have up to 24 digits for the phone number and 15 characters for the name.

Missed (new) call indicator

When a handset or the telephone base is in idle mode and has new or missed calls, its screen shows **XX Missed calls**.

All new and missed entries are counted as missed calls. Each time you review a new caller ID log entry (indicated by **NEW** on the screen), the missed calls message goes away.

If you do not want to review the missed calls one by one, but still want to keep them in the caller ID log, you can press and hold JOFF/CANCEL on the handset for four seconds when the handset is idle, or press and hold CANCEL on the telephone base for four seconds when the telephone base is idle. You will hear a confirmation tone. All the entries in the caller ID log become old (reviewed already), and the missed calls message goes away.









Memory match

If the incoming telephone number matches the last 7 digits of a telephone number in your directory, the name that appears on the screen matches the corresponding name in your directory.

For example, if Christine Smith calls, her name appears as **Chris** if this is how you entered it into your directory.



Note: The number shown in the caller ID log will be in the format sent by the telephone service provider. The telephone service provider usually delivers tendigit phone numbers (area code plus telephone number). If the telephone number of the caller does not match a number in your directory, the name will appear as it is delivered by the telephone service provider.





Review the caller ID log

Review the caller ID log to find out who called, to return the call, or to copy the caller's name and number into your directory. **Caller ID log empty** appears if there are no records in the caller ID log.

 When the handset or the telephone base is in idle mode, press ▼CID to review the caller ID log in reverse chronological order starting with the most recent call.
 OR-

Review the caller ID log by pressing **MENU/SELECT**.

Press ▼CID or ▲DIR to scroll to Caller ID log, then press


MENU/SELECT twice to select Review.

- 2. Press **▼CID** or **△DIR** to scroll through the list.
- 3. Press JOFF/CANCEL on the handset or CANCEL on the telephone base to exit the caller ID log.

You hear a double beep when the list reaches the beginning or end of the caller ID log.




Note: Only one handset or the telephone base can review the caller ID log at a time. If another device tries to enter the directory or caller ID log, it shows Not available at this time.
















View dialing options

Although the incoming caller ID log entries have ten digits (the area code plus

the seven-digit number), in some areas, you may need to dial only the 7 digits, 1 plus the seven digits, or 1 plus the area code plus the seven digits. You can change and store the number of digits that you dial in the caller ID log.

While reviewing the caller ID log, press # (pound key) repeatedly to show different dialing options for local and long distance numbers before dialing or saving the telephone number in the directory.

Press 1 repeatedly if you need to add or remove 1 in front of the telephone number before dialing or saving it in the directory.

883-2445 1-883-2445 888-883-2445 1-888-883-2445 1-883-2445 1-888-883-2445 1-888-883-2445

When the number is in the correct format for dialing, press \ PHONE/FLASH or ■)/SPEAKER on the handset, or ■)/SPEAKER on the telephone base to call the number.

To save the number to the directory, allow list, block list or star name list, see page 77, page 78 and page 79.

Dial a caller ID log entry

- 1. When in the caller ID log, press **▼CID** or **△DIR** to browse.
- 2. Press \ PHONE/FLASH or \ □ / SPEAKER on the handset, or \ □ / SPEAKER on the telephone base to dial the displayed entry.

Delete caller ID log entries

To delete an entry:

• Press **MUTE/DELETE** to delete the shown entry.

To delete all entries:

- 1. Press **MENU/select** when in idle mode.
- 2. Press ▼CID or ▲DIR to scroll to Caller ID log, then press MENU/SELECT.
- Press ▼ciD or ▲DIR to scroll to Del all calls, then press MENU/SELECT.
- 4. When the screen shows **Delete all calls?**, press **MENU/SELECT** to confirm. There is a confirmation tone and the screen returns to the previous menu.



Save a caller ID log entry to the directory

- 1. When in the caller ID log, press **▼CID** or **△DIR** to browse.
- 2. When the desired entry displays, press MENU/SELECT.
- 3. Press MENU/SELECT to choose Directory.
- When the screen displays EDIT NUMBER, use the dialing keys to edit the number.
 - ▶ Press **▼CID** or **△DIR** to move the cursor to the left or right.
 - Press MUTE/DELETE to backspace and erase a digit.
 - Press and hold MUTE/DELETE to erase the entire entry.
 - Press and hold REDIAL/PAUSE to insert a three-second dialing pause (a p appears).
- 5. Press MENU/SELECT to move to the name.
- 6. When the screen displays **EDIT NAME**, use the dialing keys (page 64) to edit the name.
 - ▶ Press **VCID** or **ADIR** to move the cursor to the left or right.
 - Press MUTE/DELETE to erase a character.
 - Press and hold MUTE/DELETE to erase all characters.
 - Press TONE * to change the next letter to upper or lower case.
 - Press # (pound key) to move the last word to the front. For example,
 Johnson Charlie becomes Charlie Johnson when you press # (pound key).
- 7. Press MENU/SELECT when done. The screen shows Saved to directory.



Notes:

- You may need to change how a caller ID number is dialed if the entry does not appear in the correct format. Caller ID numbers may appear with an area code that is not necessary for local calls, or without a 1 that is necessary for long distance calls (see View dialing options on page 76).
- If the caller's name you received from the telephone service provider is all in capital letters, the first letter of every word remains a capital letter, while other letters become lower case. However, the next letter after the prefix "Mac", "Mc", "D", "C" or "O", is kept as a capital letter. For example, the "D" in "MacDonald" is kept as a capital letter. Another exception is that "VAN DER" will be changed to "Van der".
- If the telephone number from the caller ID information has already been saved in the directory under a different name, the new name will overwrite the old one.
- If you save a blocked number in the caller ID log to the directory, the original name from the caller ID information will be saved.

Save a caller ID log entry to the allow list

- 1. When in the caller ID log, press **▼CID** or **△DIR** to browse.
- 2. When the desired entry displays, press MENU/SELECT.
- 3. Press ▼CID or ▲DIR to scroll to Allow list, then press MENU/SELECT.
- When the screen displays EDIT NUMBER, use the dialing keys to edit the number.
 - ▶ Press **▼CID** or **△DIR** to move the cursor to the left or right.
 - Press MUTE/DELETE to backspace and erase a digit.
 - Press and hold MUTE/DELETE to erase the entire entry.
 - Press and hold REDIAL/PAUSE to insert a three-second dialing pause (a p appears).
- 5. Press MENU/SELECT to move to the name.
- 6. When the screen displays **EDIT NAME**, use the dialing keys (page 64) to edit the name.
 - Press ▼CID or ▲DIR to move the cursor to the left or right.
 - Press 0 to add a space.
 - Press MUTE/DELETE to erase a character.
 - Press and hold MUTE/DELETE to erase all characters.
 - Press TONE X to change the next letter to upper or lower case.
 - Press # (pound key) to move the last word to the front. For example, Johnson Charlie becomes Charlie Johnson when you press # (pound key).
- 7. Press MENU/SELECT when done. The screen shows Saved to allow list.

Save a caller ID log entry to the block list

- 1. When in the caller ID log, press **▼CID** or **△DIR** to browse.
- 2. When the desired entry displays, press MENU/SELECT.
- 3. Press ▼CID or ▲DIR to scroll to Block list, then press MENU/SELECT.
- 4. When the screen displays **EDIT NUMBER**, use the dialing keys to edit the number.
 - Press ▼CID or ▲DIR to move the cursor to the left or right.
 - ▶ Press **MUTE/DELETE** to backspace and erase a digit.
 - Press and hold MUTE/DELETE to erase the entire entry.
 - Press and hold REDIAL/PAUSE to insert a three-second dialing pause (a p appears).

- 5. Press MENU/SELECT to move to the name.
- 6. When the screen displays **EDIT NAME**, use the dialing keys (page 64) to edit the name
 - Press ▼CID or ▲DIR to move the cursor to the left or right.
 - Press 0 to add a space.
 - Press **MUTE/DELETE** to erase a character.
 - Press and hold MUTE/DELETE to erase all characters.
 - ▶ Press **TONE** X to change the next letter to upper or lower case.
 - Press # (pound key) to move the last word to the front. For example,
 Johnson Charlie becomes Charlie Johnson when you press # (pound key).
- 7. Press MENU/SELECT when done. The screen shows Saved to block list.

Save a caller ID log entry to the star name list

- 1. When in the caller ID log, press **▼CID** or **△DIR** to browse.
- 2. When the desired entry displays, press MENU/SELECT.
- 3. Press ▼CID or ▲DIR to scroll to **Star name list**, then press MENU/SELECT.
- 4. When the screen displays **Star this name?** and the caller's name, press **MENU/SELECT** to confirm. The screen shows **Saved to star name list**



Reasons for missing caller ID information

There are occasions when other information or no information shows for various reasons:

On-screen message	Reason
PRIVATE NUMBER	The caller prefers not to show the phone number.
PRIVATE NAME	The caller prefers not to show the name.
PRIVATE CALLER	The caller prefers not to show the phone number and name.
UNKNOWN NUMBER	Your telephone service provider cannot determine the caller's number.
UNKNOWN NAME	Your telephone service provider cannot determine the caller's name.
UNKNOWN CALLER	Your telephone service provider cannot determine the caller's name and telephone number.
	Calls from other countries may also generate this message.

About Smart call blocker*

If you have subscribed to caller ID service, then you can use Smart call blocker to filter robocalls, telemarketing calls and unwanted calls, while allowing welcome calls to get through.

You can set up your lists of welcome callers and unwelcome callers. Smart call blocker allows calls from your welcome callers to get through, and it blocks calls from your unwelcome callers.

For other unknown calls, you can allow these calls, block these calls, or forward these calls to the answering system.

With some easy configurations, you can set to only filter robocalls by asking the callers to press the pound key (#) before the calls are put through to you.

You can also set Smart call blocker to screen incoming calls by asking the callers to record their names and press the pound key (#). After your caller completes the request, your telephone rings and announces the caller's name. You can then choose to block or answer the call, or you can forward the call to the answering system. If the caller does not respond or record his/her name, the call is blocked from ringing through. When you add your welcome callers to your allow list, they will bypass all screening and ring directly to your handsets.



Notes:

- Smart call blocker is on, once you install your telephone. It allows all incoming calls to get through and ring by default.
 You can change the Smart call blocker settings to screen incoming calls. For more details, see Control calls without numbers on page 85 and Control uncategorized calls on page 86.
- With call screening active, Smart call blocker screens and filters all incoming calls from numbers or names that are not yet saved in your directory, allow list, block list, or star name list. You can easily add incoming phone numbers to your allow list and block list. This allows you to build up your lists of allowed and blocked numbers, and Smart call blocker will know how to deal with these calls when they come in again.
- ▶ To turn off Smart call blocker, see **Set Smart call blocker on/off** on page 85.

^{*} Includes licenced Qaltel™ technology.

Qaltel™ is a trademark of Truecall Group Limited.

About Smart call blocker

Call categories

Calls are classified into four categories:

Welcome calls

Welcome calls are calls with telephone numbers saved in your allow list or directory, and not in your block list. Welcome calls also include calls with caller names saved in your star name list.



Note: There are many organizations like schools, medical offices, and pharmacies that use robocalls to communicate important information to you. Robocall uses an autodialer to deliver pre-recorded messages. By entering the name of the organizations into the star name list, it ensures these calls will ring through when you only know the caller names but not their numbers.

Unwelcome calls

Unwelcome calls are calls with telephone numbers saved in your block list, and you want to block their calls.

Calls without numbers

Calls without numbers are calls that are "out of area" or with numbers set to "Private".

Uncategorized calls

Uncategorized calls include calls with absent caller ID number, calls with numbers that are not in your directory, allow list, or block list, or calls with caller ID names that are not in your star name list.



Note: The allow list stores up to 200 entries, the block list stores up to 1,000 entries, and the star name list stores up to 10 names.

About Smart call blocker

Call controls

- Smart call blocker is set to on, and to allow all incoming calls by default.
 When Smart call blocker is on, the first ring of all incoming calls will be muted.
- If your directory, allow list, star name list and block list are empty when Smart call blocker is on, and you have set to screen calls, the telephone will screen all incoming calls and asks callers to announce their names or press the pound key (#).
- If Smart call blocker is off, all incoming calls ring, including numbers saved in the block list.
- If QUIET mode is on, and Smart call blocker is on and in screening mode, all screened calls will be sent to the answering system after screening.

Smart call blocker handles calls in the following ways:

Call category	Call control
Welcome calls	Allow
	The telephone rings when there is an incoming call with number saved in your allow list or directory, but not in your block list. Robocalls with caller names saved in your star name list will also ring.
Unwelcome calls	Block
	The telephone does not ring when there is an incoming call with number saved in your block list, and the call will be rejected.

About Smart call blocker

Call category Call control Calls without numbers Screening with caller name If you have selected this option, You can set to screen, allow. the telephone plays the screening or block all calls of this call. announcement, and then asks the category, or to send these calls caller to say his/her name before the to the answering system. Allow call rings on your telephone. You can is the default setting. To change then answer the call, and hear the the setting, see Control calls caller's name announced. You can without numbers page 85. decide whether to accept or reject the call, or to forward the call to the answering system. Screening without caller name If you have selected this option. the telephone plays the screening **Uncategorized calls** announcement, and then asks the caller to press the pound key You can set to screen, allow, (#) before the call rings on your or block all calls of this call telephone. You can then answer the category, or to send these call. calls to the answering system. **Allow** is the default setting. To **Allow** (default settings) change the setting, see **Control** The telephone allows the calls to get uncategorized calls on page through and ring. The caller's number 86 will not be saved to the allow list. **Answering system** If you have selected this option, the telephone forwards the calls to the answering system without ringing. **Block** If you have selected this option, the telephone rejects the calls with block announcement without ringing. The

the block list.

caller's number will not be saved to

Set Smart call blocker on/off

The Smart call blocker feature is set to on by default.

Using a cordless handset or the telephone base:

 Press CALL BLOCK when it is not in use, and then press MENU/SELECT to select SCB On/Off.

-OR-

Press **MENU/SELECT** to enter the main menu when it is not in use. Press **▼CID** or **▲DIR** to scroll to **Smart call blk**, then press **MENU/SELECT** twice.

2. Press ▼CID or ▲DIR to highlight On or Off, then press MENU/SELECT to save the setting. You hear a confirmation tone.







Control calls without numbers

Use this setting to control "out of area" or "Private" calls. You can choose to allow or reject these calls directly. You can also choose to screen them with or without learning the callers' names before you decide whether to answer or reject these calls. Moreover, you can forward these calls to the answering system.

To change the setting:

Using a cordless handset or the telephone base:

1. Press CALL BLOCK when it is not in use.

-OR-

Press **MENU/SELECT** to enter the main menu when it is not in use. Press **▼CID** or **△DIR** to scroll to **Smart call blk**, then press **MENU/SELECT**.

Answerin9 sys >Smart call blk

- Press ▼CID or ▲DIR to scroll to Calls w/o num, then press MENU/SELECT.
- 3. Press ▼CID or ▲DIR to choose one of the following options, then press MENU/SELECT.
 - Screening ask the caller to press the pound key (#) or to say his/her name before the call rings on your telephone.
 - Allow allow the calls to get through and ring.
 - Answering sys forward the calls to the answering system without ringing.
 - **Block** reject the calls with block announcement.
- 4. If you select **Screening**, press **▼CID** or **▲DIR** to choose one of the following options, then press **MENU/SELECT**.
 - w/ Caller name ask the caller to say his/her name before the call rings on your telephone. You can then answer the call, and hear the caller's name announced. You can decide whether to answer or reject the call, or to forward the call to the answering system.
 - w/o Caller name ask the caller to press the pound key (#) before the call rings on your telephone. You can then answer the call.



Star name list XCalls w/o num 🛢

CALLS W/O NUM >Screenin9 (ii)

SCREENING >w∕Caller name ∰

Control uncategorized calls

Use this setting to control calls with numbers that are not in your directory, allow list or block list, or have no caller ID number display. You can choose to allow or reject these calls directly. You can also choose to screen them with or without learning the callers' names before you decide whether to answer or reject these calls. Moreover, you can forward these calls to the answering system.

To change the setting:

Using a cordless handset or the telephone base:

1. Press CALL BLOCK when it is not in use.

-OR-

Press **MENU/SELECT** to enter the main menu when it is not in use. Press **VCID** or **ADIR** to scroll to **Smart call blk**, then press **MENU/SELECT**.

- Press ▼CID or ▲DIR to scroll to Uncategorized, then press MENU/SELECT.
- 3. Press ▼CID or ▲DIR to choose one of the following options, then press MENU/SELECT.
 - Screening ask the caller to press the pound key (#) or to say his/her name before the call rings on your telephone.
 - Allow allow the calls to get through and ring.
 - **Answering sys** send the calls to the answering system without ringing.
 - **Block** reject the calls with block announcement.
- 4. If you select **Screening**, press **▼CID** or **△DIR** to choose one of the following options, then press **MENU/SELECT**.
 - w/ Caller name ask the caller to say his/her name before the call rings on your telephone. You can then answer the call, and hear the caller's name announced. You can decide whether to answer or reject the call, or to forward the call to the answering system.
 - w/o Caller name ask the caller to press the pound key (#) before the call rings on your telephone. You can then answer the call.

Answering ses >Smart call blk

Calls w/o num >Uncate9orized

UNCATEGORIZED >Screening

SCR⊞NING >w/Callername Î



Note: Robocalls will be classified as uncategorized calls. If you select **Screening**, the telephone screens and filters these calls. It asks the caller to press the pound key (#) or announces his/her name before putting the call through to you. There may be robocalls that you do not want to miss. For example, robocalls with announcements or notices from schools or pharmacies. You can set up your star name list with these caller names to allow their calls to get through to you. See **Star name list** on page 98.

Block list

Add numbers that you want to prevent their calls from ringing through. The block list stores up to 1,000 entries.

Add a block entry:

Using a cordless handset or the telephone base:

- 1. Press CALL BLOCK when it is not in use.
 - -OR-

Press **MENU/SELECT** to enter the main menu when it is not in use. Press **VCID** or **ADIR** to scroll to **Smart call blk**, then press **MENU/SELECT**.

- 2. Press ▼CID or ▲DIR to scroll to Block list, and then press MENU/SELECT.
- 3. Press ▼CID or ▲DIR to scroll to Add new entry, then press MENU/SELECT.
- 4. When the screen displays **ENTER NUMBER**, use the dialing keys to enter a number (up to 30 digits).
 - ▶ Press **▼CID** or **△DIR** to move the cursor to the left or right.
 - Press mute/DELETE to erase a digit.
 - Press and hold MUTE/DELETE to erase all digits.
 - Press and hold REDIAL/PAUSE to enter a three-second dialing pause (a p appears).

-OR-

Copy a number from the redial list by pressing **REDIAL/PAUSE**. Then, press **VCID**, **ADIR** or **REDIAL/PAUSE** repeatedly to find the desired number. Press **MENU/SELECT** to copy the number.

- 5. Press MENU/SELECT to move on to the name.
 - The screen shows Number already saved if the number is already in the block list. You cannot save the same number twice

BITTER NAME
Salesman_

- When the screen displays ENTER NAME, use the dialing keys to enter a name (up to 15 characters). Press a key repeatedly until the desired character appears. The first character of every word is capitalized.
 - Press ▼CID or ▲DIR to move the cursor to the left or right.
 - Press 0 to add a space.
 - ▶ Press **MUTE/DELETE** to erase a character.
 - Press and hold MUTE/DELETE to erase all characters.
 - ▶ Press **TONE** X to change the next letter to upper or lower case.
- 7. Press MENU/SELECT to store your block entry.



Notes:

- Numbers saved in your directory can also be saved to the block list.
- If you save a block entry that has already been saved to the allow list, the entry in the allow list will be removed.

Review block list:

Using a cordless handset or the telephone base:

- 1. Press CALL BLOCK when it is not in use.
 - -OR-

Press **MENU/SELECT** to enter the main menu when it is not in use. Press **▼CID** or **▲DIR** to scroll to **Smart call blk**, then press **MENU/SELECT**.



- 3. Press MENU/SELECT to choose Review.
- 4. Press **▼CID** or **△DIR** to browse through the block entries.



Note: **Block list is empty** appears if there are no block entries.





Save a caller ID log entry to block list:

- 1. Search for the desired caller ID log entry (see **Review the caller ID log** on page 75).
- 2. When the desired entry displays, press MENU/SELECT.
- 3. Press ▼CID or ▲DIR to scroll to Block list, then press MENU/SELECT.
- 4. The handset displays **EDIT NUMBER**. Use the dialing keys to edit the number, when necessary.
 - Press ▼CID or ▲DIR to move the cursor to the left or right.
 - Press MUTE/DELETE to backspace and erase a digit.
 - Press and hold MUTE/DELETE to erase the entire entry.
 - Press and hold REDIAL/PAUSE to insert a three-second dialing pause (a p appears).
- 5. Press MENU/SELECT to move to the name. The screen displays EDIT NAME.
- 6. Use the dialing keys to add or edit the name.
 - Press ▼CID or ▲DIR to move the cursor to the left or right.
 - Press 0 to add a space.
 - Press **MUTE/DELETE** to erase a character.
 - Press and hold MUTE/DELETE to erase all characters.
 - ▶ Press TONE ¥ to change the next letter to upper or lower case.
 - Press # (pound key) to move the last word to the front. For example,
 Johnson Charlie becomes Charlie Johnson when you press # (pound key).
- 7. Press MENU/SELECT when done and the screen shows Saved to block list.

Edit a block entry:

Using a cordless handset or the telephone base:

- Search for the desired entry in the block list (see Review block list on page 89).
- 2. When the desired entry displays, press **MENU/SELECT**. The screen displays **EDIT NUMBER** along with the phone number to be edited. If you only want to edit the name, skip to Step 4.
- 3. To edit the number:
 - Use the dialing keys to enter digits.
 - Press ▼CID or ▲DIR to move the cursor to the left or right.
 - Press MUTE/DELETE to erase a digit.
 - Press and hold MUTE/DELETE to erase all digits.
 - Press and hold REDIAL/PAUSE to enter a threesecond dialing pause (a p appears).
- 4. Press **MENU/SELECT** to move on to the name. The screen displays **EDIT NAME** along with the name to be edited.
- 5. To edit the name:
 - Use the dialing keys to enter characters.
 - Press ▼CID or ▲DIR to move the cursor to the left or right.
 - Press 0 to add a space.
 - Press MUTE/DELETE to erase a character.
 - Press and hold MUTE/DELETE to erase all characters.
- Press MENU/SELECT to save the entry. The screen displays Saved to block list

Salesman 888–883–2445 🗐





Delete a block entry:

Using a cordless handset or the telephone base:

- 1. Search for the desired entry in the block list (see **Review block list** on page 89).
- 2. When the desired entry displays, press MUTE/DELETE. The screen shows Delete entry?.
- 3. Press **MENU/SELECT** to confirm. The screen show **Entry deleted**, and the next entry displays. You cannot retrieve a deleted entry.



Note: If the call block list is empty after an entry is deleted, the screen displays **Block list is empty**.

Delete all block list entries:

Using a cordless handset or the telephone base:

- 1. Press CALL BLOCK when it is not in use.
 - -OR-

Press **MENU/SELECT** to enter the main menu when it is not in use. Press **VCID** or **ADIR** to scroll to **Smart call blk**, then press **MENU/SELECT**.

- Press ▼ciD or ▲DIR to scroll to Block list, and then press MENU/SELECT.
- 3. Press ▼CID or ▲DIR to highlight Delete all, then press MENU/SELECT. The screen shows Delete all in block list?.
- 4. Press **MENU/SELECT** again to confirm. The screen displays **Deleted**. There is a confirmation tone.

Allow list

Add numbers that you want to allow their calls to get through to you. The allow list stores up to 200 entries.

Add an allow entry:

Using a cordless handset or the telephone base:

1. Press CALL BLOCK when it is not in use.

-OR-

Press **MENU/SELECT** to enter the main menu when it is not in use. Press **▼CID** or **▲DIR** to scroll to **Smart call blk**, then press **MENU/SELECT**.

- 2. Press ▼CID or ▲DIR to scroll to Allow list, and then press MENU/SELECT.
- 3. Press ▼CID or ▲DIR to scroll to Add new entry, then press MENU/SELECT.
- 4. When the screen displays **ENTER NUMBER**, use the dialing keys to enter a number (up to 30 digits).
 - ▶ Press **▼CID** or **△DIR** to move the cursor to the left or right.
 - ▶ Press **MUTE/DELETE** to erase a digit.
 - Press and hold MUTE/DELETE to erase all digits.
 - Press and hold REDIAL/PAUSE to enter a three-second dialing pause (a p appears).

-OR-

Copy a number from the redial list by pressing **REDIAL/PAUSE**. Then, press **VCID**, **ADIR** or **REDIAL/PAUSE** repeatedly to find the desired number. Press **MENU/SELECT** to copy the number.

- 5. Press MENU/SELECT to move on to the name.
 - The display shows Number already saved if the number is already in the allow list. You cannot save the same number twice.

6. When the screen displays **ENTER NAME**, use the dialing keys to enter a name (up to 15 characters). Press a key repeatedly until the desired character appears. The first character of every word is capitalized.



- Press ▼CID or ▲DIR to move the cursor to the left or right.
- ▶ Press **0** to add a space.
- Press MUTE/DELETE to erase a character.
- Press and hold MUTE/DELETE to erase all characters.
- Press **TONE** * to change the next letter to upper or lower case.
- 7. Press MENU/SELECT to store your allow list entry.



Notes:

- Numbers saved in your directory can also be saved to the allow list.
- If you save an allow entry that has already been saved to the block list, the entry in the block list will be removed.

Review allow list:

Using a cordless handset or the telephone base:

1. Press CALL BLOCK when it is not in use.


-OR-

Press **MENU/SELECT** to enter the main menu when it is not in use. Press **▼CID** or **△DIR** to scroll to **Smart call blk**, then press **MENU/SELECT**.

- Press ▼CID or ▲DIR to scroll to Allow list, and then press MENU/SELECT.
- 3. Press MENU/SELECT to choose Review.
- Press ▼CID or ▲DIR to browse through the allow entries.



Note: **Allow list is empty** appears if there are no allow entries.





Save a caller ID log entry to allow list:

- Search for the desired caller ID log entry (see Review the caller ID log on page 75).
- 2. When the desired entry displays, press MENU/SELECT.
- 3. Press ▼CID or ▲DIR to scroll to Allow list, then press MENU/SELECT.
- 4. The handset displays **EDIT NUMBER**. Use the dialing keys to edit the number, when necessary.
 - ▶ Press **▼CID** or **△DIR** to move the cursor to the left or right.
 - Press MUTE/DELETE on the handset to backspace and erase a digit.
 - Press and hold MUTE/DELETE to erase the entire entry.
 - Press and hold REDIAL/PAUSE to insert a three-second dialing pause (a p appears).
- 5. Press MENU/SELECT to move to the name. The screen displays EDIT NAME.
- 6. Use the dialing keys to add or edit the name.
 - Press ▼CID or ▲DIR to move the cursor to the left or right.
 - Press 0 to add a space.
 - Press MUTE/DELETE to erase a character.
 - Press and hold MUTE/DELETE to erase all characters.
 - Press TONE * to change the next letter to upper or lower case.
 - Press # (pound key) to move the last word to the front. For example,
 Johnson Charlie becomes Charlie Johnson when you press # (pound key).
- 7. Press MENU/SELECT when done and the screen shows Saved to allow list.

Edit an allow entry:

- 1. Search for the desired entry in the allow list (see **Review allow list** on page 94).
- When the desired entry displays, press MENU/SELECT.
 The screen displays EDIT NUMBER along with the phone number to be edited. If you only want to edit the name, skip to Step 4.
- 3. To edit the number:
 - Use the dialing keys to enter digits.
 - Press ▼CID or ▲DIR to move the cursor to the left or right.
 - Press MUTE/DELETE on the handset to erase a digit.
 - Press and hold MUTE/DELETE to erase all digits.
 - Press and hold REDIAL/PAUSE to enter a threesecond dialing pause (a p appears).
- 4. Press **MENU/SELECT** to move on to the name. The screen displays **EDIT NAME** along with the name to be edited.
- 5. To edit the name:
 - Use the dialing keys to enter characters.
 - Press ▼CID or ▲DIR to move the cursor to the left or right.
 - Press 0 to add a space.
 - Press MUTE/DELETE to erase a character.
 - Press and hold MUTE/DELETE to erase all characters.
- Press MENU/SELECT to save the entry. The screen displays Saved to allow list.







Delete an allow entry:

Using a cordless handset or the telephone base:

- 1. Search for the desired entry in the allow list (see **Review allow list** on page 94).
- 2. When the desired entry displays, press MUTE/DELETE. The screen shows Delete entry?.
- 3. Press MENU/SELECT to confirm. The screen shows Entry deleted, and the next entry displays. You cannot retrieve a deleted entry.

Delete all allow list entries:

- 1. Press **CALL BLOCK** when it is not in use.
 - -OR-
 - Press **MENU/SELECT** to enter the main menu when it is not in use. Press **VCID** or **ADIR** to scroll to **Smart call blk**, then press **MENU/SELECT**.
- 2. Press ▼CID or ▲DIR to scroll to Allow list, and then press MENU/SELECT.
- 3. Press ▼CID or ▲DIR to highlight Delete all, then press MENU/SELECT. The screen shows Delete all in allow list?.
- Press MENU/SELECT again to confirm. The screen displays Deleted. There
 is a confirmation tone.

Star name list

There are many organizations like schools, medical offices, and pharmacies that use robocalls to communicate important information to you. Robocall uses an autodialer to deliver pre-recorded messages. By entering the name of the organizations into the star name list, it ensures these calls will ring through when you only know the caller names but not their numbers.

If the first 15 characters of the incoming caller ID's name match a name saved in your star name list, the call will get through and ring. The star name list stores up to 10 names.

Add a star name entry:

Using a cordless handset or the telephone base:

- 1. Press CALL BLOCK when it is not in use.
 - -OR-

Press **MENU/SELECT** to enter the main menu when it is not in use. Press **VCID** or **ADIR** to scroll to **Smart call blk**, then press **MENU/SELECT**.

- Press ▼CID or ▲DIR to scroll to Star name list, and then press MENU/SELECT.
- 3. Press ▼CID or ▲DIR to scroll to Add new entry, then press MENU/SELECT.
- 4. When the screen displays **ENTER NAME**, use the dialing keys to enter a name (up to 15 characters). Press a key repeatedly until the desired character appears. The first character of every word is capitalized.



- Press ▼CID or ▲DIR to move the cursor to the left or right.
- Press 0 to add a space.
- Press MUTE/DELETE to erase a character.
- Press and hold MUTE/DELETE to erase all characters.
- Press TONE * to change the next letter to upper or lower case.
- 5. Press MENU/SELECT to store your star name entry. The display shows Name already saved if the name is already in the star name list. You cannot save the same name twice

Review star name list:

Using a cordless handset or the telephone base:

- 1. Press CALL BLOCK when it is not in use.
 - -OR-

Press **MENU/SELECT** to enter the main menu when it is not in use. Press **▼CID** or **▲DIR** to scroll to **Smart call blk**, then press **MENU/SELECT**.

- Press ▼CID or ▲DIR to scroll to Star name list, and then press MENU/SELECT.
- 3. Press MENU/SELECT to choose Review.
- Press ▼CID or ▲DIR to browse through the star name entries.







Note: **Star name list is empty** appears if there are no star name entries.

Save a caller ID log entry to star name list: Using a cordless handset or the telephone base:

 Search for the desired caller ID log entry (see Review the caller ID log on page 75).

Star this name? Bawriver Elemen

- 2. When the desired entry displays, press MENU/SELECT.
- 3. Press ▼CID or ▲DIR to scroll to Star name list, then press MENU/SELECT.
- 4. The handset displays **Star this name?**, and the caller ID name of the caller.
- 5. Press MENU/SELECT, and the screen shows Saved to star name list.

Edit a star name entry:

Using a cordless handset or the telephone base:

- 1. Search for the desired entry in the star name list (see **Review star name list** on page 99).
- When the desired entry displays, press MENU/SELECT.
 The screen displays EDIT NAME along with the name to be edited.
- 3. To edit the name:
 - Use the dialing keys to enter characters.
 - Press ▼CID or ▲DIR to move the cursor to the left or right.
 - Press 0 to add a space.
 - ▶ Press **MUTE/DELETE** to erase a character.
 - Press and hold MUTE/DELETE to erase all characters.
- Press MENU/SELECT to save the entry. The screen displays Saved to star name list

Delete a star name entry:

- 1. Search for the desired entry in the star name list (see **Review star name list** on page 99).
- 2. When the desired entry displays, press MUTE/DELETE. The screen shows Delete entry?.
- 3. Press **MENU/SELECT** to confirm. The screen show **Entry deleted**, and the next entry displays. You cannot retrieve a deleted entry.





Delete all star name entries:

Using a cordless handset or the telephone base:

- 1. Press CALL BLOCK when it is not in use.
 - -OR-

Press **MENU/select** to enter the main menu when it is not in use. Press **VCID** or **ADIR** to scroll to **Smart call blk**, then press **MENU/SELECT**.

- Press ▼CID or ▲DIR to scroll to Star name list, and then press MENU/SELECT.
- 3. Press ▼CID or ▲DIR to highlight Delete all, then press MENU/SELECT. The screen shows Delete all in star name list?
- 4. Press **MENU/SELECT** again to confirm. The screen displays **Deleted**. There is a confirmation tone.

Screening announcements

If you have set to screen calls without numbers and/or screen uncategorized calls, the callers of one or all of the following incoming call categories will hear a screening announcement.

- Calls that are "out of area" or with numbers set to "Private".
- Calls with numbers that are not in your directory, allow list, or block list, or with absent caller ID number.
- Calls with caller ID names that are not in your star name list.

The telephone has two screening options, and each option has its default screening announcements.

Screening with caller name - "Hello. Calls to this number are being screened by Smart call blocker. Please say your name after the tone, then press pound."

-OR-

Screening without caller name - "Hello. Calls to this number are being screened by Smart call blocker. If you're a family member, friend or invited caller, please press pound to be connected. If you're a solicitor, please hang up now."

You can use these announcements, or record your own name to replace "this number" in both announcements. Please refer to "**Record your name for all screening announcements**" on page 103.

Call block settings

Play your current announcement of screening with caller name:

Using a cordless handset or the telephone base:

- 1. Press CALL BLOCK when it is not in use.
 - -OR-

Press **MENU/SELECT** to enter the main menu when the it is not in use. Press **▼CID** or **△DIR** to scroll to **Smart call blk**, then press **MENU/SELECT**.

- 2. Press ▼CID or ▲DIR to scroll to Screening annc, then press MENU/SELECT.
- 3. Press ▼CID or ▲DIR to scroll to Play annc, then press MENU/SELECT.
- 4. Press **MENU/SELECT** again to select **w/ Caller name**.

Uncategorized >Screening anno

Rec your name >Play anno (i)

PLAY ANNC >w/Caller name 🗓

Play your current announcement of screening without caller name:

Using a cordless handset or the telephone base:

- 1. Press **CALL BLOCK** when it is not in use.
 - -OR-

Press **MENU/SELECT** to enter the main menu when it is not in use. Press **▼CID** or **△DIR** to scroll to **Smart call blk**, then press **MENU/SELECT**.

- 2. Press ▼CID or ▲DIR to scroll to Screening annc, then press MENU/SELECT.
- 3. Press ▼CID or ▲DIR to scroll to Play annc, then press MENU/SELECT.
- 4. Press ▼CID or ▲DIR to scroll to w/o Caller name, then press MENU/SELECT.

Uncate9orized >Screenin9 anno

Rec your name >Play anno

PLAY ANNO >w/o Caller name (i)

Call block settings

Record your name for all screening announcements:

Using a cordless handset or the telephone base:

- 1. Press CALL BLOCK when it is not in use.
 - -OR-

Press **MENU/SELECT** to enter the main menu when it is not in use. Press **VCID** or **ADIR** to scroll to **Smart call blk**, then press **MENU/SELECT**.

- 2. Press ▼CID or ▲DIR to scroll to Screening annc, then press MENU/SELECT.
- 3. Press **MENU/SELECT** to select **Rec your name**. The system announces, "Record after the tone. Press 5 when you are done."
- 4. Speak towards it to record your name. Press **5** to end recording. To listen to the announcement with your recorded name again, scroll to **Play annc** and press **MENU/SELECT**.

Reset all your screening announcements:

Using a cordless handset or the telephone base:

- 1. Press CALL BLOCK when it is not in use.
 - -OR-

Press **MENU/SELECT** to enter the main menu when it is not in use. Press **▼ ciD** or **▲ DIR** to scroll to **Smart call blk**, then press **MENU/SELECT**.



- 2. Press ▼CID or ▲DIR to scroll to Screening annc, then press MENU/SELECT.
- Press ▼CID or ▲DIR to scroll to Reset annc, then press MENU/SELECT. The screen shows Reset to default annc?.
 Press MENU/SELECT again to confirm. The screen shows Annc. reset to default before returning to the previous menu.



-OR-

While an announcement is playing, press **MUTE/DELETE**. The screen shows **Annc. Deleted** before returning to the previous menu.

Your name will be deleted from all the screening announcements, and the telephone will use the default screening announcements described on page 101.

Call block settings

Voice guide to set Smart call blocker

This feature is an easy and alternative way for you to do the basic setup of Smart call blocker. You can follow the voice guide to set your telephone system to allow or to screen all incoming calls, or to screen calls that do not display a phone number.

This feature is only available in the telephone base.

- 1. Press CALL BLOCK on the telephone base when it is not in use.
 - -OR-

Press **MENU/SELECT** to enter the main menu when it is not in use. Press **VCID** or **ADIR** to scroll to **Smart call blk**, then press **MENU/SELECT**.

- 2. Press ▼CID or ▲DIR to scroll to Voice guide, then press MENU/SELECT.
- 3. You hear a voice prompt "Hello! This voice guide will assist you with the basic setup of Smart call blocker..."
- 4. Set up your Smart call blocker feature by inputting the designated numbers, as instructed in the voice guide.
 - Press 1 if you want to screen calls with telephone numbers that are not saved in your directory, allow list or star name list;
 - Press 2 if you only want to screen calls that do not display a phone number; or
 - Press 3 if you do not want to screen calls, and want to allow all incoming calls to get through.



Notes:

- You can press CANCEL to quit the voice guide at any time.
- After a power outage, the system prompts you to set the date and time. After the date and time setting is
 done or skipped, the system will prompt if you want to set up Smart call blocker via voice guide. Press
 MENU/SELECT to start the setup.

Allowed calls

If Smart call blocker is on, the following types of incoming calls can get through to you and ring on your telephone system:

- Calls with numbers saved in your allow list.
- Calls with numbers saved in your directory, but not on your block list.
- · Calls with caller ID names saved in your star name list.



Note: When Smart call blocker is off, all incoming calls will ring on your telephone system, including calls with numbers saved in the block list.

Allow calls without numbers

If Smart call blocker is on, and you have set to allow calls without numbers, the following type of incoming calls will ring on your telephone system.

 Calls that are "out of area" or with numbers set to "Private".



Orris 888–883–7445

10:01 AM





Allowed calls

Allow uncategorized calls

If Smart call blocker is on, and you have set to allow uncategorized calls, the following type of incoming calls will ring on your telephone system.

- Calls with numbers that are not in your directory, allow list or block list, or with absent caller ID number.
- Calls with caller ID names that are not in your star name list.



Note: If you have set to allow all uncategorized calls, the caller's number will not be saved to the allow list. If you want to save the caller's number to your allow list or block list, you can retrieve the number from caller ID log and save it to the allow list or block list. See **Save a caller ID log entry to the block list** on page 78 and **Save a caller ID log entry to the allow list** on page 78. If you want to retrieve the name from caller ID log and save it to the star name list, see **Save a caller ID log entry to the star name list** on page 79.

>SCB On/Off Block list

Calls w/o num >Uncate9orized

Ê

UNCATEBORIZED VAllau

Â

Blocked calls

If Smart call blocker is on, incoming calls with numbers saved in your block list will not ring. The telephone plays the block announcement "Calls to this number are being screened by Smart call blocker. The number you are calling is not accepting your call. Please hang up." to the caller, and the call will be terminated.





Note: If Smart call blocker is off, incoming calls with numbers saved in your block list will ring on your telephone system.

Block calls without numbers

If Smart call blocker is on, and you have set to block calls without numbers, the following type of incoming calls will not ring, and the calls will be terminated.


 Calls that are "out of area" or with numbers set to "Private"

The telephone plays the block announcement "Calls to this number are being screened by Smart call blocker. The number you are calling is not accepting your call. Please hang up." to the caller.



Note: The telephone can respond to remote access code while it is playing the block announcement. This allows you to access your answering system from an unknown number remotely. See **Remote access** on page 137.







Blocked calls

Block uncategorized calls

If Smart call blocker is on, and you have set to block uncategorized calls, the following type of incoming calls will not ring, and the calls will be terminated.

- Calls with numbers which are not in your directory, allow list or block list, or with absent caller ID number.
- Calls with caller ID names that are not in your star name list.

The telephone plays the block announcement "Calls to this number are being screened by Smart call blocker. The number you are calling is not accepting your call. Please hang up." to the caller.









- If you have set to block all uncategorized calls, the caller's numbers will not be saved to the block list. If you want to save the caller's number to your allow list or block list, you can retrieve the number from caller ID log and save it to the allow list or block list. See Save a caller ID log entry to the block list on page 78 and Save a caller ID log entry to the allow list on page 78. If you want to retrieve the name from caller ID log and save it to the star name list, see Save a caller ID log entry to the star name list on page 79.
- The telephone can respond to remote access code while it is playing the block announcement. This allows you to access your answering system from an unknown number remotely. See **Remote access** on page 137.

Screen calls without numbers

If Smart call blocker is on, and your telephone is set to screen calls without number, the telephone will not ring when receiving incoming calls that are "out of area" or with numbers set to "Private". It plays a screening announcement to the caller and asks the caller to respond before putting the call through to you.

The telephone has two screening options. You can set your Smart call blocker to screen these calls by asking the callers to record their names and then press the pound key (#). Alternatively, you can screen these calls by only asking the callers to press the pound key (#).





Screen calls without numbers and ask for caller names

When screening a call, the telephone announces to the caller, "Hello. Calls to this number are being screened by Smart call blocker. Please say your name after the tone, then press pound." After the caller completes the request, the telephone announces to the caller "Please wait a moment while your call is connected.". The telephone starts ringing and announces the caller's name. The telephone screen displays **Screened call** and you can pick up the call. The telephone will then ask whether you want to answer or reject the call, or to forward the call to the answering system.

Screen calls without numbers and do not ask for caller names

When screening a call, the telephone announces to the caller, "Hello. Calls to this number are being screened by Smart call blocker. If you're a family member, friend or invited caller, please press pound to be connected. If you're a solicitor, please hang up now." After the caller presses the pound key (#), the telephone announces to the caller "Please wait a moment while your call is connected.". The telephone starts ringing, and you can answer the call. This option is suitable for you to filter calls that uses autodialers to deliver pre-recorded messages, for example, robocalls and telemarketing calls.



Intac.

- The telephone announces to the caller with "Hello. Calls to this number are being screened by Smart call blocker..." If you have recorded your name in the screening announcements, your recorded name will replace "this number" in the announcements. See Screening announcement on page 101.
- If the caller hangs up before the call is screened, or without leaving his/her name while the call is being screened, the call will be logged as missed call in the caller ID log.
- While a call is being screened, you can press \ PHONE/FLASH or \)/SPEAKER to stop screening and answer
 the call.

Smart call blocker

Screen calls without numbers

- After you picked up a screened call and the telephone is announcing the screening options, you can press
 Joff/CANCEL to hang up the call.
- ► If you receive a call waiting call without number while on a call, Smart call blocker will not screen the new call. You can press \ PHONE/FLASH or ■)/SPEAKER to take the new call.
- Robocalls are unable to respond to the screening announcement, and therefore, will not get through and ring. If you want to allow some robocalls to get through, save their names in the star name list. See page 98.
- ► The telephone can respond to remote access code while it is playing the screening announcement. This allows you to access your answering system from an unknown number remotely. See **Remote access** on page 137.

Answer call once

- 1. When the telephone starts ringing, and the screen displays **Screened call**, press \ PHONE/FLASH or ♠)/SPEAKER to pick up the call. If you have turned on the caller ID announce feature, the telephone announces "You have a call from..." and the caller's name. After you picked up the call, the telephone announces "To answer the call, press 1. To send this call to the answering system, press 4. To repeat these options, press *".
- 2. Press 1 to answer the call. The telephone number will not be added to your allow list.



Notes:

- To turn on or off caller ID announce, see page 21 and page 32.
- ▶ When the telephone is ringing, you can press **Joff/CANCEL** to mute the ringer temporarily.

Screen calls without numbers

Send call to answering system

- 1. When the telephone starts ringing, and the screen displays Screened call, press \ PHONE/FLASH or ♠ /SPEAKER to pick up the call. If you have turned on the caller ID announce feature, the telephone announces "You have a call from..." and the caller's name. After you picked up the call, the telephone announces "To answer the call, press 1. To send this call to the answering system, press 4. To repeat these options, press *".
- Press 4 to send the caller to the answering system.







■ Notes

- Notes
- The caller is sent to the answering system and can leave a message even if the answering system is off.
- To turn on or off caller ID announce, see page 21 and page 32.
- ▶ When the telephone is ringing, you can press **Joff/CANCEL** to mute the ringer temporarily.

End call

- 1. When the telephone starts ringing, and the screen displays Screened call, press \ PHONE/FLASH or ♠ SPEAKER to pick up the call. If you have turned on the caller ID feature, the telephone announces "You have a call from..." and the caller's name. After you picked up the call, the telephone announces "To answer the call, press 1. To send this call to the answering system, press 4. To repeat these options, press *".
- 2. If you do not want to take the call, press # OFF/cancer to end the call.





If Smart call blocker is on, and your telephone is set to screen uncategorized calls, the telephone will not ring when receiving the following incoming calls:

- Incoming calls with absent caller ID numbers;
- Incoming calls with numbers that are not in your directory, allow list, nor block list; or
- Incoming calls with names that are not in your star name list.

The telephone plays a screening announcement to the caller and asks the caller to respond before putting the call through to you. There are two screening options. You

Smart call blk Screening... 10:01^{pm} 10/15



can set your Smart call blocker to screen these calls by asking the callers to record their names and then press the pound key (#). Alternatively, you can screen these calls by only asking the callers to press the pound key (#).

Screen uncategorized calls and ask for caller names

When screening a call, the telephone announces to the caller, "Hello. Calls to this number are being screened by Smart call blocker. Please say your name after the tone, then press pound." After the caller completes the request, the telephone announces to the caller "Please wait a moment while your call is connected.". The telephone starts ringing and announces the caller's name. The telephone screen displays **Screened call** and you can pick up the call. The telephone will then ask whether you want to answer or reject the call, or to forward the call to the answering system.

Screen uncategorized calls without asking for caller names

When screening a call, the telephone announces to the caller, "Hello. Calls to this number are being screened by Smart call blocker. If you're a family member, friend or invited caller, please press pound to be connected. If you're a solicitor, please hang up now." After the caller presses the pound key (#), the telephone announces to the caller "Please wait a moment while your call is connected.". The telephone starts ringing, and you can pick up the call. This option is suitable for you to filter calls that uses autodialers to deliver prerecorded messages, for example, robocalls and telemarketing calls.



Notes:

- You can set Smart call blocker to screen and filter all uncategorized calls from numbers or names that are not saved in your directory, allow list, block list, or star name list. You can easily add incoming phone numbers to your allow list and block list. This allows you to build up your lists of allowed and blocked numbers, and Smart call blocker will know how to deal with these calls when they come in again.
- The telephone announces to the caller with "Hello. Calls to this number are being screened by Smart call blocker..." If you have recorded your name in the screening announcements, your recorded name will replace "this number" in the announcements. See Screening announcements on page 101.
- If the caller hangs up before the call is screened, or without leaving his/her name while the call is being screened, the call will be logged as missed call in the caller ID log.
- While a call is being screened, you can press \ PHONE/FLASH or ■)/SPEAKER to stop screening and answer the call.
- After the telephone screened a call, and is ringing and announcing the caller's name, you can press of off/cancel to
 mute the ringer, or press CALL BLOCK to reject the call directly. The caller's number will be added to the block list.
- After you picked up a screened call and the telephone is announcing the screening options, you can press
 JoFF/CANCEL to hang up the call. The caller's number will not be saved to the block list.
- ▶ If the Smart call blocker feature is on and in screening mode, and you receive a call waiting call:
 - If you have already picked up a screened call, the telephone checks whether the call waiting call's number can be found in the directory, block list or allow list. It also checks whether the caller name is in the star name list. After that, the telephone displays the caller ID information or **Blocked call** accordingly. You can press \ PHONE/FLASH or \ \D\SPEAKER to take the new call.
 - If the telephone is screening a call, the call waiting call will be ignored and logged as missed call in the caller ID log.
- Robocalls are unable to respond to the screening announcement, and therefore, will not get through and ring. If you want
 to allow some robocalls to get through, save their names in the star name list. See page 98.
- The telephone can respond to remote access code while it is playing the screening announcement. This allows you to access your answering system from an unknown number remotely. See Remote access on page 137.

Allow call once

- 1. When the telephone starts ringing, and the screen displays **Screened call**, press \ PHONE/FLASH or /SPEAKER to pick up the call. If you have turned on the caller ID announce feature, the telephone announces "You have a call from..." and the caller's name. After you picked up the call, the telephone announces "To answer the call, press 1. To answer and always allow this number, press 2. To block this number, press 3. To send this call to the answering system, press 4. To repeat these options, press *".
- 2. Press **1** to answer the call. The telephone number will not be added to your allow list.



8/96

Ê

6:309



Notes:

- ▶ To turn on or off caller ID announce, see page 21 and page 32.
- ▶ When the telephone is ringing, you can press **y** off/CANCEL to mute the ringer temporarily.

Always allow

- When the telephone starts ringing, and the screen displays Screened call, press \ PHONE/FLASH or /SPEAKER to pick up the call. If you have turned on the caller ID announce feature, the telephone announces "You have a call from..." and the caller's name. After you picked up the call, the telephone announces "To answer the call, press 1. To answer and always allow this number, press 2. To block this number, press 3. To send this call to the answering system, press 4. To repeat these options, press *".
- 2. Press **2** to answer the call. The telephone number will be added to your allow list.









- To turn on or off caller ID announce, see page 21 and page 32.
- When the telephone is ringing, you can press g OFF/CANCEL to mute the ringer temporarily.

Block call

- 1. When the telephone starts ringing, and the screen displays **Screened call**, press \ PHONE/FLASH or \ ■)/SPEAKER to pick up the call. If you have turned on the caller ID announce feature, the telephone announces "You have a call from..." and the caller's name. After you picked up the call, the telephone announces "To answer the call, press 1. To answer and always allow this number, press 2. To block this number, press 3. To send this call to the answering system, press 4. To repeat these options, press *".
- 2. Press **3** or **CALL BLOCK** to block the call. The telephone plays the block announcement "The number you are calling is not accepting your call. Please hang up." to the caller. The telephone number will be added to your block list.







Send call to answering system

- When the telephone starts ringing, and the screen displays Screened call, press \ PHONE/FLASH or \ /SPEAKER to pick up the call. If you have turned on the caller ID announce feature, the telephone announces "You have a call from..." and the caller's name. After you picked up the call, the telephone announces "To answer the call, press 1. To answer and always allow this number, press 2. To block this number, press 3. To send this call to the answering system, press 4. To repeat these options, press *".
- 2. Press 4 to forward the call to the answering system.



Note: The call is forwarded to the answering system and the caller can leave a message even if the answering system is off.







Option while on a call

When you are on a call with the handset or the telephone base and speaking to the caller, and you do not want to continue the call, you can press the CALL **BLOCK** button to end the call. The telephone plays the block announcement "The number you are calling is not accepting your call. Please hang up." to the caller, and the call will be terminated. The caller's number will be added to your block list.

Press CALL BLOCK. The screen displays Block and end? and the caller's number, if available. Press MENU/SELECT to end the call















Notes:

- The caller's number, if available, will be saved to the block list. The screen displays **Added** to block list after pressing CALL BLOCK. If caller's number is not available, the screen displays No number to block.
- You can press **CALL BLOCK** to end the call even if Smart call blocker is turned off.

Use the answering system menu of a system handset or the telephone base to set up the announcement message. turn on or off the answering system or message alert tone. activate call screening, or change the number of rings, remote access code or message recording time. If you turn off the answering system and you change any setting in the answering system

Play messages Minswering sus

setup menu, the answering machine automatically turns on again.

- 1. When the device is in idle mode, press **MENU/SELECT** to enter the main menu.
- 2. Press **▼CID** or **△DIR** to scroll to **Answering sys**, then press **MENU/SELECT**.

Announcement

Your outgoing announcement plays when calls are answered by the answering system.

The telephone has a default outgoing announcement, "Hello. Please leave a message after the tone." You can use this announcement, or record your own.

You can record an announcement up to 90 seconds. The system does not record any announcement shorter than two seconds.

To play your current outgoing announcement: Using a cordless handset or the telephone base:

- 1. When the handset is in idle mode, press **MENU/SELECT** to enter the main menu.
- 2. Press **▼CID** or **▲DIR** to scroll to **Answering sys**, then press MENU/SELECT.
- 3. Press MENU/SELECT again to select Announcement.
- 4. Press **▼CID** or **△DIR** to scroll to **Play annc**, then press MENU/SELECT.



Record anno May anno Â

Amouncement Delete all old

Record anno Mlay anno

To record a new outgoing announcement:

Using a cordless handset or the telephone base:

- 1. When the handset is in idle mode, press **MENU/SELECT** to enter the main menu.
- 2. Press ▼CID or ▲DIR to scroll to Answering sys, then press MENU/SELECT.
- 3. Press MENU/SELECT again to select Announcement.
- 4. Press MENU/SELECT to select Record annc. The system announces, "Record after the tone. Press 5 when you are done."
- 5. Speak towards the handset to record your announcement. Press **5** to end recording. Your recorded announcement plays.

To listen to the recorded announcement again, scroll to **Play annc** and press **MENU/SELECT**.



>Record anno Play anno

To delete or reset your outgoing announcement: Using a cordless handset:

- 1. When the handset is in idle mode, press **MENU/SELECT**.
- 2. Press **▼CID** or **▲DIR** to scroll to **Answering sys**, then press **MENU/SELECT**.
- 3. Press MENU/SELECT again to select Announcement.
- 4. Press ▼CID or ▲DIR to scroll to Play annc, then press MENU/SELECT.
- 5. While the announcement is playing, press **MUTE/DELETE** to delete the announcement. The system announces "Announcement deleted" and the screen shows **Annc. Deleted**.

-OR-

- 1. When the handset is in idle mode, press **MENU/SELECT**.
- 2. Press ▼CID or ▲DIR to scroll to Answering sys, then press MENU/SELECT.
- 3. Press MENU/SELECT again to select Announcement.
- Press ▼ciD or ▲DIR to scroll to Reset annc, then press MENU/SELECT. The screen shows Reset to default annc?.
- 5. Press MENU/SELECT again. The screen shows Annc. reset to default.

When your announcement is deleted, the system answers calls with the default announcement described on page 117. You cannot delete the default announcement.

Answer on/off

Unless you change it, the answering system is on and ready to record messages. You can turn the answering system off, but if you do so, the answering system does not answer calls and record incoming messages.

To turn the answering system on or off:

Using a cordless handset:

- 1. When the handset is in idle mode, press **MENU/SELECT** to enter the main menu.
- 2. Press ▼CID or ▲DIR to scroll to Answering sys, then press MENU/SELECT.
- 3. Press ▼CID or ▲DIR to scroll to Answer ON/OFF, then press MENU/SELECT.
- Press ▼CID or ▲DIR to highlight On or Off, then press MENU/SELECT to save the setting. You hear a confirmation tone.

When the answering system is on, the handset shows **ANS ON**.

Play messages >Answering sys





Using the telephone base:

> Press **b/ANSWER ON** to turn the answering system on or off. If the answering system is turned on, it announces, "Calls will be answered." If the answering system is turned off, it announces, "Calls will not be answered."



-OR-

- When the telephone base is in idle mode, press MENU/SELECT to enter the main menu.
- 2. Press ▼CID or ▲DIR to scroll to Answering sys, then press MENU/SELECT.
- 3. Press ▼CID or ▲DIR to scroll to Answer ON/OFF, then press MENU/SELECT.
- 4. Press **▼CID** or **△DIR** to highlight **On** or **Off**, then press **MENU/SELECT** to save the setting. You hear a confirmation tone.



Notes: If the answering system is off and there is an incoming call, the system answers after ten rings and announces, "Please enter your remote access code." For more information about remote access, see page 137.

Voice guide to set Answering system

This feature is an alternative way for you to do the basic setup of the answering system. You can follow the voice guide to record your own announcement, set the number of rings, and set the message alert tone.

This feature is only available in the telephone base.

- 1. When the telephone base is in idle mode, press **MENU/SELECT**.
- Press ▼CID or ▲DIR to scroll to Answering sys, then press MENU/SELECT.
- Press ▼CID or ▲DIR to scroll to Voice guide, then press MENU/SELECT.
- 4. You hear a voice prompt "This voice guide will assist you with the basic setup of your answering system."
- 5. Set up your answering system by inputting the designated numbers, as instructed in the voice guide.

Answer ON/OFF Woice guide

Setting up Answering sys...



Notes:

- You can press CANCEL to quit the voice guide at any time.
- If the system does not receive any input, it will play an alert message. If there is still no input, it will announce "Sorry, I still have not received any input. If you want to restart the voice guide, please enter the menu and select Voice guide under Answering system. Good bye."
- After a power outage, the system prompts you to set the date and time, and Smart call blocker. After these
 settings are done or skipped, the system will prompt if you want to set up the answering system via voice guide.
 Press MENU/SELECT to start the setup.
- If the answering system is off and there is an incoming call, the system answers after ten rings and announces, "Please enter your remote access code." For more information about remote access, see page 124

Call screening

Use this feature to choose whether incoming messages can be heard over the speaker when they are being recorded. If you turn call screening on, you hear the incoming message. While monitoring an incoming message, you can answer the call by pressing **PHONE/FLASH** on the handset, or **MPEAKER** on the telephone base.

To change the setting:

Using a cordless handset or the telephone base:

- 1. When the handset or telephone base is in idle mode, press **MENU/SELECT** to enter the main menu.
- Press ▼CID or ▲DIR to scroll to Answering sys, then press MENU/SELECT.
- 3. Press ▼CID or ▲DIR to scroll to Ans sys setup, then press MENU/SELECT.
- 4. Press MENU/SELECT to select Call screening.
- 5. Press **▼CID** or **△DIR** to choose **On** or **Off**.
- Press MENU/SELECT to save the setting. You hear a confirmation tone.



Note: For more information on call screening, see page 129.

Ārser OVOFF Xars sus setur

Ê

XCall screenin9 # of rin⊖s

Ê

CALL SCREENING >On

Ê

Arguer CM/CF Yhra gua setur

)Call screening # of rings

CALL SCREENING

Number of rings

You can set the answering system to answer an incoming call after two, three, four, five or six rings. You can also select toll saver. If toll saver is selected, the answering system answers a call after two rings when you have new messages, and after four rings when there are no new messages. This feature allows you to check for new messages and avoid paying long distance charges when calling from out of your local area. By default, the answering system answers an incoming call after four rings.

To set the number of rings:

Using a cordless handset or the telephone base:

- 1. When the handset or telephone base is in idle mode, press **MENU/SELECT** to enter the main menu.
- Press ▼CID or ▲DIR to scroll to Answering sys, then press MENU/SELECT.
- 3. Press ▼CID or ▲DIR to scroll to Ans sys setup, then press MENU/SELECT.
- 4. Press **▼CID** or **▲DIR** to scroll to **# of rings**, then press **MENU/SELECT**.
- Press ▼CID or ▲DIR to choose among 2, 3, 4, 5, 6 or Toll saver
- 6. Press **MENU/SELECT** to save the setting. You hear a confirmation tone.











Notes

- If you subscribe to voicemail service through your telephone service provider, see Answering system and voicemail indicators on page 127.
- If you set the number of rings for the answering system as two or three rings, the caller ID announce feature may not have enough time to announce the caller's full information.
- ▶ If Smart call blocker is on, the first ring of all calls will be muted.

Remote access code

To access your answering system remotely from any touchtone phone, you need to enter a two-digit number (00-99). By default, the remote access code is **19**.

To change the remote access code:

Using a cordless handset or the telephone base:

- 1. When the handset or telephone base is in idle mode, press **MENU/SELECT** to enter the main menu.
- Press ▼CID or ▲DIR to scroll to Answering sys, then press MENU/SELECT.
- Press ▼CID or ▲DIR to scroll to Ans sys setup, then press MENU/SELECT.
- Press ▼CID or ▲DIR to scroll to Remote code, then press MENU/SELECT.
- 5. Use the dialing keys to enter a two-digit number. Press MUTE/DELETE to backspace and delete a digit.
- 6. Press **MENU/SELECT** to save the setting. You hear a confirmation tone

Play messages >Answering sys

Answer ON/OFF Ans sys setup

Ê

Ê

REMOTE CODE 19

Play messages >Answering sys

Voice Guide XAre sys setup

REMOTE CODE

19

Message alert tone

When the message alert tone is set to **On**, and there is at least one new message, the telephone base beeps every ten seconds. Unless you change it, the message alert tone is set to off.

There is no audible alert at the handset.

To change the setting:

Using a cordless handset or the telephone base:

- 1. When the handset or telephone base is in idle mode, press **MENU/SELECT** to enter the main menu.
- 2. Press ▼CID or ▲DIR to scroll to Answering sys, then press MENU/SELECT.
- Press ▼CID or ▲DIR to scroll to Ans sys setup, then press MENU/SELECT.
- Press ▼CID or ▲DIR to scroll to Msg alert tone, then press MENU/SELECT.
- 5. Press **▼CID** or **△DIR** to choose **On** or **Off**.
- 6. Press **MENU/SELECT** to save the setting. You hear a confirmation tone.

Notes:

- The message alert tone beeps only if all the following conditions are met:
 - Answering system is on.
 - Message alert tone setting is on.
 - There are new messages.
- ▶ To temporarily turn off the message alert tone, see page 125.

Remote code XMs9 alert tone

MSG ALERT TONE XOn ()

Remote code Ms9 alent tone

MSG ALERT TONE >On

Message recording time

You can set the recording time allowed for incoming messages. The message length is three minutes by default.

To change the setting:

Using a cordless handset or the telephone base:

- 1. When the handset or telephone base is in idle mode, press **MENU/SELECT** to enter the main menu.
- 2. Press ▼CID or ▲DIR to scroll to Answering sys, then press MENU/SELECT.
- 3. Press ▼CID or ▲DIR to scroll to Ans sys setup, then press MENU/SELECT.
- Press ▼CID or ▲DIR to scroll to Recording time, then press MENU/SELECT.
- Press ▼CID or ▲DIR to choose 3 minutes, 2 minutes or 1 minute, then press MENU/SELECT to save the setting. You hear a confirmation tone.

Me9 alert tone >Recordin9 time ⋒

RECORDING TIME >3 minutes (a)

Ms9 alert tone XRecording time

RECORDING TIME >3 minutes


Answering system and voicemail indicators

Your telephone has separate indicators for two different types of voice messages: those left on its built-in digital answering system and those left at your telephone service provider's voicemail (fees may apply). Your telephone's built-in digital answering system messages and voicemail messages are separate. Each alerts you to new messages differently.

If **QQ** and **XX New messages** show on the handset and the telephone base, there are new messages in the built-in answering system. To listen to messages recorded on your digital answering system, press ►/■/PLAY/STOP on the telephone base (page 131).



If
and New voicemail display on the handset and the telephone base, your telephone service provider is indicating that it has new voicemail for you. To listen to your voicemail, dial an access number provided by your telephone service provider, followed by a security code or PIN.



Some telephone service providers bundle or combine multiple services like voicemail and call waiting, so you may not be aware that you have voicemail. To check what services you have and how to access them, contact your telephone service provider.

To use your voicemail service rather than the answering system, turn off the answering system. To use the answering system rather than your voicemail service, contact your telephone service provider to deactivate the voicemail service.



Note: After reviewing all new messages, the number of old messages appears on the message counter.

Using the answering machine and voicemail together

You can also use your telephone answering system and voicemail together by setting your built-in answering system to answer before voicemail answers, as described below. To learn how to program your voicemail settings, contact your telephone service provider. If you are on a call, or the answering system is busy recording a message and you receive another call, the second caller can leave a voicemail message.

Set the answering system to answer calls at least two rings earlier than your voicemail is set to answer. For example, if your voicemail answers after six rings, set the answering system to answer after four rings. Some voicemail providers may program the delay before answering calls in seconds instead of rings. In this case, allow six seconds per ring when determining the appropriate setting.

Message capacity

The answering system can record up to 99 messages, depending on the length of each message. Individual messages can be up to three minutes, and the maximum recording time is approximately 22 minutes. The actual recording time depends on individual message characteristics. Messages remain available for replay until you delete them.

When there are new messages (including memos) on the answering system, the number of messages stored shows in the message counter.

If the answering system has less than three minutes of recording time left, it announces, "Less than three minutes to record," before message playback at the handset or the telephone base. Rec mem low displays on the device screen in idle mode. When you turn on the answering system at the telephone base, it announces, "Calls will be answered. Less than three minutes to record."

If the memory is full, the answering system announces, "Memory is full," before message playback. The device screen displays **Rec mem full** in idle mode. Once the memory is full, you cannot turn the answering system back on if it has been turned off, nor can you record new messages until old ones have been deleted. **Memory full** displays if you want to turn on the answering system on the handset but there is no memory.

Voice prompts

The system provides voice prompts to guide you through the setup procedures at the telephone base, message playback, remote access and recording outgoing announcements.

Call screening

To screen a call at the telephone base:

If the answering system and call screening are on (see **Call screening** on page 129), the announcement and the incoming message broadcast at the telephone base when a call is answered by the answering system.

Options while a message is being recorded:

- Press ▼/VOL/▲ on the telephone base to adjust the call screening volume.
- Press ▶/■/PLAY/STOP or CANCEL to temporarily silence the call screening.
- Press ►/■/PLAY/STOP to temporarily turn on the call screening if call screening is set to off.
- ▶ Press ¶)/SPEAKER to answer the call.

To screen a call at the handset:

If the answering system is on, you can hear the incoming message with the handset when a call is answered by the answering system. While a message is being recorded, the handset shows

To screen call, press [SELECT]. Press MENU/SELECT to screen the call.

Options while a message is being recorded:

- Press ▼CID/VOLUME or ▲DIR/VOLUME on the handset to adjust the call screening volume.
- ▶ Press **JOFF/CANCEL** to temporarily silence the call screening.
- Press MENU/SELECT to temporarily turn on the call screening if call screening is set to off.
- Press ♠ /SPEAKER to broadcast the announcement and the incoming message through the speakerphone. Press again to turn off the speakerphone.

Call intercept

While screening a call, you can stop recording and speak to the caller by pressing **PHONE/FLASH** on the handset or **D/SPEAKER** on the telephone base.

Base ringer

Press ∇ /VOL/ \triangle on the telephone base to adjust the ringer volume when the telephone is not in use.

You hear a sample of the ringer while adjusting the volume. The telephone base shows **Ringer off** \mathfrak{A} when you set the volume to **0**.

Temporarily turning off the message alert tone

If the message alert tone is turned on, the telephone base beeps every ten seconds when there are new messages. Pressing any telephone base key (except **FIND HS**) temporarily silences the message alert tone.

If you press **MUTE/DELETE** when in idle mode to temporarily turn off the message alert tone, there is a voice prompt directing you to press **MUTE/DELETE** again to delete all old messages. The message alert tone is temporarily off. Only press **MUTE/DELETE** a second time if you wish to erase all old messages in your answering system.

The message alert tone resumes when you receive another message.

If you have new messages, you hear only the new messages in chronological order. If there are no new messages, the system plays back all the messages (in chronological order). If there are both new and old messages, you have the option of playing the new or old messages.

When playback begins, the total number of messages is announced. Before each message, you hear the day and time of the recording. If the date and time are not set, you hear, "Time and date not set," before playback. After the last message, you hear, "End of messages." If the recording time is less than three minutes, you hear, "Less than three minutes to record" before playback (see **Message capacity** on page 128).

To listen to messages at the telephone base:

Press / PLAY/stop on the telephone base to listen to the messages.

- If there are new and old messages, the base only plays new messages automatically.
- If there are only new or only old messages, they will play automatically.

-OR-

- 1. When the telephone base is in idle mode, press **MENU/SELECT** to enter the main menu.
- 2. Press MENU/SELECT again to select Play messages.
 - If there are new and old messages, press ▼CID or ▲DIR to select Play new msgs or Play old msgs, then press MENU/SELECT or ►/■/PLAY/STOP.
 - If there are only new or only old messages, they will play automatically.

The system announces the number of messages, then begins playback. The message sequence is shown on the telephone base. If there are no recorded messages, the telephone base shows **No messages** and you hear, "You have no message."



>Play new mega Play old mega

ANS ONO

You have: 3 New messages

NBU MS6 #1/3 Charlie Johnson 10/15‴ 10:01^{pm}

To listen to messages on a cordless handset:

- 1. When the handset is in idle mode, press **MENU/SELECT** to enter the main menu.
- 2. Press MENU/SELECT again to select Play messages.
 - If there are new and old messages, press ▼CID or ▲DIR to select Play new msgs or Play old msgs, then press MENU/SELECT.
 - If there are only new or only old messages, they will play automatically.

The system announces the number of messages, then begins playback. The message sequence is shown on the handset. If there are no recorded messages, the handset shows **No messages** and you hear, "You have no message."







Options during playback

When a message is playing, you can adjust the playback volume, skip, repeat, pause or delete the message.

When messages are playing on the telephone base:

- Press ▼/VOL/▲ to adjust the message playback volume.
- ▶ Press **▶/SKIP** to skip to the next message.
- ▶ Press **«/REPEAT** to repeat the message. Press twice to hear the previous message.
- Press **MUTE/DELETE** to delete the message.
- Press ►/■/PLAY/STOP, or #OFF/CANCEL to stop the playback.
- Press ◆)/SPEAKER to stop playback. The screen shows Call back?, then press MENU/SELECT, or ◆)/SPEAKER to call back the caller if the caller's number is available. If the dialing format used is not correct, then use the option, as mentioned below, to choose the correct dialing format before calling back the caller.
- Press MENU/SELECT to pause playback and show the caller ID information if available. From here, you can press CANCEL to resume playback, or press # (pound key) repeatedly to show the desired dialing option (page 76), then press ■)/SPEAKER to call back the caller. If you do not call back within ten seconds, message playback resumes automatically.

When messages are playing on the handset:

- Press ▼ciD/VOLUME or ▲DIR/VOLUME to adjust the message playback volume.
- Press 6 to skip to the next message.
- Press 4 to repeat the message. Press twice to hear the previous message.
- Press **MUTE/DELETE** to delete the message.
- ▶ Press **5** or **Joff/CANCEL** to stop the playback.
- Press ♠ /SPEAKER to switch between speakerphone mode and handset mode.
- Press \ PHONE/FLASH to stop playback. The screen shows Call back?, then press MENU/SELECT, \ PHONE/FLASH, or ◄)/SPEAKER to call back the caller if the caller's number is available. If the dialing format used is not correct, then use the option, as mentioned below, to choose the correct dialing format before calling back the caller.
- Press MENU/SELECT to pause playback and show the caller ID information if available. From here, you can press # (pound key) repeatedly to show the desired dialing option (page 76), then press ₹ PHONE/FLASH to call back the caller. You can also press ✔ OFF/CANCEL to resume playback. If you do not call back within ten seconds, message playback resumes automatically.

Delete all old messages

You can only delete old (reviewed) messages. You cannot delete new messages until you review them. You cannot retrieve deleted messages.

To delete all old messages on the telephone base:

- 1. When the telephone is idle, press **MUTE/DELETE**. The system announces, "To delete all old messages, press DELETE again."
- 2. Press **MUTE/DELETE** again. The system announces, "All old messages deleted."

-OR-

- 1. Press **MENU/SELECT** when in idle mode to enter the main menu.
- 2. Press ▼CID or ▲DIR to scroll to Answering sys. Press MENU/SELECT.
- Press ▼CID or ▲DIR to highlight Delete all old, then press MENU/SELECT. The screen shows Delete all old messages?.
- Press MENU/SELECT again to confirm. The screen displays Deleting..., then All old msgs deleted!. There is a confirmation tone

Announcement >Delete all old

> Delete all old messages?

Deleting...

To delete all old messages on the handset:

- Press MENU/SELECT when in idle mode to enter the main menu.
- 2. Press ▼CID or ▲DIR to scroll to Answering sys. Press MENU/SELECT.
- 3. Press ▼CID or ▲DIR to highlight Delete all old, then press MENU/SELECT. The screen shows Delete all old messages?.
- Press MENU/SELECT again to confirm. The screen displays Deleting..., then All old msgs deleted!. There is a confirmation tone.

Announcement >Delete all old

Delete all old messages?

Ê

Deleting...

Recording and playing memos

Memos are your own recorded messages used as reminders for yourself or others using the same answering system. You can record your own memos using a system handset or the telephone base. Play and delete them in the same way as incoming messages.

Record a memo

Using a cordless handset or the telephone base:

- 1. When it is in idle mode, press **MENU/SELECT** to enter the main menu.
- Press ▼CID or ▲DIR to scroll to Answering sys. Press MENU/SELECT.
- 3. Press ▼CID or ▲DIR to highlight Record memo, then press MENU/SELECT. The system announces, "Record after the tone. Press 5 when you are done." You can record a memo for up to four minutes.
- 4. Speak towards it to record a memo.
- 5. Press **5** to stop recording. The system announces, *"Recorded."* The system does not save memos shorter than two seconds.







Delete all old >Record memo

Play back a memo

Play memos the same way as messages. See **Message playback** on page 131.

Base message counter displays

The base message counter shows the total number of answering system messages. See the following table for other message counter displays.

Message counter displays

	No messages.
1-99	Total number of messages and memos.
	The system is answering a call, or someone is trying to reach it remotely. The system is in program mode.

Remote access

You can reach your answering system remotely by dialing your home telephone number from any touch-tone telephone.

To remotely reach your answering system:

- 1. Dial your telephone number from any touch-tone telephone.
- 2. Once the system answers, enter the two-digit remote access code (19 is the default code. See page 124 to change it).
 - The system automatically announces the number of new or old messages (if any), and then begins to play them.
- 3. You can also enter the following remote commands:

Remote commands

1	Press to listen to all messages.
2	Press to listen to new messages only.
3	Press to delete the current message (during playback).
33	Press twice to delete all old messages.
4	Press to repeat the current message (during playback).
5	Press to stop any operation (including recording).
*5	Press to listen to a list of remote commands.
6	Press to skip to the next message (during playback).
*7	Press to record a new announcement.
8	Press to end remote access (the call will be terminated).
0	Press to turn the answering system on or off.

4. Hang up or press 8 to end the calls.

Answering system

Remote access

Cut out and carry the remote access wallet card at the back of this user's manual for quick reference.



Notes:

- ▶ If you do not enter a valid remote access code, the system answers the call automatically.
- If you pause for more than four seconds during remote access, you hear a help menu listing all features and commands. If there is no command for another 20 seconds, the call ends automatically.
- If the memory is full, the answering system answers after ten rings and announces, "Memory is full. Enter the remote access code." Enter your remote access code to access the messages and announcements.
- The telephone can respond to remote access code while it is playing the screening announcement or block announcement. This allows you to access you answering system from an unknown number remotely. See Screen calls without numbers on page 109 and Screen uncategorized calls on page 112.

Adding and registering handsets/headsets/speakerphones

Your telephone can support up to 12 DECT 6.0 cordless handsets (AT&T model CL80107, sold separately) or up to ten cordless handsets and two cordless headsets or speakerphones (sold separately). Visit

www.telephones.att.com/accessories for a list of compatible DECT 6.0 cordless headsets and speakerphones. Each new handset, headset or speakerphone must be registered to the telephone base before use. You must register each handset, headset or speakerphone separately.

To register a cordless headset or speakerphone to this telephone system, please refer to the corresponding user's manual for more details. To register a cordless handset, see below.

The handsets provided within your product box are already registered as **HANDSET 1**, and so forth. Additional handsets are assigned numbers in the sequential order they are registered (up to **HANDSET 12**).

Register a handset to the telephone base

- Before you begin registration, make sure the handset is out of the telephone base or charger and shows **To register HS**, see manual.
- 2. Put the handset you wish to register on the telephone base cradle.
- 3. Both the handset and the telephone base show Registering... Please wait. and the IN USE light on the telephone base turns on. HANDSET X Registered appears on the handset screen (HANDSET represents the handset name, X represents the handset number). Both the handset and the telephone base beep and the IN USE light turns off. The handset is now registered with the telephone base.






HANDSET X Registered

Appendix

Adding and registering handsets/headsets/speakerphones

If registration fails, the system will automatically try to register again. If registration fails after the third try, **Registration Failed** appears on both screens. The handset shows **To register HS, see manual.** and the telephone base returns to idle mode. This may take up to five minutes to occur. Please start again from Step 1.



For registration, put the handset on the telephone base, not the handset charger.



- ▶ You cannot register a handset if any other system handset is in use.
- If you try to register more than 12 handsets to the telephone base, the telephone base shows Registration slots are full and sounds two beeps.

Deregistering handsets

You may need to deregister your handsets if:

You have 12 registered handsets and need to replace a handset.

-OR-

 You wish to change the designated handset number of your registered handsets.

You must first deregister ALL handsets, and then register each handset you wish to use again, one at a time.

Please read carefully through all the instructions on this page before beginning the deregistration process.

Deregister all handsets from the telephone base

In addition to the cordless handsets, this operation will also deregister all cordless headsets and speakerphones registered to your telephone base.

- Make sure that all handsets are out of the telephone base and chargers before you begin deregistration.
- 2. Press and hold **FIND HS** on the telephone base for about ten seconds (until the **IN USE** light starts to flash). The telephone base screen shows **Registering... Please wait** for five seconds, then it shows **Deregister all devices?**. Release **FIND HS**.



- 3. Immediately press **ℰ/FIND HS** while the **IN USE** light is still flashing. (If the light stops flashing, start again with Step 1.)
- 4. It takes up to ten seconds to complete the deregistration process. Before registering the handset again, wait for the cordless handset screen to display **To register HS**, **see manual**.
- 5. To register the handset(s) to the telephone base again, follow the registration instructions on pages 139-140.



Notes:

- If the deregistration process fails, you may need to reset the system and try again. To reset, unplug the power from the telephone base and plug it back in.
- You cannot deregister the handsets if any other system handset is in use.
- Even if the battery is depleted, you can still deregister the handsets by following the steps mentioned above. After the
 handset is charged for at least ten minutes, the screen shows To register HS, see manual.
- ► If in Step 2 you already have 12 registered handsets, the telephone base shows Registration slots are full and sounds two beeps. Continue holding **Ø/FIND HS** until **Deregister all devices?** displays.

Alert tones and lights

Handset screen icons

	Battery status - battery is charging (animated display).
	Battery status - low battery (flashing); place the handset in telephone base or charger to recharge.
■))	Speakerphone - the speakerphone is in use.
\mathcal{D}	Ringer off - the handset ringer is off.
V M	New voicemail - you have new voicemail from your telephone service provider.
ANS ON	Answering system on - the answering system is turned on to answer calls.
ထ	Message - new message in the built-in answering system.
NEW	New caller ID log - new and missed calls.
MUTE	MUTE - the handset microphone is off.



Telephone base screen icons

$\vec{\mathcal{D}}$	Ringer off - the telephone base ringer is off.	
V M	New voicemail - you have new voicemail from your telephone service provider.	
NEW	New caller ID log - new and missed calls.	
MSG#	Message counter - total number of messages.	



Alert tones and lights

Handset alert tones

One short beep	Tone of each key press, if key tone is turned on.
One long beep	Indication to begin recording a message, memo or announcement.
Two short beeps	You are pressing ▼CID or ▲DIR on a cordless handset when the volume is already at its highest or lowest setting. -OR- Call waiting toneOR- Error tone.
Confirmation tone (three rising tones)	The system has completed the command successfully.
Four beeps	The other party has ended your intercom call. OR- The handset has gone out of range from the base during a call.
Four short beeps	Low battery warning.

Telephone base alert tones

One short beep	Tone of each key press, if key tone is turned on.
One long beep	Indication to begin recording a message, memo or announcement. Indicates the start of message recording during call screening or
Two short beeps	the end of a message playback session. You are pressing ▼/VOL/▲ on the telephone base when the volume is already at its highest or lowest setting.
	-OR- Call waiting toneOR-
	Error toneOR-
	Registration slots are full.
Confirmation tone (three rising tones)	The system has completed the command successfully.
Four beeps	The other party has ended your intercom call.
Four short beeps	Registration failure tone.
Beeps every ten seconds	Message alert.

Alert tones and lights

Lights

Lighted display IN USE -**Ů/ANSWER ON** On when the telephone On when the is in use, or when the answering answering system is system is on. answering an incoming call ►/■/PLAY/STOP On when a handset is On when a being registered. message is Flashes quickly when playing. there is an incoming call Flashes when or when handsets are there are new being deregistered. messages. Flashes when another telephone is in use on MUTE/DELETE the same line. **◀**)/SPEAKER On when the microphone

On when the speakerphone

is on.



is muted

Appendix Screen display messages

Screen messages

	TA
Added to allow list	An entry has been added to the allow list.
Added to blocklist	An entry has been added to the block list.
Added to star name list	An entry has been added to the star name list.
BASE 0 is calling	The telephone base is calling.
Blocked call	An incoming call is blocked.
Block list is empty	There are no block list entries.
Call transferred	You have transferred an outside call to another device.
Caller ID log emety	There are no entries in the caller ID log.
Calling BASE 0	The handset is calling the telephone base (for intercom calls).
Calling HANDSET X	The handset or telephone base is calling another handset (for intercom calls). The telephone base is transferring an outside call to a handset.
Call answered	The answering system has answered an incoming call.
Contact deleted	A directory entry is deleted.
Directory empty	There are no directory entries.
Directory full	The directory is full. You cannot save any new entries unless you delete some current entries.
Ended	You have just ended a call.
HANDSET X is calling	Another system handset is calling.
Incomin9 call	There is a call coming in.
Intercom	The device is on an intercom call.
Intercom ended	The intercom call has just ended.
INTERCOM TO:	You have started the intercom process, and need to enter the number of the device you wish to call.
Line in use	An extension phone, or one of the devices is in use.

Screen display messages

Screen messages

Low batters	The battery is low. You should charge the battery.
Microphone On	Mute is off so the other party can hear your voice.
Muted	The microphone is off. The other party cannot hear you.
New voicemail	There are new voicemail messages from your telephone service provider.
No answer. Try again	The device(s) you are trying to transfer a call to is out of range, off hook, or has no power.
No battery	The handset in the charger has no battery installed.
No caller info	The caller information is unavailable.
Not enough batt to power base	The handset does not have enough charge to power up the telephone base.
No line	There is no telephone line connection.
Number already saved	The telephone number you have entered is already in the directory or call block list.
Not available at this time	Someone else is already using the directory or caller ID log.
No Incomin9 PTT	The incoming PTT function is turned off. The handset will not receive PTT calls.
Out of range OR No pwr at base	The telephone base has lost power, or the handset is out of range.
** Paging **	The cordless handset is paged by the telephone base.
Paging all handsets	The telephone base is paging all cordless handsets.
Phone	The handset is on a call.
Place in charger	The battery is very low. The handset should be charged.
Powering base Don't pick up	The handset on the telephone base is powering up the telephone base in the event of power outage.
Put HS on base to power base	There is no handset placed in the telephone base during power outage.
Pur outage mode	Battery backup mode is activated.
Quiet mode on	QUIET mode is on.
Quiet mode is off	QUIET mode is turned off.
Rec mem full	The system recording time is full.

Appendix Screen display messages

Screen messages

Rec mem low	The system recording time is low.
Recording message	The telephone is recording a message.
Registering Please wait	The handset is registering to the telephone base.
Registration slots are full	The telephone base has the maximum of 12 handsets registered to it.
Registration Failed	The handset registration is not successful.
Ringer off	The ringer is turned off.
Ringer muted	The ringer is off temporarily while the device is ringing.
Saved to directory	An entry has been successfully saved to the directory.
Screened call	The Smart call blocker feature of the telephone has screened a call and is putting the call through to you.
Setting up Answering sys	The telephone base is playing voice guide to set up the answering system.
Smart call blk screening	The telephone is screening an incoming call.
Ereaker	The handset or telephone base speakerphone is in use.
Voice Suide Set	After you install your telephone or power returns following a power outage, the handset and telephone base will prompt you to set the date and time. After the date and time setting is done or skipped, the telephone base will then prompt if you want to set up the Smart call blocker feature via voice guide.
TRANSFER TO:	You have started transferring a call, and need to enter the desired device number or choose all devices.
To register HS. see manual.	Screen display before handset registration.
To screen call: press [SELECT]	Press MENU/SELECT to activate call screening.
Unable to call. Line in use	Failed phone call (the telephone line is in use).
Unable to call.	You try to join a call when there are already four handsets on that call.
Try again	You try to make an outside call when another device is transferring a call with the intercom feature.
XX Missed calls	There are new calls in the caller ID log.
XX New messages	There are new messages in the answering system.

If you have difficulty with your phone please try the following suggestions. For Customer Service, visit our website at **www.telephones.att.com** or call **1 (800) 222-3111**. In Canada, dial **1 (866) 288-4268**.

My telephone doesn't work at all.

- Make sure the power cord is securely plugged in.
- Make sure you plug the battery connector securely into the cordless handset.
- Make sure you plug the telephone line cord securely and firmly into the telephone base and the telephone wall jack.
- Charge the battery in the cordless handset for at least ten hours. For optimum daily performance, return the cordless handset to the telephone base or charger when not in use.
- If the battery is depleted, it may take approximately 30 minutes to charge the handset before it shows **Low battery**. See page 11 for details.
- Reset the telephone base. Unplug the electrical power. Wait for approximately 15 seconds, then plug it back in. Allow up to one minute for the cordless handset and telephone base to reset.
- You may need to purchase a new battery. Please refer to
 Battery installation and charging in this user's manual on pages 11-12.

The display shows No line. I cannot get a dial tone.

- Try all the suggestions mentioned above.
- If the previous suggestions do not work, disconnect the telephone line cord from your telephone and connect the telephone line cord to another telephone.
 - If there is no dial tone on that other telephone either, your telephone line cord may be defective. Install a new telephone line cord.
 - ▶ If changing the telephone line cord does not help, the wall jack (or the wiring to this wall jack) may be defective. Try using a different wall jack in your home to connect your CL83107/CL83207/CL83307/CL83407 telephone, or contact your telephone service provider (charges may apply).

I cannot dial out.

- Try all the suggestions mentioned above.
- Make sure you have a dial tone before dialing. The cordless handset may take a second or two to find the telephone base and produce a dial tone. This is normal. Wait an extra second before dialing.
- Eliminate any background noise. Noise from a television, radio or other appliances may cause the phone to not dial out properly. If you cannot eliminate the background noise, first try muting the cordless handset before dialing, or dialing from another room with less background noise.
- If other phones in your home are having the same problem, contact your telephone service provider (charges may apply).

My cordless handset isn't performing normally.

- Make sure you plug the power cord securely into the telephone base. Plug the power adapter into a different working electrical outlet without a wall switch.
- Move the cordless handset closer to the telephone base. You may have moved out of range.
- Reset the telephone base. Unplug the electrical power. Wait for 15 seconds, then plug it back in. Allow up to one minute for the cordless handset and telephone base to reset.
- Other electronic products such as HAM radios and other DECT phones, can cause interference with your cordless phone. Try installing your phone as far away as possible from these types of electronic devices.

Out of range OR No pwr at base appears on my cordless handset.

- Ensure you plug the telephone base in properly and the power is on.
- Place the cordless handset in the telephone base for one minute to allow the cordless handset and base to synchronize.
- Move the cordless handset closer to the telephone base. You may have moved out of range.
- Reset the telephone base. Unplug the electrical power. Wait for 15 seconds, then plug it back in. Allow up to one minute for the cordless handset and telephone base to reset.
- Other electronic products such as HAM radios and other DECT phones, can cause interference with your cordless phone. Try installing your phone as far away as possible from these types of electronic devices.

The batteries do not hold a charge.

- If the cordless handset is in the telephone base or charger and the charge light is not on, refer to **The charge light is off or blinking** (page 152).
- Charge the battery in the cordless handset for at least ten hours. For optimum daily performance, return the cordless handset to the telephone base or charger when not in use.
- If the battery is depleted, it may take approximately 30 minutes to charge the handset before it shows **Low battery**. Refer to the table on page 11 for details.
- You may need to purchase a new battery. Please refer to
 Battery installation and charging in this user's manual on pages 11-12.

I get noise, static, or weak signals even when I'm near the telephone base.

- If you subscribe to high-speed Internet service (DSL digital subscriber line) through your telephone line, you must install a DSL filter between the telephone line cord and the telephone wall jack (page 10). The filter prevents noise and caller ID problems as a result of DSL interference. Please contact your DSL service provider for more information about DSL filters.
- You may be able to improve the performance of your cordless phone by installing your new telephone base as far as possible from any other existing cordless telephone system that may already be installed.
- Other electronic products such as HAM radios and other DECT phones, can cause interference with your cordless phone. Try installing your phone as far away as possible from these types of electronic devices.
- Do not install this phone near a microwave oven or on the same electrical outlet. You may experience decreased performance while the microwave oven is operating.
- If you plug your phone in with a modem or a surge protector, plug the phone (or modem/surge protector) into a different location. If this does not solve the problem, relocate your phone or modem farther apart from one another, or use a different surge protector.
- Move your phone to a higher location. The phone may have better reception in a high area.
- If other phones in your home are having the same problem, contact your telephone service provider (charges may apply).

I experience poor sound quality when using the handset speakerphone.

For increased sound quality while using the handset speakerphone, place the handset on a flat surface with the dial pad facing up.

I hear other calls while using my phone.

 Disconnect the telephone base from the telephone jack, and plug in a different telephone. If you still hear other calls, call your telephone service provider.

My cordless handset does not ring when I receive a call.

- Make sure that the ringer is not off. Refer to Ringer volume on page 18 in this user's manual.
- Make sure you plug in the telephone line cord securely into the telephone base and the telephone jack. Make sure you plug in the power cord securely.
- The cordless handset may be too far from the telephone base.
- Charge the battery in the cordless handset for at least ten hours. For optimum daily performance, return the cordless handset to the telephone base or charger when not in use.
- You may have too many extension phones on your telephone line to allow all of them to ring simultaneously. Try unplugging some of the other phones.
- The layout of your home or office may be limiting the operating range.
 Try moving the telephone base to another location, preferably to a higher location.
- If other phones in your home are having the same problem, contact your telephone service provider (charges may apply).
- Test a working phone at the phone jack. If another phone has the same problem, contact your telephone service provider (charges may apply).
- Other electronic products can cause interference with your cordless phone. Try installing your phone as far away as possible from electronic devices such as television sets, VCRs, or other cordless telephones.
- Remove the battery. Install the battery again and place the cordless handset into the telephone base. Wait for the cordless handset to reestablish its connection with the telephone base. Allow up to one minute for this to take place.
- Your line cord may be defective. Try installing a new line cord.

My calls cut in and out while I'm using my cordless handset.

- Other electronic products such as HAM radios and other DECT phones, can cause interference with your cordless phone. Try installing your phone as far away as possible from these types of electronic devices.
- Do not install this phone near a microwave oven or on the same electrical outlet. You may experience decreased performance while the microwave oven is operating.
- If you plug your phone in with a modem or surge protector, plug the phone (or modem/surge protector) into a different location. If this does not solve the problem, relocate your phone or modem farther apart from one another, or use a different surge protector.
- Move your telephone base to a higher location. The phone may have better reception when installed in a high area.
- If other phones in your home are having the same problem, contact your telephone service provider (charges may apply).

The charge light is off or blinking.

- Make sure you plug the power and line cords in correctly and securely.
- Unplug the electrical power. Wait for 15 seconds, then plug it back in. Allow up to one minute for the cordless handset and telephone base to reset.
- Clean the cordless handset, charger and telephone base charging contacts each month with a pencil eraser or cloth.
- A blinking **CHARGE** light is an indication that the battery is not connected to the handset or is missing completely. Ensure that the battery is installed properly.

My caller ID isn't working.

- Caller ID is a subscription service. You must subscribe to this service from your telephone service provider for this feature to work on your phone.
- The caller may not be calling from an area that supports caller ID.
- Both your and the caller's telephone service providers must use caller ID compatible equipment.

If you subscribe to high-speed Internet service (DSL - digital subscriber line) through your telephone line, you must install a DSL filter between the telephone line cord and the telephone wall jack (page 10). The filter prevents noise and caller ID problems resulting from DSL interference. Please contact your DSL service provider for more information about DSL filters

System does not receive caller ID when on a call.

Make sure you subscribe to caller ID with call waiting features from your telephone service provider. Caller ID features works only if both you and the caller are in areas offering caller ID service, and if both telephone service providers use compatible equipment.

System screens all my incoming calls.

- You may have set Smart call blocker to screen calls without numbers and uncategorized calls. The telephone asks callers to announce their names or press the pound key (#). We recommend that you add the phone numbers of your family members and friends, and desired businesses to your **Directory** (see page 62) or **Allow list** (see page 93), or add their names to the **Star name list** (see page 98). This will avoid Smart call blocker to screen their calls.
- To turn Smart call blocker off, see Set Smart call blocker on/off on page 85.

While screening a call, the telephone suddenly stops screening and connects to the call.

- Another handset may have picked up the screening call.
- If you have other telephone system sharing the same telephone line, and someone picks up the call on the other telephone system while the screening is in progress, the screening process will be terminated and connect you to the caller.

My telephone block calls from someone I know.

You may have saved the caller's number to your block list. To remove the number from the block list. See **Delete a block entry** on page 92.

Blocking calls with numbers saved in my block list only.

If you want to block calls with numbers saved in your block list only, and allow all other calls to get through to you, change the settings to accept calls without numbers and uncategorized calls. See Control calls without numbers on page 85 and Control uncategorized calls on page 86.

Blocking all unknown calls.

If you want to block all unknown calls with numbers or names that are not in your directory, allow list or star name list, change the settings to block calls without numbers and uncategorized calls. See Control calls without numbers on page 85 and Control uncategorized calls on page 86.

Forwarding all unknown calls to the answering system.

If you want to forward all unknown calls with numbers or names that are not in your directory, allow list or star name list to the answering system, see Control calls without numbers on page 85 and Control uncategorized calls on page 86 to change the settings.

Incomplete messages.

- If a caller leaves a very long message, part of it may be lost when the system disconnects the call after the maximum recording time you have set.
- If the caller pauses for longer than seven seconds, the system stops recording and disconnects the call.
- If the system's memory becomes full during a message, the system stops recording and disconnects the call.
- If the caller's voice is very soft, the system may stop recording and disconnect the call.

Difficulty hearing messages.

- ▶ Press ▲/VOL to increase the telephone base speaker volume.
- Press ADIR/VOLUME to adjust the message playback volume on a handset

System does not answer after the correct number of rings.

Make sure that the answering system is on. **ANS ON** should show on the handset and the **Φ/ANSWER ON** light on the telephone base should be on.

- If toll saver is activated, the number of rings changes to two when you have new messages stored (page 123).
- If the memory is full or the system is off, the system will answer after ten rings.
- In some cases, the answering system is affected by the ringing system used by your telephone service provider.
- If you subscribe to voicemail service, change the number of rings so that your answering system answers before your voicemail (page 123). To determine how many rings activate your voicemail, contact your telephone service provider.
- If there is a fax machine connected to the same telephone line, try disconnecting the fax machine. If that solves the problem, consult your fax machine documentation for information on compatibility with answering systems.

System does not respond to remote commands.

- Make sure to enter your remote access code correctly (page 124).
- Make sure you are calling from a touch-tone phone. When you dial a number, you should hear tones. If you hear clicks, the phone is not a touchtone telephone and cannot activate the answering system.
- The answering system may not detect the remote access code while your announcement is playing. Try waiting until the announcement is over before entering the code.
- There may be interference on the phone line you are using. Press dialing keys firmly.

System does not record messages.

- Make sure the answering system is on. ANS ON should show on the handset and the Φ/ANSWER ON light on the telephone base should be on.
- Make sure the memory of the answering system is not full.
- If you subscribe to voicemail service, change the number of rings so that your answering system answers before your voicemail (page 123).
 To determine how many rings activate your voicemail, contact your telephone service provider.

If there is a fax machine connected to the same telephone line, try disconnecting the fax machine. If that solves the problem, consult your fax machine documentation for information on compatibility with answering systems.

System announces, "Time and day not set."

You need to reset the system clock (page 19).

Outgoing announcement is not clear.

- When you record your announcement, make sure you speak in a normal tone of voice, about nine inches from the handset or the telephone base.
- Make sure there is no background noise (TV, music, etc.) while recording.

New voicemail and show on the screens, and I don't know why.

Your telephone has both a built-in answering system and voicemail indication. If **New voicemail** and appear on the screens, then your telephone has received a signal from your telephone service provider that you have a voicemail message waiting for you to retrieve from them. Contact your telephone service provider for more information on how to access your voicemail.

I cannot retrieve voicemail messages.

Your telephone has both a built-in answering system and voicemail indication. They are independent features and each alerts you to new messages differently (page 127). If you subscribe to voicemail service from your telephone service provider, contact your telephone service provider for more information on how to access your voicemail.

I've set my LCD language to Spanish or French and I don't know how to change it back to English.

 Press MENU/SELECT on your handset or base in idle mode, then enter 364# on the handset or base. You hear a confirmation tone.

I subscribe to a nontraditional telephone service that uses my computer to establish connections, and my telephone doesn't work.

- Make sure your computer is powered on.
- Make sure your Internet connection is working properly.
- Make sure that the software is installed and running for your nontraditional telephone service.
- Make sure to plug your USB telephone adapter into a dedicated USB port on your computer. Do not plug it into a multiple port USB hub (USB splitter) that is not powered.
- In a few rare instances, the USB port on your computer may not have enough power. Try using a USB hub with its own external power supply.
- If you are using a firewall, it may prevent access to your nontraditional telephone service provider. Contact your service provider for more information.

Common cure for electronic equipment.

If the telephone does not seem to be responding normally, try putting the cordless handset in the telephone base or charger. If it does not fix the problem, do the following (in the order listed):

- 1. Disconnect the power to the telephone base.
- 2. Disconnect the cordless handset battery.
- 3. Wait a few minutes.
- 4. Connect power to the telephone base.
- 5. Remove the battery. Replace the battery and place the cordless handset into the telephone base or charger.
- 6. Wait for the cordless handset to reestablish its connection with the telephone base. Allow up to one minute for this to take place.

Maintenance

Taking care of your telephone

- Your cordless telephone contains sophisticated electronic parts, so you must treat it with care.
- Avoid rough treatment.
- Place the handset down gently.
- Save the original packing materials to protect your telephone if you ever need to ship it.

Avoid water

You can damage your telephone if it gets wet. Do not use the handset in the rain, or handle it with wet hands. Do not install the telephone base near a sink, bathtub or shower.

Electrical storms

 Electrical storms can sometimes cause power surges harmful to electronic equipment. For your own safety, take caution when using electric appliances during storms.

Cleaning your telephone

- Your telephone has a durable plastic casing that should retain its luster for many years. Clean it only with a soft cloth slightly dampened with water or mild soap.
- Do not use excess water or cleaning solvents of any kind.

Remember that electrical appliances can cause serious injury if used when you are wet or standing in water. If the telephone base should fall into water, DO NOT RETRIEVE IT UNTIL YOU UNPLUG THE POWER CORD AND TELEPHONE LINE CORDS FROM THE WALL. Pull the unit out by the unplugged cords.

Important safety information



This symbol is to alert you to important operating or servicing instructions that may appear in this user's manual. Always follow basic safety precautions when using this product to reduce the risk of injury, fire, or electric shock.

Safety information

- ▶ Read and understand all instructions in the user's manual. Observe all markings on the product.
- Avoid using a telephone during a thunderstorm. There may be a slight chance of electric shock from lightning.
- ▶ Do not use a telephone in the vicinity of a gas leak. Under certain circumstances, a spark may be created when the adapter is plugged into the power outlet, or when the handset is replaced in its cradle. This is a common event associated with the closing of any electrical circuit. In an inadequately ventilated environment, the user should not plug the phone into a power outlet, nor put a charged handset into the cradle where there are concentrations of flammable or flame-supporting gases. A spark in such an environment could create a fire or explosion. Such environments may include: medical use of oxygen without adequate ventilation; industrial gases (cleaning solvents; gasoline vapors; etc.); a leak of natural gas; etc.
- Do not use this product near water or when you are wet. For example, do not use it in a wet basement or shower, nor next to a swimming pool, bathtub, kitchen sink, and laundry tub. Do not use liquids or aerosol sprays for cleaning. If the product comes in contact with any liquid, unplug any line or power cord immediately. Do not plug the product back in until it has dried thoroughly.
- Install this product in a protected location where no one can trip over any line or power cords.
 Protect cords from damage or abrasion.
- If this product does not operate normally, see the **Troubleshooting** section on pages 148-157 of this user's manual. If you cannot solve the problem, or if the product is damaged, refer to the **Limited warranty** section on pages 165-166. Do not open this product except as directed in your user's manual. Opening the product or reassembling it incorrectly may expose you to hazardous voltages or other risks.
- Replace batteries only as described in your user's manual (pages 11-12). Do not burn or puncture batteries — they contain caustic chemicals.
- The power adapters are intended to be correctly oriented in a vertical or floor mount position. The prongs are not designed to hold the plug in place if it is plugged into a ceiling, under-the-table or cabinet outlet



Caution: Use only the power adapters provided with this product. To obtain a replacement, visit our website at **www.telephones.att.com** or call **1 (800) 222-3111.** In Canada, dial **1 (866) 288-4268**.

Important safety information

Especially about cordless telephones

- Privacy: The same features that make a cordless telephone convenient create some limitations. Telephone calls are transmitted between the telephone base and the handset by radio waves, so there is a possibility that your cordless telephone conversations could be intercepted by radio receiving equipment within range of the cordless handset. For this reason, you should not think of cordless telephone conversations as being as private as those on corded telephones.
- Electrical power: The telephone base of this cordless telephone must be connected to a
 working electrical outlet which is not controlled by a wall switch. Calls cannot be made from
 the handset if the telephone base is unplugged, switched off or if the electrical power
 is interrupted.
- Potential TV interference: Some cordless telephones operate at frequencies that may cause interference to TVs and VCRs. To minimize or prevent such interference, do not place the telephone base of the cordless telephone near or on top of a TV or VCR. If interference is experienced, moving the cordless telephone farther away from the TV or VCR will often reduce or eliminate the interference.
- Rechargeable batteries: This product contains nickel-metal hydride rechargeable batteries.
 Exercise care in handling batteries in order not to create a short circuit with conductive material such as rings, bracelets and keys. The battery or conductor may overheat and cause harm. Observe proper polarity between the battery and the battery charger.
- Nickel-metal hydride rechargeable batteries: Dispose of these batteries in a safe manner.
 Do not burn or puncture. Like other batteries of this type, if burned or punctured, they could release caustic material which could cause injury.



The RBRC® Seal means that the manufacturer is voluntarily participating in an industry program to collect and recycle nickel-metal hydride rechargeable batteries when taken out of service within the United States. These batteries may be taken to a participating local retailer of replacement batteries or recycling center. Or you may call 1-800-8-BATTERY® for locations accepting spent Ni-MH batteries. RBRC® and 1-800-8-BATTERY® are registered trademarks of the Rechargeable Battery Recycling Corporation.

Important safety information

Precautions for users of implanted cardiac pacemakers

Cardiac pacemakers (applies only to digital cordless telephones):

Wireless Technology Research, LLC (WTR), an independent research entity, led a multidisciplinary evaluation of the interference between portable wireless telephones and implanted cardiac pacemakers. Supported by the U.S. Food and Drug Administration, WTR recommends to physicians that:

Pacemaker patients

Should keep wireless telephones at least six inches from the pacemaker.

Should NOT place wireless telephones directly over the pacemaker, such as in a breast pocket, when it is turned ON.

Should use the wireless telephone at the ear opposite the pacemaker.

WTR's evaluation did not identify any risk to bystanders with pacemakers from other persons using wireless telephones.

ECO mode

This power conserving technology reduces power consumption for optimal battery performance. The ECO mode activates automatically whenever the handset is synchronized with the telephone base.

Especially about telephone answering systems

Two-way recording: This unit does not sound warning beeps to inform the other party that the call is being recorded. To ensure that you are in compliance with any federal or state regulations regarding recording a telephone call, you should start the recording process and then inform the other party that you are recording the conversation.

SAVE THESE INSTRUCTIONS

FCC Part 68 and ACTA

This equipment complies with Part 68 of the FCC rules and with technical requirements adopted by the Administrative Council for Terminal Attachments (ACTA). The label on the back or bottom of this equipment contains, among other things, a product identifier in the format US:AAAEQ##TXXXX. This identifier must be provided to your telephone service provider upon request.

The plug and jack used to connect this equipment to premises wiring and the telephone network must comply with the applicable Part 68 rules and technical requirements adopted by ACTA. A compliant telephone cord and modular plug is provided with this product. It is designed to be connected to a compatible modular jack that is also compliant. An RJ11 jack should normally be used for connecting to a single line and an RJ14 jack for two lines. See the installation instructions in the user's manual.

The Ringer Equivalence Number (REN) is used to determine how many devices you may connect to your telephone line and still have them ring when you are called. The REN for this product is encoded as the 6th and 7th characters following the US: in the product identifier (e.g., if ## is 03, the REN is 0.3). In most, but not all areas, the sum of all RENs should be five (5.0) or less. For more information, please contact your telephone service provider.

This equipment must not be used with Party Lines. If you have specially wired alarm dialing equipment connected to your telephone line, ensure the connection of this equipment does not disable your alarm equipment. If you have questions about what will disable the alarm equipment, consult your telephone service provider or a qualified installer.

If this equipment is malfunctioning, it must be unplugged from the modular jack until the problem has been corrected. Repairs to this telephone equipment can only be made by the manufacturer or its authorized agents. For repair procedures, follow the instructions outlined under the Limited warranty.

If this equipment is causing harm to the telephone network, the telephone service provider may temporarily discontinue your telephone service. The telephone service provider is required to notify you before interrupting service. If advance notice is not practical, you will be notified as soon as possible. You will be given the opportunity to correct the problem and the telephone service provider is required to inform you of your right to file a complaint with the FCC. Your telephone service provider may make changes in its facilities, equipment, operation, or procedures that could affect the proper functioning of this product. The telephone service provider is required to notify you if such changes are planned.

If this product is equipped with a corded or cordless handset, it is hearing aid compatible.

If this product has memory dialing locations, you may choose to store emergency telephone numbers (e.g., police, fire, medical) in these locations. If you do store or test emergency numbers, please:

Remain on the line and briefly explain the reason for the call before hanging up.

Perform such activities in off-peak hours, such as early morning or late evening.

Industry Canada

This device complies with Industry Canada licence-exempt RSS standard(s).

Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Privacy of communications may not be ensured when using this telephone.

The term "IC:" before the certification/registration number only signifies that the Industry Canada technical specifications were met.

The Ringer Equivalence Number (REN) for this terminal equipment is 1.0. The REN indicates the maximum number of devices allowed to be connected to a telephone interface. The termination of an interface may consist of any combination of devices subject only to the requirement that the sum of the RENs of all the devices not exceed five.

This product meets the applicable Innovation, Science and Economic Development Canada technical specifications.

Appendix FCC Part 15

NOTE: This equipment has been tested and found to comply with the requirements for a Class B digital device under Part 15 of the Federal Communications Commission (FCC) rules. These requirements are intended to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver
 is connected
- Consult the dealer or an experienced radio/TV technician for help.

WARNING: Changes or modifications to this equipment not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation. Privacy of communications may not be ensured when using this telephone.

To ensure safety of users, the FCC has established criteria for the amount of radio frequency energy that can be safely absorbed by a user or bystander according to the intended usage of the product. This product has been tested and found to comply with the FCC criteria. The handset may be safely held against the ear of the user. The telephone base shall be installed and used such that parts of the user's body other than the hands are maintained at a distance of approximately 20 cm (8 inches) or more.

This Class B digital apparatus complies with Canadian requirement: CAN ICES-3 (B)/NMB-3(B)

Appendix

California Energy Commission battery charging testing instructions

This telephone is set up to comply with the energy-conserving standards right out of the box. These instructions are intended for California Energy Commission (CEC) compliance testing only. When the CEC battery charging testing mode is activated, all telephone functions, except battery charging, will be disabled.

To activate the CEC battery charging testing mode:

- 1. Unplug the telephone base power adapter from the power outlet. Make sure all cordless handsets are inserted with charged batteries and out of the chargers before proceeding.
- While you press and hold //FIND HS, plug the telephone base power adapter back to the power outlet.
- After about 20 seconds, when the IN USE light starts flashing, release //FIND HS and then press it again within two seconds.



The process takes up to one minute to complete. When the cordless handsets successfully enter the CEC battery charging testing mode, the **IN USE** light turns off and all handsets display **To register HS, see manual**. You hear a confirmation tone.

When the cordless handsets fail to enter this mode, repeat the steps mentioned above.

Note: The telephone base will be powered up as normal if you fail to press **ℰ/FIND HS** within two seconds in Step 3.

To deactivate the CEC battery charging testing mode:

- 1. Unplug the telephone base power adapter from the power outlet, then plug it back in. The telephone base is powered up as normal.
- Register your handsets back to the telephone base. See pages 139-140 for handset registration instructions.



Limited warranty

The AT&T brand is used under license - any repair, replacement or warranty service, and all questions about this product should be directed to our website at **www.telephones.att.com** or call **1 (800) 222-3111**. In Canada, dial **1 (866) 288-4268**.

1. What does this limited warranty cover?

The manufacturer of this AT&T branded product warrants to the holder of a valid proof of purchase ("CONSUMER" or "you") that the product and all accessories provided in the sales package ("PRODUCT") are free from defects in material and workmanship, pursuant to the following terms and conditions, when installed and used normally and in accordance with the PRODUCT operating instructions. This limited warranty extends only to the CONSUMER for products purchased and used in the United States of America and Canada.

2. What will be done if the PRODUCT is not free from defects in materials and workmanship during the limited warranty period ("materially defective PRODUCT")?

During the limited warranty period, the manufacturer's authorized service representative will repair or replace at the manufacturer's option, without charge, a materially defective PRODUCT. If the manufacturer repairs the PRODUCT, they may use new or refurbished replacement parts. If the manufacturer chooses to replace the PRODUCT, they may replace it with a new or refurbished PRODUCT of the same or similar design. The manufacturer will retain defective parts, modules, or equipment. Repair or replacement of the PRODUCT, at the manufacturer's option, is your exclusive remedy. The manufacturer will return repaired or replacement products to you in working condition. You should expect the repair or replacement to take approximately 30 days.

3. How long is the limited warranty period?

The limited warranty period for the PRODUCT extends for ONE (1) YEAR from the date of purchase. If the manufacturer repairs or replaces a materially defective PRODUCT under the terms of this limited warranty, this limited warranty also applies to repaired or replacement PRODUCT for a period of either (a) 90 days from the date the repaired or replacement PRODUCT is shipped to you or (b) the time remaining on the original one-year limited warranty; whichever is longer.

4. What is not covered by this limited warranty?

This limited warranty does not cover:

- PRODUCT that has been subjected to misuse, accident, shipping or other physical damage, improper installation, abnormal operation or handling, neglect, inundation, fire, water, or other liquid intrusion; or
- PRODUCT that has been damaged due to repair, alteration, or modification by anyone other than an authorized service representative of the manufacturer; or
- PRODUCT to the extent that the problem experienced is caused by signal conditions, network reliability or cable or antenna systems; or
- PRODUCT to the extent that the problem is caused by use with non-AT&T accessories; or
- PRODUCT whose warranty/quality stickers, PRODUCT serial number plates or electronic serial numbers have been removed, altered or rendered illegible; or
- PRODUCT purchased, used, serviced, or shipped for repair from outside the United States
 of America or Canada, or used for commercial or institutional purposes (including but not
 limited to products used for rental purposes); or
- PRODUCT returned without valid proof of purchase (see item 6 on next page); or
- Charges for installation or setup, adjustment of customer controls, and installation or repair of systems outside the unit.

Limited warranty

5. How do you get warranty service?

To obtain warranty service, visit our website at **www.telephones.att.com** or call **1 (800) 222-3111**. In Canada, dial **1 (866) 288-4268**.

NOTE: Before calling for service, please review the user's manual; a check of the PRODUCT's controls and features may save you a service call.

Except as provided by applicable law, you assume the risk of loss or damage during transit and transportation and are responsible for delivery or handling charges incurred in the transport of the PRODUCT(s) to the service location. The manufacturer will return repaired or replaced PRODUCT under this limited warranty to you. Transportation, delivery or handling charges are prepaid. The manufacturer assumes no risk for damage or loss of the PRODUCT in transit. If the PRODUCT failure is not covered by this limited warranty, or proof of purchase does not meet the terms of this limited warranty, the manufacturer will notify you and will request that you authorize the cost of repair prior to any further repair activity. You must pay for the cost of repair and return shipping costs for the repair of products that are not covered by this limited warranty.

6. What must you return with the PRODUCT to get warranty service?

You must:

- Return the entire original package and contents including the PRODUCT to the service location along with a description of the malfunction or difficulty; and
- Include a "valid proof of purchase" (sales receipt) identifying the PRODUCT purchased (PRODUCT model) and the date of purchase or receipt; and
- Provide your name, complete and correct mailing address, and telephone number.

7. Other limitations

This warranty is the complete and exclusive agreement between you and the manufacturer of this AT&T branded PRODUCT. It supersedes all other written or oral communications related to this PRODUCT. The manufacturer provides no other warranties for this PRODUCT. The warranty exclusively describes all of the manufacturer's responsibilities regarding the PRODUCT. There are no other express warranties. No one is authorized to make modifications to this limited warranty and you should not rely on any such modification.

State/Provincial Law rights: This warranty gives you specific legal rights, and you may also have other rights which vary from state to state or province to province.

Limitations: Implied warranties, including those of fitness for a particular purpose and merchantability (an unwritten warranty that the PRODUCT is fit for ordinary use) are limited to one year from date of purchase. Some states/provinces do not allow limitations on how long an implied warranty lasts, so the above limitation may not apply to you. In no event shall the manufacturer be liable for any indirect, special, incidental, consequential, or similar damages (including, but not limited to lost profits or revenue, inability to use the PRODUCT or other associated equipment, the cost of substitute equipment, and claims by third parties) resulting from the use of this PRODUCT. Some states/provinces do not allow the exclusion or limitation of incidental or consequential damages, so the above limitation or exclusion may not apply to you.

Please retain your original sales receipt as proof of purchase.

Technical specifications

RF frequency band	1921.536MHz - 1928.448MHz
Channels	5
Telephone base voltage (AC voltage, 60Hz)	96Vrms - 130Vrms
Telephone base voltage (AC adapter output)	6VDC @ 600mA
Handset battery	2.4V 400mAh, 2xAAA Ni-MH
Charger voltage (AC adapter output)	6VDC @ 100mA

Operation	Operating time*
Talk time (cordless handset)	Up to 7 hours
Talk time (cordless handset speakerphone)	Up to 5 hours
Standby	Up to 7 days

^{*} Operating times vary depending on your actual use and the age of the battery.

DECT 6.0 digital technology

The AT&T DECT 6.0 products offer unsurpassed range performance and sound clarity. This is achieved through a unique antenna design and advances in noise-filtering technology. An independent laboratory has confirmed that AT&T DECT 6.0 products perform up to 45% better in range competitions against similarly equipped phones of the leading competition. Now, calls can be taken in the basement, backyard and garage with exceptional sound quality.

Telephone operating range

This cordless telephone operates within the maximum power allowed by the Federal Communications Commission (FCC). Even so, this handset and telephone base can communicate over a certain distance — which can vary with the locations of the telephone base and handset, the weather, and the construction of your home or office.

Redefining long range coverage and clarity

This telephone base comes with an antenna which gives much better clarity and covers a longer range than before.

HD audio

HD audio improves sound quality by expanding and rebuilding frequencies that are lost with traditional phone calls. There is no additional telephone service requirement to use HD audio. It is designed to work with standard telephone service. Your system will automatically enhance all received sound with HD audio.

Simulated full-duplex handset and base speakerphones

The simulated full-duplex speakerphones on your handset and telephone base allow both ends of a call to speak and be heard at the same time. Optimal performance is subject to external factors and individual usage.

Index

Α

Alert tones
handset 143
telephone base 143
Allow list 93
Announcement 117
Answer an incoming call
during an intercom call 52
during PTT 60
Answering calls 38
Answering system 117–138
Assign a speed dial number 69
Auto off 39

В

Battery backup mode 14 Battery charging 12 Battery installation 11 Blind transfer 47 Block list 88

C

Caller ID announce telephone base 32 Caller ID (CID) add entries to phone directory 77, 78 delete entries 76 dial entries 76 review entries 75 Call transfer 53 Charger installation 10 Clear voicemail indication handset 23 telephone base 34 Clock handset 19 telephone base 30

D

Day and time handset 19 telephone base 30 Delete a caller ID log entry 76 a directory entry 67 a speed dial number 71 Dialing from a record in the caller ID log 76 from the directory 67 Directory dial a number 67 edit entries 68 name search 66 new entries 63 Display dial 67 **DSL 10**

Ε

Elapsed time 38 Ending a call 39

н

Handset
handset locator 49
quick reference guide 1–4
ringer tone 18
ringer volume 18
screen icons 142
temporary ringer silencing 39
voicemail indicator 23
HD audio 167

Index

П

Important safety information 159–161 Installation 9–16 Intercom 50–52

L

Last number redial 40 LCD language 20, 31 reset LCD language 20, 31 Lights 144 Limited warranty 165–166

М

Maintenance 158
Make an outgoing call during PTT 61
Making calls 38
Memory match 74
Message
alert tone 125
counter display 136
playback 131–134
Mute 44

Ν

Names search 66 Number of rings 123

0

On-hook dialing (predialing) 38 Outgoing announcement 117

P

Paging tone 49

Power adapter 10 Predialing 38 Push-to-talk 54–61

Q

Quick reference guide 1–8 Quiet mode 27

R

Reassign a speed dial number 70
Receiving calls 38
Recharging 12
Redial 40–41
Remote access 137–138
Ringer silencing 39
Ring tone options
handset 18
telephone base 29

5

Safety information 159–161
Screen display message 145–147
Smart call blocker 81–116
allowed calls 105
blocked calls 107
screen calls without numbers 109
screening announcement 101
screen uncategorized calls 112
Speakerphone 40
Speed dial
delete a number 71
edit a number 70
enter a number 69
Star name list 98

Index

Т

Technical specifications 167
Telephone base
quick reference guide 5–8
ringer tone 29
ringer volume 29
screen icons 142
Temporary ringer silencing 39
Time
handset 19
telephone base 30
Troubleshooting 148–157

U

Unwelcome calls 83

V

Visual message waiting indicator handset 22 telephone base 33 Voice announce caller ID telephone base 32 Voice guide 13, 104, 121 Voice guide to set Answering system 121 Voice guide to set Smart call blocker 104 Voicemail 22, 127 quick access 70, 71 Voice prompts 129 Volume control handset 18, 43, 132 telephone base 29, 43, 132

W

Wall-mount installation 15 Warranty 165–166 Welcome calls 83

Remote access wallet card

Use the wallet card to help you remember commands to control your answering system from any touch-tone telephone.

Cut along dotted line.



Call your phone number, then enter your two-digit access code (preset to **19**).

command

Action	Remote
Play all messages	1
Play new messages	2
Delete the message	
Delete all old messages	33
Repeat or go back	
Stop	5
Help menu	.*5

Fold here.

Models: CL83107/CL83207/CL83307/CL83407

Type: DECT 6.0 cordless telephone/answering system with

caller ID/call waiting

© 2017-2019 Advanced American Telephones. All Rights Reserved. AT&T and the AT&T logo are trademarks of AT&T Intellectual Property licensed to Advanced American Telephones, San Antonio, TX 78219. Printed in China.



www.telephones.att.com

© 2017-2019 Advanced American Telephones. All Rights Reserved.

AT&T and the AT&T logo are trademarks of AT&T Intellectual Property licensed to

Advanced American Telephones, San Antonio, TX 78219.

Qaltel[™] is a trademark of Truecall Group Limited.

RBRC® and 1-800-8-BATTERY® are registered trademarks of the Rechargeable Battery Recycling

Corporation.

Printed in China. Issue 3.0 AT&T 07/19.